

Cole-Parmer® 2-Way Stopcocks

Polycarbonate

Cole-Parmer®



Stopcocks provide easy on/off control of your fluid. Two-way, three-port stopcocks feature two female Luer fittings and a male Luer fitting with or without a lock. Luer fittings on stopcocks ensure a quick, leak-free connection. Simply turn the handle to a port you want closed, while the other two ports remain open. The handle can only be turned to the “off” position at the male Luer port or female side Luer port. Stopcocks are made of a polyethylene rotor and a transparent polycarbonate body.



Scan the QR code for more information on stopcocks.

WARNING: This product is not approved or intended for, and should not be used for, medical, clinical, surgical, or other patient-oriented applications.

APPLICATIONS

- Quality control testing, bioreactor feed control, and clean-in-place (CIP) processes
- Ideal for general-purpose, laboratory, and single-use applications

FEATURES/BENEFITS

- Consistent inside diameter minimizes turbulence and bubble entrapment
- Handle points to “off” port
- Use with both liquids and gases
- DEHP free (non-DEHP)
- Transparent polycarbonate body makes it easy to see the flow
- Sterilize via ethylene oxide (EtO)

USA	+1.800.323.4340
	+1.847.549.7600
Canada	+1.800.363.5900
China	86.21.5109.9909
India	+1.800.266.1244

UK	+44 (0) 1480.272279
	+33 (0) 1.87.170142*
	+49 (0) 937.792030*
Italy	+39.02.84349215
All others	+1.847.549.7600

Cole-Parmer®

coleparmer.com

*Inquiries from Germany and France are now handled in our St. Neots office by native-speaking experts.

Specification and Ordering Table

Number of Ports	Port 1	Port 2	Port 3	Item Number	Pack Size
3	Female Luer	Female Luer	Male Slip Luer	48523-33	10
3	Female Luer	Female Luer	Male Slip Luer	48523-41	100
3	Female Luer	Female Luer	Male Lock Luer	48523-32	10
3	Female Luer	Female Luer	Male Lock Luer	48523-40	100

FLOW PATH CONFIGURATIONS

