


Tube Mill control Disposable system



Tube Mill control | Disposable System

The IKA® Tube Mill is the world's first disposable grinding system for safe, instant and precise milling results. Its unique and compact design makes the unit space saving and ultra-portable. The disposable grinding chamber eliminates the possibility of cross-contamination and saves you cleaning costs and time.

The Tube Mill control is a batch mill for grinding soft, fibrous, hard and brittle materials (Mohs hardness up to 5). The transparent grinding chamber and cover facilitate observation at all times. Convenient and safe to use while assuring high safety and reproducibility to cover a broad range of applications. Amongst other applications, the mill is suitable for grinding seeds, such as corn and wheat. The ability to cool the sample with dry ice expands applications tremendously. During development of the mill, particular emphasis was placed on user safety.

The Tube Mill control is the world's first patented batch mill with disposable grinding chamber, designed and manufactured exclusively by IKA®.





* 2+1 years after registering at www.ika.com/register, glassware and wearing parts excluded

Protection class according to DIN EN 60529: IP 30











Applications & Industries



The Tube Mill control is a highly-versatile milling device suitable for a broad range of applications used in various industries



Vitamin tablets Tea leaves Pastilles (with dry ice) Glauber salt Salt of hartshorn Blond plantain Sour orange paring Hawkbit roots Calamus roots



> Cosmetics

Color pigments Rubber benzoe Bees wax (with dry ice)



> Chemical Industry Rubber

PE PET flakes Molecular sieve

> Medicine / Forensic

Chicken bones Chicken skin (with dry ice) Pig craw (with dry ice) Chicken gristle Teeth Bone

Leaves (with dry ice) Grass (with dry ice) Tobacco Fresh ginger (with dry ice)

> Biology







> Building Materials Industry Gypsum Marble

Cryo grinding for advanced results

Typical applications for sample embrittlement with dry ice:

- > chocolate
- > bread
- > nuts
- > soil samples
- > gummy bears
- > leaves
- > meat
- > sausages
- > some plastics
- > beef
- > bones
- > feedstuffs
- > tobacco
- > grass

The Tube Mill control can also be used to process moist, fatty, elastic and fibrous samples.

Dry ice is introduced directly into the grinding chamber in order to embrittle the sample. The insulating effect of the plastic chamber allows minimal amounts of dry ice to be used. The cold remains in the milling chamber, allowing the user to handle the grinding chamber even after cooling. This greatly increases the range of applications for which the Tube Mill control can be used.























Tube Mill control | Technical data



	Tube Mill control Tube Mill 100 control
Technical data	
Process type	batch
Operating principle	cutting / impact
Motor rating input/output	100 / 80 W
Speed range	5000 – 25,000 rpm
Max. circumferential speed	65 m/s
Max. usable volume	40 ml 100 ml
Timer	5 s – 3 min
Interval timer	5 – 60 s
Display	OLED
Max. Feed hardness	5 Mohs (manganese or apatite: 5 Mohs)
Max. granularity of task	10 mm
Mill feed can be cooled in milling chamber with dry ice	yes
Dimensions (W x D x H)	180 x 300 x 170 mm 180 x 300 x 212 mm
Weight	2.7 kg 2.8 kg
Permissible ambient temperature	5 – 40 °C
Permissible relative moisture	80%
Protection class according to DIN EN 60529	IP 30
USB interface	yes
Voltage	100 – 120 V
Frequency	50/60 Hz

Price

\$ 2,065 | \$ 2,340

Ident. No. 4180001* | 20007145**

- * 2 x MT 40 and 1 x MMT 40 included in the delivery.
- ** 1 x MT 40, 1 x MT 100 and 1 x MMT 40 included in the delivery.



Special safety features

- > The mill can only operate if the hood is closed
- > The motor does only operate with a correct grinding chamber
- > The system recognizes if the grinding chamber is not properly closed and the machine will not operate
- > The grinding chamber cannot be opened during the process
- > The motor is fitted with a labyrinth seal, preventing dust from entering the motor



Watch the video: www.ika.com/video



Tube Mill control | Accessories



MTC 40.100 0020001182 \$ 85
Cover for MT 40, 100 pieces



MT 40.10 steril 0020001984 \$ 190

Disposable grinding chamber, steril, 40 ml, 10 pieces

Ident. No.	Price



MT 100.10 0020008386 \$ 109
Disposable grinding chamber, 100 ml, 10 pieces

MT 100.50 0020006984 \$ 421

Disposable grinding chamber, 100 ml, 50 pieces

The disposable grinding chamber with a stainless steel beater reduces soft, medium, hard and brittle materials with a Mohs hardness of up to 5 (manganese or apatite: 5 Mohs). The chamber is made of transparent plastic so grinding tests can be observed at any time. In addition the chamber shows excellent resistance to chemicals and temperature.



Multiple grinding chamber, 40 ml

nt. No. Price

\$ 251



MMT 40.1 0020003165

MMT 40.1 stainless steel package, includes 1 MMT 40 chamber, 25 sealings, 5 beaters, 5 couplings



A-MMT 40.100 0020003378 \$ 172
A-MMT 40.100 abrasion set spare parts,

includes 100 sealings, 10 beaters, 10 couplings

The Multi-use Milling Tube MMT 40.1 with a maximum volume of 40 ml can be used and cleaned in a dishwasher multiple times. The package includes a rich set of spare parts so that wearing parts can be replaced if necessary. Therefore it is possible to carry out a number of experiments with the grinding

chamber depending on the nature of the sample.

6 metaded in the delivery.

Tube milling | Smooth process and easy storage








The grinding chamber can either be disposed of after the test or it can be used for storage of the processed sample. This new procedure will save on both time and money. As no cleaning of the tube system is required, the user is safe from aerosol formation that frequently occurs during cleaning procedures.

After grinding, a part of the sample will be analyzed. The remaining sample can either be discarded or it can be stored as a reference sample directly in the grinding chamber. In the later case, grinding chambers can be labeled and either stored in a refrigerator or in a drying room. Reference samples can be re-analyzed and traced at any time.



Step 1 | Fill the sample in the grinding chamber



Step 2 | Attach the grinding chamber onto the Tube Mill



Step 3 | Start the milling process




Step 4 | Grinding the sample



Step 5 | Remove the grinding chamber



Step 6 | Remove the grinding sample



IKA® Application Support

Our Application Center spans 400sqm and offers modern facilities for presenting and testing lab devices and processes. This brings us even closer to our customers and improves our service. Here, prospective buyers and customers can test processes that involve stirring, shaking, dispersing, grinding, heating, analyzing and distilling.

Please call us on +1 800 733-3037, send us an email at sales@ika.net or visit our website at www.ika.com/applicationsupport



Customizing Center

It is important that IKA products work for your application. We have a special program: product solutions tailored to your needs.

Should you not find the appropriate device in our standard product range, please send us your requested specifications through the online form. Our team will determine its feasibility and offer a solution to you.

Please visit www.ika.com/customizingcenter to review already implemented product modifications.

Tube Mill control | Your benefits



Adjustable safety speed and time



Interval operation available



USB interface to control and document all the parameters and for updating your firmware



Special safety features



Clearly arranged, multi-lingual OLED display

Quiet operation



Year warranty*

* 2+1 years after registering at www.ika.com/register, glassware and wearing parts excluded

Protection class according to DIN EN 60529: IP 30



Please visit www.ika.com

10

Prices valid until 31st of December 2016 All prices exclusive to VAT Subject to alteration of prices Subject to technical changes Indications not binding for delivery



Ordering made easy!

For more information about our products and to place your order, please visit:

www.ika.com

201604_Tube_Mill_brochure_IWW_EN_USD







IKAworldwide | #lookattheblue

IKA®-Works, Inc. 2635 Northchase Pkwy SE Wilmington, NC 28405-7419 USA

Tel. +1 800-733-3037 Tel. +1 910 452-7059

Fax +1 910 452-7693

sales@ika.net www.ika.com



Service | FAQ

Is it possible to use the grinding chamber more than one time?

We recommend to use the grinding chamber only once to avoid cross-contamination

What about the cleaning methods of the grinding chamber?

Before the first use, the grinding chamber can be autoclaved

What material are the grinding chamber, knife and vlies made of?

The grinding chamber is made of PP, the knife is made of spring steel 1.4310 and vlies are made of PA

Can standard grinding chamber be used with dry ice? Yes, the grinding chamber can be used with dry ice

What about the end fineness of samples?

The end fineness is between 1 – 100 µm (depends on sample)

What about the minimum quantity for the grinding chamber?

One corn

What about the Mohs hardness of the samples?

The maximum Mohs hardness for samples is 5

