Material Safety Data Sheet

Ethylaluminium sesquichloride, 0.4M solution in hexane

ACC# 09927

Section 1 - Chemical Product and Company Identification

MSDS Name: Ethylaluminium sesquichloride, 0.4M solution in hexane Catalog Numbers: AC185460000, AC185461000, AC185468000

Synonyms: EASC
Company Identification:
 Acros Organics N.V.
 One Reagent Lane
 Fair Lawn, NJ 07410

For information in North America, call: 800-ACROS-01 For emergencies in the US, call CHEMTREC: 800-424-9300

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
110-54-3	Hexane	85	203-777-6
12075-68-2	Ethyl aluminum sesquichloride	15	235-137-7

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Not available.

Target Organs: Respiratory system, eyes, skin.

Potential Health Effects

Eye: Causes eye burns. **Skin:** Causes skin burns.

Ingestion: Causes gastrointestinal tract burns. May cause lung damage.

Inhalation: Harmful if inhaled. Causes chemical burns to the respiratory tract. Inhalation of vapors may cause drowsiness and dizziness.

Chronic: May impair fertility.

Section 4 - First Aid Measures

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid imme diately.

Skin: Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion: Do not induce vomiting. Get medical aid immediately.

Inhalation: Get medical aid immediately. Remove from exposure and move to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Will burn if involved in a fire. Water Reactive. Material will react with water and may release a flammable and/or toxic gas. Flammable liquid and vapor.

Extinguishing Media: Do NOT use halogenated agents. Use dry sand, dry chemical, soda ash or lime. DO NOT USE WATER OR FOAM.

Flash Point: Not available.

Autoignition Temperature: Not available. **Explosion Limits, Lower:** Not available.

Upper: Not available.

NFPA Rating: 3 - flammability, 0 - instability

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition. Use a spark-proof tool. Do not expose spill to water.

Section 7 - Handling and Storage

Handling: Do not allow water to get into the container because of violent reaction. Use spark-proof tools and explosion proof equipment. Do not breathe dust, vapor, mist, or gas. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. Use and store under nitrogen. Do not allow contact with water. Use only in a chemical fume hood.

Storage: Keep away from sources of ignition. Store in a cool, dry place. Store in a tightly closed container. Flammables-area. Corrosives area. Water free area. Store protected from moisture. Store under nitrogen.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Hexane	50 ppm TWA; Skin - potential significant contribution to overall exposure by the cutaneous r oute	50 ppm TWA; 180 mg/m3 TWA 1100 ppm IDLH	500 ppm TWA; 1800 mg/m3 TWA
Ethyl aluminum sesquichloride	none listed	none listed	none listed

OSHA Vacated PELs: Hexane: 50 ppm TWA; 180 mg/m3 TWA Ethyl aluminum sesquichloride: No OSHA Vacated PELs are listed for this

chemical.

Personal Protective Equipment

Eyes: Not available.

Skin: Wear appropriate protective gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Clear liquid **Appearance:** colorless **Odor:** hexane-like

pH: < 7

Vapor Pressure: Not available. Vapor Density: Not available. Evaporation Rate:Not available. Viscosity: Not available.

Viscosity: Not available.

Boiling Point: Not available.

Freezing/Melting Point:Not available.

Decomposition Temperature:> 180 deg C

Solubility: vigorous reaction Specific Gravity/Density:0.701 Molecular Formula:C6H16Al2Cl3 Molecular Weight:247.51

Section 10 - Stability and Reactivity

Chemical Stability: Air sensitive. Reacts violently with water. Moisture sensitive.

Conditions to Avoid: Incompatible materials, ignition sources, exposure to moist air or water, temperatures above 160°C. **Incompatibilities with Other Materials:** Oxidizing materials, water, acids, alcohols, oxygen, organic halides, moisture.

Hazardous Decomposition Products: Hydrogen chloride, carbon monoxide, carbon dioxide, aluminum oxide.

Hazardous Polymerization: Will not occur.

Section 11 - Toxicological Information

RTECS#:

CAS# 110-54-3: MN9275000 **CAS#** 12075-68-2: BD1950000

LD50/LC50: CAS# 110-54-3:

Draize test, rabbit, eye: 10 mg Mild;

Inhalation, mouse: LC50 = 150000 mg/m3/2H; Inhalation, rat: LC50 = 48000 ppm/4H; Inhalation, rat: LC50 = 627000 mg/m3/3M;

Oral, rat: LD50 = 25 gm/kg;

CAS# 12075-68-2:

Carcinogenicity:

CAS# 110-54-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 12075-68-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No data available. **Teratogenicity:** No data available. **Reproductive Effects:** No data available.

Mutagenicity: No data available. **Neurotoxicity:** No data available.

Other Studies:

Section 12 - Ecological Information

Ecotoxicity: No data available. No information available.

Environmental: No information available. **Physical:** No information available.

Other: Harmful to aquatic life in very low concentrations.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

Section 14 - Transport Information

	US DOT	Canada TDG			
Shipping Name:	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER- REACTIVE, FLAMMABLE	No information available.			
Hazard Class:	4.3				
UN Number:	UN3399				
Packing Group:	I				

Section 15 - Regulatory Information

US FEDERAL

TSCA

CAS# 110-54-3 is listed on the TSCA inventory.

CAS# 12075-68-2 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

CAS# 110-54-3: 5000 lb final RQ; 2270 kg final RQ

SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

SARA Codes

CAS # 110-54-3: immediate, delayed, fire.

Section 313

This material contains Hexane (CAS# 110-54-3, 85%), which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

Clean Air Act:

CAS# 110-54-3 is listed as a hazardous air pollutant (HAP).

This material does not contain any Class 1 Ozone depletors.

This material does not contain any Class 2 Ozone depletors.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 110-54-3 can be found on the following state right to know lists: New Jersey, Pennsylvania, Minnesota, Massachusetts. CAS# 12075-68-2 can be found on the following state right to know lists: New Jersey, Pennsylvania, Massachusetts.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:

FCN

Risk Phrases:

R 11 Highly flammable.

R 14/15 Reacts violently with water liberating extremely flammable

R 35 Causes severe burns.

R 48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

R 62 Possible risk of impaired fertility.

R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 65 Harmful: may cause lung damage if swallowed.

R 67 Vapours may cause drowsiness and dizziness.

Safety Phrases:

S 16 Keep away from sources of ignition - No smoking.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 29 Do not empty into drains.

S 36/37/39 Wear suitable protective clothing, gloves and eye/face pr otection.

S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S 57 Use appropriate containment to avoid environmental contaminatio

S 6A Keep under nitrogen.

S 43B In case of fire, use fire-fighting equipment on basis of sodiu m chloride, sodium bicarbonate (never use water).

S 43E In case of fire, use dry sand (never use water).

WGK (Water Danger/Protection)

CAS# 110-54-3: 1 CAS# 12075-68-2: 1

Canada - DSL/NDSL CAS# 110-54-3 is listed on Canada's DSL List.

CAS# 12075-68-2 is listed on Canada's DSL List.

Canada - WHMIS

not available.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian Ingredient Disclosure List

CAS# 110-54-3 is listed on the Canadian Ingredient Disclosure List.

Section 16 - Additional Information

MSDS Creation Date: 9/20/2004 Revision #0 Date: Original.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.