Safety Data Sheet
acc. to OSHA HCS

Printing date 09/02/2025 *Reviewed on 09/02/2025*

1 Identification

· **Product identifier**

· **Product Name: Nickel 1000 µg/mL in 2% HCl**

· **Part Number:**
100036-2
100036-2-100
100036-2-250
100036-2-500
· **Application of the substance / the mixture** For Laboratory Use Only
· **Uses advised against** Not for Human or Animal Use

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
High-Purity Standards
7221 Investment Drive, North Charleston, SC 29418 United States
Telephone: +1-843-767-7900
Fax: +1-843-767-7906
highpuritystandards.com
Email: HPS-info@antylia.com

· **Information department:** Product safety department
· **Emergency telephone number:**
Emergency Phone Number (24 hours)
INFOTRAC (800-535-5053)
Outside US: 352-323-3500

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.



GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

· **Label elements**
· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**



GHS05 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**
hydrochloric acid
nickel
· **Hazard statements**
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer. Route of exposure: Inhalation.
· **Precautionary statements**
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.

(Contd. on page 2)

(Contd. of page 1)

Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**
· **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 0
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



*Health = *3*
Fire = 0
Reactivity = 0

· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** *Not applicable.*
· **vPvB:** *Not applicable.*

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** *Mixture of the substances listed below with nonhazardous additions.*

· **Dangerous components:**		
7647-01-0	hydrochloric acid	2.0%
7440-02-0	nickel	0.1%

· **Chemical identification of the substance/preparation**		
7732-18-5	water, distilled, conductivity or of similar purity	97.9%

4 First-aid measures

· **Description of first aid measures**
· **General information:** *Immediately remove any clothing soiled by the product.*
· **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*
· **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*
· **After swallowing:** *Drink copious amounts of water and provide fresh air. Immediately call a doctor.*
· **Information for doctor:**
· **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
· **Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:** *Use fire fighting measures that suit the environment.*
· **Special hazards arising from the substance or mixture** *During heating or in case of fire poisonous gases are produced.*
· **Advice for firefighters**
· **Protective equipment:** *Mouth respiratory protective device.*

(Contd. on page 3)

(Contd. of page 2)

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:** Dilute with plenty of water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· **Protective Action Criteria for Chemicals**

· **PAC-1:**		
7647-01-0	hydrochloric acid	1.8 ppm
7440-02-0	nickel	4.5 mg/m³
· **PAC-2:**		
7647-01-0	hydrochloric acid	22 ppm
7440-02-0	nickel	50 mg/m³
· **PAC-3:**		
7647-01-0	hydrochloric acid	100 ppm
7440-02-0	nickel	99 mg/m³

7 Handling and storage

· **Handling:**
· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:** Keep receptacle tightly sealed.
· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
7647-01-0 hydrochloric acid	
PEL	Ceiling limit value: 7 mg/m³, 5 ppm
REL	Ceiling limit value: 7 mg/m³, 5 ppm
TLV	Ceiling limit value: 2 ppm A4
7440-02-0 nickel	
PEL	Long-term value: 1 mg/m³
REL	Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A
TLV	Long-term value: 1.5* mg/m³ elemental, *inhalable fraction, A5, BEI

(Contd. on page 4)
US

Safety Data Sheet
acc. to OSHA HCS

Printing date 09/02/2025 *Reviewed on 09/02/2025*

Product Name: Nickel 1000 µg/mL in 2% HCl

(Contd. of page 3)

· ***Ingredients with biological limit values:***

7440-02-0 nickel

BEI	5 µg/L Medium: urine Time: post-shift at end of workweek Parameter: Nickel (background) 30 µg/L Medium: urine Time: post-shift at end of workweek Parameter: Nickel (background)

· ***Additional information:*** *The lists that were valid during the creation were used as basis.*

· ***Exposure controls***
· ***Personal protective equipment:***
· ***General protective and hygienic measures:***
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
· ***Breathing equipment:***
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· ***Protection of hands:***



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· ***Penetration time of glove material*** *The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*
· ***Eye protection:***



Tightly sealed goggles

9 Physical and chemical properties

· ***Information on basic physical and chemical properties***	
· ***General Information***	
· ***Appearance:***	
Form:	*Liquid*
Color:	*According to product specification*
· ***Odor:***	*Characteristic*
· ***Odor threshold:***	*Not determined.*
· ***pH-value:***	*Not determined.*
· ***Change in condition***	
Melting point/Melting range:	*Undetermined.*
Boiling point/Boiling range:	*100 °C (212 °F)*
· ***Flash point:***	*Not applicable.*
· ***Flammability:***	*Not applicable.*
· ***Decomposition temperature:***	*Not determined.*
· ***Ignition temperature:***	*Product is not selfigniting.*
· ***Danger of explosion:***	*Product does not present an explosion hazard.*

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 09/02/2025 Reviewed on 09/02/2025

Product Name: Nickel 1000 µg/mL in 2% HCl

(Contd. of page 4)

· **Explosion limits:**	
Lower:	Not determined.
Upper:	Not determined.
· **Vapor pressure at 20 °C (68 °F):**	23 hPa (17.3 mm Hg)
· **Density at 20 °C (68 °F):**	1.01091 g/cm³ (8.43604 lbs/gal)
· **Bulk density:**	1,011 kg/m³
· **Relative density**	Not determined.
· **Vapor density**	Not determined.
· **Evaporation rate**	Not determined.
· **Solubility in / Miscibility with**	
Water:	Fully miscible.
· **Partition coefficient (n-octanol/water):**	Not determined.
· **Viscosity:**	
Dynamic:	Not determined.
Kinematic:	Not determined.
· **Solvent content:**	
Water:	97.9 %
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.1 %
· **Other information**	No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**		
7647-01-0 hydrochloric acid		
Oral	LD50	900 mg/kg (rabbit)

· **Primary irritant effect:**
· **on the skin:** Strong caustic effect on skin and mucous membranes.
· **on the eye:** Strong caustic effect.
· **Sensitization:** Sensitization possible through skin contact.
· **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive
Irritant
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**		
7647-01-0	hydrochloric acid	3
7440-02-0	nickel	2B

· **NTP (National Toxicology Program)**		
7440-02-0	nickel	R

· **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 09/02/2025 Reviewed on 09/02/2025

Product Name: Nickel 1000 µg/mL in 2% HCl

(Contd. of page 5)

12 Ecological information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Behavior in environmental systems:**
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Additional ecological information:**
· **General notes:**
Not hazardous for water.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number** · **DOT, ADR, IMDG, IATA**	not regulated
· **UN proper shipping name** · **DOT, ADR, IMDG, IATA**	not regulated
· **Transport hazard class(es)** · **DOT, ADR, ADN, IMDG, IATA** · **Class**	not regulated
· **Packing group** · **DOT, ADR, IMDG, IATA**	not regulated
· **Environmental hazards:**	Not applicable.
· **Special precautions for user**	Not applicable.
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable.
· **UN "Model Regulation":**	not regulated

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture** No further relevant information available.
· **Sara**

· **Section 355 (extremely hazardous substances):**	
7647-01-0	hydrochloric acid

· **Section 313 (Specific toxic chemical listings):**	
7647-01-0	hydrochloric acid
7440-02-0	nickel

· **TSCA (Toxic Substances Control Act):**
All components have the value ACTIVE.

· **Hazardous Air Pollutants**	
7647-01-0	hydrochloric acid

· **Proposition 65**

· **Chemicals known to cause cancer:**	
7440-02-0	nickel

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 09/02/2025 *Reviewed on 09/02/2025*

Product Name: Nickel 1000 µg/mL in 2% HCl

(Contd. of page 6)

· ***Chemicals known to cause reproductive toxicity for females:***
None of the ingredients is listed.

· ***Chemicals known to cause reproductive toxicity for males:***
None of the ingredients is listed.

· ***Chemicals known to cause developmental toxicity:***
None of the ingredients is listed.

· ***Carcinogenic categories***

· ***EPA (Environmental Protection Agency)***
None of the ingredients is listed.

· ***TLV (Threshold Limit Value)***

7647-01-0	hydrochloric acid	A4
7440-02-0	nickel	A5

· ***NIOSH-Ca (National Institute for Occupational Safety and Health)***

7440-02-0	nickel

· ***GHS label elements*** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
· ***Hazard pictograms***



GHS05 GHS07 GHS08

· ***Signal word*** *Danger*

· ***Hazard-determining components of labeling:***
hydrochloric acid
nickel
· ***Hazard statements***
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer. Route of exposure: Inhalation.
· ***Precautionary statements***
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· ***Chemical safety assessment:*** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· ***Department issuing SDS:*** *Environment protection department.*
· ***Contact:***
High-Purity Standards
Telephone: +1-843-767-7900
Fax: +1-843-767-7906
Email: HPS-Info@antylia.com
· ***Date of preparation / last revision*** *09/02/2025 / -*
· ***Abbreviations and acronyms:***
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 09/02/2025 *Reviewed on 09/02/2025*

Product Name: Nickel 1000 µg/mL in 2% HCl

(Contd. of page 7)

DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A
Sensitization - Skin 1: Skin sensitisation – Category 1
Carcinogenicity 2: Carcinogenicity – Category 2