

# Material Safety Data Sheet

## 2-Methyl-3-furanethiol, ca. 90%, balance oxidized compound

ACC# 18229

### Section 1 - Chemical Product and Company Identification

**MSDS Name:** 2-Methyl-3-furanethiol, ca. 90%, balance oxidized compound

**Catalog Numbers:** AC275390010

**Synonyms:** 2-Methylfuran-3-thiol; 3-Furanthiol, 2-methyl-; Furan-3-thiol, 2-methyl-

**Company Identification:**

Acros Organics N.V.

One Reagent Lane

Fair Lawn, NJ 07410

**For information in North America, call:** 800-ACROS-01

**For emergencies in the US, call CHEMTREC:** 800-424-9300

### Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
28588-74-1	2-Methyl-3-furanethiol	90	249-094-7

### Section 3 - Hazards Identification

#### EMERGENCY OVERVIEW

Appearance: light orange clear liquid. Flash Point: 37 deg C.

**Warning!** Flammable liquid and vapor. Stench. Causes eye irritation. May cause skin and respiratory tract irritation. May cause central nervous system depression. The toxicological properties of this material have not been fully investigated.

**Target Organs:** Central nervous system.

#### Potential Health Effects

**Eye:** Causes eye irritation. May cause chemical conjunctivitis and corneal damage.

**Skin:** May cause irritation and dermatitis. May cause cyanosis of the extremities.

**Ingestion:** May cause gastrointestinal irritation with nausea, vomiting and diarrhea. The toxicological properties of this substance have not been fully investigated. Ingestion of large amounts may cause CNS depression.

**Inhalation:** May cause respiratory tract irritation. The toxicological properties of this substance have not been fully investigated.

Aspiration may lead to pulmonary edema. Vapors may cause dizziness or suffocation. May cause burning sensation in the chest.

**Chronic:** Effects may be delayed.

### Section 4 - First Aid Measures

**Eyes:** Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**Skin:** Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

**Ingestion:** Never give anything by mouth to an unconscious person. Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

**Inhalation:** Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation.

**Notes to Physician:** Treat symptomatically and supportively.

### Section 5 - Fire Fighting Measures

**General Information:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form an explosive mixture with air. Vapors can travel to a source of ignition and flash back. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Will burn if involved in a fire. Use water spray to keep fire-exposed containers cool. Containers may explode in the heat of a fire. Flammable liquid and vapor. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. Runoff from fire control or dilution water may cause pollution.

**Extinguishing Media:** Do NOT use water directly on fire. Use water spray to cool fire-exposed containers. Use foam, dry chemical, or carbon dioxide. Water may be ineffective.

**Flash Point:** 37 deg C ( 98.60 deg F)

**Autoignition Temperature:** Not available.

**Explosion Limits, Lower:**Not available.

**Upper:** Not available.

**NFPA Rating:** (estimated) Health: 2; Flammability: 2; Instability: 0

### Section 6 - Accidental Release Measures

**General Information:** Use proper personal protective equipment as indicated in Section 8.

**Spills/Leaks:** Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation. A vapor suppressing foam may be used to reduce vapors.

## Section 7 - Handling and Storage

**Handling:** Wash thoroughly after handling. Use with adequate ventilation. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Keep away from heat, sparks and flame. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.

**Storage:** Keep away from sources of ignition. Store in a tightly closed container. Flammables-area. Deep freeze (below -20°C).

## Section 8 - Exposure Controls, Personal Protection

**Engineering Controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.

### Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
2-Methyl-3-furanethiol	none listed	none listed	none listed

**OSHA Vacated PELs:** 2-Methyl-3-furanethiol: No OSHA Vacated PELs are listed for this chemical.

### Personal Protective Equipment

**Eyes:** Wear safety glasses and chemical goggles if splashing is possible.

**Skin:** Wear appropriate protective gloves and clothing to prevent skin exposure.

**Clothing:** Wear appropriate protective clothing to minimize contact with skin.

**Respirators:** A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

## Section 9 - Physical and Chemical Properties

**Physical State:** Clear liquid

**Appearance:** light pink - light orange

**Odor:** stench

**pH:** Not available.

**Vapor Pressure:** Not available.

**Vapor Density:** 3.9

**Evaporation Rate:** Not available.

**Viscosity:** Not available.

**Boiling Point:** 57 - 60 deg C @ 44.00mm Hg

**Freezing/Melting Point:** Not available.

**Decomposition Temperature:** Not available.

**Solubility:** slightly soluble

**Specific Gravity/Density:** 1.1450g/cm<sup>3</sup>

**Molecular Formula:** C<sub>5</sub>H<sub>6</sub>OS

**Molecular Weight:** 114.17

## Section 10 - Stability and Reactivity

**Chemical Stability:** Stable under normal temperatures and pressures.

**Conditions to Avoid:** Incompatible materials, ignition sources, excess heat.

**Incompatibilities with Other Materials:** Oxidizing agents.

**Hazardous Decomposition Products:** Carbon monoxide, oxides of sulfur, irritating and toxic fumes and gases, carbon dioxide.

**Hazardous Polymerization:** Has not been reported.

## Section 11 - Toxicological Information

### RTECS#:

**CAS#** 28588-74-1: LU6235000

### LD50/LC50:

**CAS#** 28588-74-1:

Oral, mouse: LD50 = 100 mg/kg;

### Carcinogenicity:

**CAS#** 28588-74-1: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

**Epidemiology:** No information found

**Teratogenicity:** No information found

**Reproductive Effects:** No information found

**Mutagenicity:** No information found

**Neurotoxicity:** No information found

## Other Studies:

### Section 12 - Ecological Information

No information available.

### Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

**RCRA P-Series:** None listed.

**RCRA U-Series:** None listed.

### Section 14 - Transport Information

	US DOT	Canada TDG
<b>Shipping Name:</b>	DOT regulated - small quantity provisions apply (see 49CFR173.4)	TOXIC LIQUID FLAMMABLE ORGANIC ( 2METHYL3FURANETHIOL)
<b>Hazard Class:</b>		6.1(3)
<b>UN Number:</b>		UN2929
<b>Packing Group:</b>		II

### Section 15 - Regulatory Information

#### US FEDERAL

##### TSCA

CAS# 28588-74-1 is listed on the TSCA inventory.

##### Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

##### Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

##### Section 12b

None of the chemicals are listed under TSCA Section 12b.

##### TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

##### CERCLA Hazardous Substances and corresponding RQs

None of the chemicals in this material have an RQ.

##### SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

##### Section 313

No chemicals are reportable under Section 313.

##### Clean Air Act:

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depleters.

This material does not contain any Class 2 Ozone depleters.

##### Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

##### OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

##### STATE

CAS# 28588-74-1 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

#### California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

#### European/International Regulations

##### European Labeling in Accordance with EC Directives

##### Hazard Symbols:

T+

##### Risk Phrases:

R 10 Flammable.

R 25 Toxic if swallowed.

R 26 Very toxic by inhalation.

R 36 Irritating to eyes.

##### Safety Phrases:

S 16 Keep away from sources of ignition - No smoking.

S 23 Do not inhale gas/fumes/vapour/spray.

S 24/25 Avoid contact with skin and eyes.

S 33 Take precautionary measures against static discharges.

S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S 9 Keep container in a well-ventilated place.

**WGK (Water Danger/Protection)**

CAS# 28588-74-1: No information available.

**Canada - DSL/NDSL**

CAS# 28588-74-1 is listed on Canada's DSL List.

**Canada - WHMIS**

This product has a WHMIS classification of D1A, D2B.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

**Canadian Ingredient Disclosure List**

Section 16 - Additional Information
-------------------------------------

**MSDS Creation Date:** 9/02/1997

**Revision #6 Date:** 9/08/2005

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.*