Material Safety Data Sheet Benzyltriethylammonium chloride, 98%

ACC# 24986

Section 1 - Chemical Product and Company Identification

MSDS Name: Benzyltriethylammonium chloride, 98%

Catalog Numbers: AC164020000, AC164021000, AC164025000

Synonyms: BTEAC; N,N,N-Triethylbenzenemethanaminium chloride; Triethylbenzylammonium chloride; TEBAC.

Company Identification:

Acros Organics N.V. One Reagent Lane Fair Lawn, NJ 07410

For information in North America, call: 800-ACROS-01 For emergencies in the US, call CHEMTREC: 800-424-9300

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
56-37-1	Benzyltriethylammonium chloride	98	200-270-1

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: white crystalline powder.

Warning! Flammable solid. Causes eye, skin, and respiratory tract irritation. Hygroscopic (absorbs moisture from the air).

Target Organs: Respiratory system, eyes, skin.

Potential Health Effects

Eye: Causes eye irritation. May cause chemical conjunctivitis and corneal damage.

Skin: Causes skin irritation.

Ingestion: May be harmful if swallowed. Causes gastrointestinal tract irritation.

Inhalation: Causes respiratory tract irritation. May be harmful if inhaled.

Chronic: No information found.

Section 4 - First Aid Measures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Get medical aid. Flush skin with plenty of soap and water.

Ingestion: Never give anything by mouth to an unconscious person. Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

Inhalation: Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dust can be an explosion hazard when exposed to heat or flame. Flammable solid. May burn rapidly with flare burning effect. May re-ignite after fire is extinguished.

Extinguishing Media: For large fires, use water spray, fog or regular foam. Contact professional fire-fighters immediately. For small fires, use dry chemical, carbon dioxide, sand, earth, water spray or regular foam. Cool containers with flooding quantities of water until well after fire is out.

Flash Point: > 275 deg C (> 527.00 deg F)

Autoignition Temperature: 300 deg C (572.00 deg F)

Explosion Limits, Lower: Not available.

Upper: Not available.

NFPA Rating: (estimated) Health: 2; Flammability: 2; Instability: 0

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Scoop up with a nonsparking tool, then place into a suitable container for disposal. Avoid generating dusty conditions. Remove all sources of ignition. Provide ventilation.

Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Keep away from heat, sparks and flame. Avoid breathing dust.

Storage: Keep away from heat, sparks, and flame. Keep away from sources of ignition. Store in a cool, dry place. Keep container closed when not in use.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Benzyltriethylammonium chloride	none listed	none listed	none listed

OSHA Vacated PELs: Benzyltriethylammonium chloride: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Wear chemical splash goggles.

Skin: Wear appropriate gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Crystalline powder

Appearance: white Odor: characteristic odor **pH:** 6-8 (100 g/l aq soln) Vapor Pressure: Not available. Vapor Density: Not available. Evaporation Rate: Not available. Viscosity: Not available. Boiling Point: Not available. Freezing/Melting Point:185 deg C Decomposition Temperature: 185 deg C Solubility: Soluble.

Specific Gravity/Density:Not available. Molecular Formula:C13H22CIN Molecular Weight: 227.78

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures. Conditions to Avoid: Ignition sources, dust generation, moisture, heat.

Incompatibilities with Other Materials: Strong oxidizing agents, strong acids, strong bases.

Hazardous Decomposition Products: Hydrogen chloride, nitrogen oxides, carbon monoxide, carbon dioxide.

Hazardous Polymerization: Has not been reported.

Section 11 - Toxicological Information

RTECS#:

CAS# 56-37-1: BO8275000

LD50/LC50: CAS# 56-37-1:

Oral, rat: LD50 = 2219 mg/kg;

Carcinogenicity:

CAS# 56-37-1: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No information found Teratogenicity: No information found Reproductive Effects: No information found Mutagenicity: No information found Neurotoxicity: No information found

Other Studies:

Ecotoxicity: Fish: Fathead Minnow: 161 mg/L; 96hr; LC50 (flow-through)

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

Section 14 - Transport Information

	US DOT	Canada TDG
Shipping Name:	FLAMMABLE SOLIDS, ORGANIC, N.O.S.	No information available.
Hazard Class:	4.1	
UN Number:	UN1325	
Packing Group:	III	

Section 15 - Regulatory Information

US FEDERAL

TSCA

CAS# 56-37-1 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

None of the chemicals in this material have an RQ.

SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

SARA Codes

CAS # 56-37-1: immediate.

Section 313 No chemicals are reportable under Section 313.

Clean Air Act:

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depletors.

This material does not contain any Class 2 Ozone depletors.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA

None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 56-37-1 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:

XI F

Risk Phrases:

R 11 Highly flammable.

R 36/37/38 Irritating to eyes, respiratory system and skin.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37/39 Wear suitable gloves and eye/face protection.

WGK (Water Danger/Protection)

CAS# 56-37-1: 2

Canada - DSL/NDSL

CAS# 56-37-1 is listed on Canada's DSL List.

Canada - WHMIS

This product has a WHMIS classification of B4. D2B.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all

of the information required by those regulations. Canadian Ingredient Disclosure List

Section 16 - Additional Information

MSDS Creation Date: 9/02/1997 Revision #9 Date: 3/22/2006

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.