

Material Safety Data Sheet

Chloro-(chloromethyl)-dimethylsilane, 98%

ACC# 28993

Section 1 - Chemical Product and Company Identification

MSDS Name: Chloro-(chloromethyl)-dimethylsilane, 98%

Catalog Numbers: AC209900000, AC209900250

Synonyms: (Chloromethyl)dimethylchlorosilane; CMDMCS

Company Identification:

Acros Organics N.V.

One Reagent Lane

Fair Lawn, NJ 07410

For information in North America, call: 800-ACROS-01

For emergencies in the US, call CHEMTREC: 800-424-9300

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
1719-57-9	Chloro(chloromethyl)dimethylsilane	98%	217-006-6

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: clear, colorless liquid. Flash Point: 22 deg C.

Danger! Corrosive. Flammable liquid. Moisture sensitive. The toxicological properties of this material have not been fully investigated.

Target Organs: Respiratory system, eyes, skin.

Potential Health Effects

Eye: Causes eye burns.

Skin: Causes skin burns.

Ingestion: Causes gastrointestinal tract burns. May cause nausea and vomiting.

Inhalation: Causes chemical burns to the respiratory tract. Inhalation may be fatal as a result of spasm, inflammation, edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema.

Chronic: Not available.

Section 4 - First Aid Measures

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.

Skin: Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion: Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.

Inhalation: Get medical aid immediately. Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Notes to Physician: Treat symptomatically.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors can travel to a source of ignition and flash back. Will burn if involved in a fire. Reacts violently with water.

Extinguishing Media: Use foam, dry chemical, or carbon dioxide. DO NOT USE WATER!

Flash Point: 22 deg C (71.60 deg F)

Autoignition Temperature: 355 deg C (671.00 deg F)

Explosion Limits, Lower: 1.40 vol %

Upper: 51.50 vol %

NFPA Rating: Not published.

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition.

Section 7 - Handling and Storage

Handling: Use spark-proof tools and explosion proof equipment. Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes. Use only in a chemical fume hood.

Storage: Keep away from sources of ignition. Store in a cool, dry place. Store in a tightly closed container. Keep under a nitrogen blanket. Flammables-area.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Chloro(chloromethyl)dimethylsilane	none listed	6 mg/m ³ TWA (listed under Silica, amorphous).3000 mg/m ³ IDLH (listed under Silica, amorphous).	none listed

OSHA Vacated PELs: Chloro(chloromethyl)dimethylsilane: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Wear chemical goggles and a face shield if splashing is possible.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to minimize contact with skin.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Liquid

Appearance: clear, colorless

Odor: Not available.

pH: Not available.

Vapor Pressure: Not available.

Vapor Density: Not available.

Evaporation Rate:Not available.

Viscosity: Not available.

Boiling Point: 149 deg C @ 760.00mm Hg

Freezing/Melting Point:Not available.

Decomposition Temperature:Not available.

Solubility: decomposes in water

Specific Gravity/Density:1.0860g/cm³

Molecular Formula:C₃H₈Cl₂Si

Molecular Weight:143.09

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Exposure to moist air or water.

Incompatibilities with Other Materials: Strong oxidizing agents, strong acids, moisture.

Hazardous Decomposition Products: Hydrogen chloride, carbon monoxide, carbon dioxide, silicon dioxide.

Hazardous Polymerization: Will not occur.

Section 11 - Toxicological Information

RTECS#:

CAS# 1719-57-9 unlisted.

LD50/LC50:

Not available.

Carcinogenicity:

CAS# 1719-57-9: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No information available.

Teratogenicity: No information available.

Reproductive Effects: No information available.

Mutagenicity: No information available.

Neurotoxicity: No information available.

Other Studies:

Section 12 - Ecological Information

No information available.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

Section 14 - Transport Information

	US DOT	Canada TDG
Shipping Name:	DOT regulated - small quantity provisions apply (see 49CFR173.4)	CHLOROSILANES FLAMMABLE CORROSIVE (CHLORO(CHLOROMETHYL)
Hazard Class:		3(8)
UN Number:		UN2985
Packing Group:		II
Additional Info:		-DI)

Section 15 - Regulatory Information

US FEDERAL

TSCA

CAS# 1719-57-9 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

None of the chemicals in this material have an RQ.

SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

Section 313

No chemicals are reportable under Section 313.

Clean Air Act:

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depleters.

This material does not contain any Class 2 Ozone depleters.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 1719-57-9 can be found on the following state right to know lists: California, (listed as Silica, amorphous), New Jersey, (listed as Silica, amorphous), Pennsylvania, (listed as Silica, amorphous), Minnesota, (listed as Silica, amorphous), Massachusetts, (listed as Silica, amorphous).

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:

C

Risk Phrases:

R 10 Flammable.

R 34 Causes burns.

Safety Phrases:

S 16 Keep away from sources of ignition - No smoking.

S 25 Avoid contact with eyes.

S 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

WGK (Water Danger/Protection)

CAS# 1719-57-9: 1

Canada - DSL/NDSL

CAS# 1719-57-9 is listed on Canada's NDSL List.

Canada - WHMIS

This product has a WHMIS classification of E.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian Ingredient Disclosure List

CAS# 1719-57-9 (listed as Silica, amorphous) is listed on the Canadian Ingredient Disclosure List.

Section 16 - Additional Information

MSDS Creation Date: 9/02/1997

Revision #3 Date: 10/03/2005

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.