

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 04/11/2019

Version 1.3

#### **SECTION 1.Identification**

#### **Product identifier**

Product number 635389

Millipore Ref. GSWP09000

Product name MCE .22UM WH PL 90MM 100/PK

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for research and development

### Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 400 Summit Drive | Burlington |

Massachusetts 01803 | United States of America | General Inquiries: +1 800-645-5476 | Monday to Friday, 9:00 AM to

4:00 PM Eastern Time (GMT-5)

MilliporeSigma is a business of Merck KGaA, Darmstadt,

Germany.

**Emergency telephone** 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

#### **SECTION 2. Hazards identification**

#### **GHS Classification**

Flammable solid, Category 1, H228

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **GHS-Labeling**

Hazard pictograms



Signal Word Danger



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 635389 Version 1.3

Product name MCE .22UM WH PL 90MM 100/PK

Hazard Statements

H228 Flammable solid.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

#### Other hazards

None known.

## **SECTION 3. Composition/information on ingredients**

Chemical nature Contains nitrocellulose.

## **Hazardous ingredients**

Chemical name (Concentration)

CAS-No.

cellulose nitrate (>= 70 % - < 90 %)

9004-70-0

Exact percentages are being withheld as a trade secret.

#### **SECTION 4. First aid measures**

#### **Description of first-aid measures**

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin

with water/ shower.

Eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if

feeling unwell.

Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 635389 Version 1.3

Product name MCE .22UM WH PL 90MM 100/PK

Risk of methemoglobin formation.

## Indication of any immediate medical attention and special treatment needed

No information available.

## **SECTION 5. Fire-fighting measures**

### **Extinguishing media**

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## Special hazards arising from the substance or mixture

Combustible.

Spontaneous ignition at elevated temperatures.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides, nitrous gases

### **Advice for firefighters**

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6. Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

### **Environmental precautions**

Do not let product enter drains.

### Methods and materials for containment and cleaning up



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 635389 Version 1.3

Product name MCE .22UM WH PL 90MM 100/PK

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## **SECTION 7. Handling and storage**

## Precautions for safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep away from heat and sources of ignition. Keep away from direct sunlight.

Performing regular visual inspections of membranes and keeping accurate records of recommended shelf life can reduce the risk of membrane deterioration. Shelf-life limited when kept above +25°C. Verify on a regular basis expiry dates of stored materials, housekeeping, temperature and humidity. Designated "Flammable Material" storage areas must be engineered according to local regulations. Rotate stock. Improper storage conditions can accelerate deterioration of the membrane in advance of expiration date. Storage humidity: 30 - 70 %. Perform regular visual inspections of stored materials to ensure early stages of deterioration does not advance. Early stages of deterioration: Amber or yellow discoloration. Advanced stages of deterioration: visible liquid or solid brown resin. If membrane shows visual indications of deterioration, safely dispose of product according to local regulations.

Storage under improper conditions could lead to the membrane self-decomposing at ambient temperatures with the formation of nitrous vapors or self ignition. Observe the expiration date!

Advice on common storage

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

# **SECTION 8. Exposure controls/personal protection**

#### **Exposure limit(s)**

Contains no substances with occupational exposure limit values.

#### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 635389 Version 1.3

Product name MCE .22UM WH PL 90MM 100/PK

## **Individual protection measures**

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber Glove thickness: 0.11 mm Break through time: 480 min

splash contact:

Glove material: Nitrile rubber Glove thickness: 0.11 mm Break through time: 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 1 (acc. to DIN 3181) for solid particles of inert substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer.

These measures have to be properly documented.

### **SECTION 9. Physical and chemical properties**

Physical state solid

Color colored

#### according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name MCE .22UM WH PL 90MM 100/PK

Odor No strong odor known.

Odor Threshold No information available.

pH No information available.

Melting point No information available.

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) The substance or mixture is a flammable solid with the

category 1.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Density No information available.

Relative density No information available.

Water solubility No information available.

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 635389 Version 1.3

Product name MCE .22UM WH PL 90MM 100/PK

#### **SECTION 10. Stability and reactivity**

### Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### **Chemical stability**

Product is sensitive to light and moisture.

Prolonged exposure to air may cause discoloration.

## Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with:

Oxidizing agents, Bases, Strong acids

#### Conditions to avoid

Heating (decomposition). Exposure to sunlight.

### **Incompatible materials**

no information available

## Hazardous decomposition products

in the event of fire: See section 5.

### **SECTION 11. Toxicological information**

## Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact, Ingestion

Carcinogenicity

Carcinogen classifications of IARC, NTP, California proposition 65 for Ethanol CAS 64-17-5 apply to beverage use only. This product is NOT intended for this use.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

#### Carcinogenicity



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	635389	Version 1.3
Product name	MCE .22UM WH PL 90MM 100/PK	
IARC	No ingredient of this product present at levels greater	
	than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.	
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
ACGIH	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	

#### **Further information**

After uptake:

Risk of methemoglobin formation.

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

## **Components**

*cellulose nitrate*No information available.

## **SECTION 12. Ecological information**

### **Ecotoxicity**

No information available.

### Persistence and degradability

No information available.

### **Bioaccumulative potential**

No information available.

## Mobility in soil

No information available.

Additional ecological information

Discharge into the environment must be avoided.

### **Components**

cellulose nitrate
No information available.



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 635389 Version 1.3

Product name MCE .22UM WH PL 90MM 100/PK

## **SECTION 13. Disposal considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **SECTION 14. Transport information**

Land transport (DOT)

**UN number** UN 3270

Proper shipping name NITROCELLULOSE MEMBRANE FILTERS

Class 4.1
Packing group II
Environmentally --

hazardous

Air transport (IATA)

UN number UN 3270

Proper shipping name NITROCELLULOSE MEMBRANE FILTERS

Class 4.1
Packing group II
Environmentally --

hazardous

Special precautions for

user

Sea transport (IMDG)

UN number UN 3270

Proper shipping name NITROCELLULOSE MEMBRANE FILTERS

no

Class 4.1 Packing group II Environmentally --

hazardous

**Special precautions for** yes

user

EmS F-A S-I



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 635389 Version 1.3

Product name MCE .22UM WH PL 90MM 100/PK

### **SECTION 15. Regulatory information**

#### **United States of America**

#### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Components

sodium dodecyl benzenesulfonate

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Components

sodium dodecyl benzenesulfonate

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **DEA List I**

Not listed

#### **DEA List II**

Listed

Components

acetone 67-64-1

#### **US State Regulations**

### **Massachusetts Right To Know**

Components

cellulose nitrate

#### Pennsylvania Right To Know

Components

cellulose nitrate

### **New Jersey Right To Know**

Components

cellulose nitrate

## **California Prop 65 Components**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 635389 Version 1.3

Product name MCE .22UM WH PL 90MM 100/PK

**Notification status** 

TSCA: All components of the product are listed in the TSCA-

inventory.

DSL: All components of this product are on the Canadian DSL

#### **SECTION 16. Other information**

## **Training advice**

Provide adequate information, instruction and training for operators.

### Labeling

Hazard pictograms



Signal Word Danger

Hazard Statements H228 Flammable solid.

Precautionary Statements

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Response

P370 + P378 In case of fire: Use powder for extinction.

#### Full text of H-Statements referred to under sections 2 and 3.

H228 Flammable solid.

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date04/11/2019

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 635389 Version 1.3

Product name MCE .22UM WH PL 90MM 100/PK

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

\*\*All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.

