

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name Cole-Parmer Essentials® Premoistened Clean-Wipes
Product Number(s) 3367503
Pure Substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Surface Cleaner
Uses advised against Body Wipe

Manufacture/Supplier

Cole Parmer
12554 Old Galveston Rd. Suite B230
Webster, TX 77598
E-mail address sales@coleparmer.com
Made In USA

Product Information 281-482-1714

CPR STATEMENT: This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazardous Categories:

Flammable Solids Category 1
Serious Eye Damage/Eye Irritation Category 2A

Hazard Statements

H228 Flammable solid
H319 Causes serious eye irritation.

Label Elements

Regulation (EC) No. 1272/2008

Hazard components for labeling

Signal Word: Danger

Pictograms:



Precautionary Statements

P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Prevention

P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P370 + P378 IN CASE OF FIRE: Use appropriate media to extinguish.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313: If eye irritation persists: Get medical advice/attention.

Storage Store in a well-ventilated place.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Additional advice on labeling

Classification according to EU Directives 67/548/EEC or 1999/45/EC.
This product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

EUH210 - Safety data sheet available upon request.

Hazards not otherwise classified (HNOC)

No information available

Other Information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Component	Chemical Formula	EC-No.	CAS-No	Classification according Regulation (EC) No. 1272 [CLP]	Weight %	Trade Secret
Isopropanol	(CH ₃) ₂ CHOH	-	67-63-0	-	60.0 %	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURESFirst Aid Measures

General Advice

Use first aid treatment according to the nature of the injury. For further assistance, contact your local Poison Control Center. Show this safety data sheet to the doctor in attendance.

Eye Contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated clothing and shoes. If skin reactions occur, contact a physician.

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Ingestion

If swallowed, get medical help or contact a Poison Control Center immediately. Immediately rinse mouth out with water. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing.

Production of First-Aiders

Use personal protective equipment. See Section 8 for more detail. Do not use mouth to mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical devices.

Most important symptoms and effects, both acute and delayed

Most important symptoms/effects

Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically

5. FIRE-FIGHTING MEASURESSuitable Extinguishing Media

Alcohol resistant foam. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media

No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Eliminate ignition source. Evacuate unnecessary personnel. Call appropriate firefighting crew. Special protective equipment for firefighters. Wear self-contained breathing apparatus for firefighting if necessary. Hazardous decomposition products formed under fire conditions. - Carbon oxides, ammonia, nitrogen oxides. Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURESPersonal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Avoid breathing, mist or vapors. Ensure adequate ventilation. Use personal protective equipment. Refer to Section 8. Evacuate personnel to safe areas.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Method and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Flammable, keep away from fire or flame. Do not use with electrocautery procedures. Use according to package label instructions. Discard after single use. Not to be used as pre-injection alcohol prep.

Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Conditions for Safe Storage, Including any Incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Containers which have been opened must be resealed and kept upright to prevent leakage. Store at room temperature in the original container. Keep away from direct sunlight.

Incompatible Products No information available.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Component	ACGIH	OSHA – PEL & TWA	OSHA STEL
Isopropanol 67-63-0	STEL 400 ppm	980 mg/m3	500 ppm 1,225 mg/m3
	TWA 200 ppm	400 ppm	

Component	Value	Determinant	Specimen	Sampling Time
Isopropanol 67-63-0	40 mg/l	Acetone	Urine	*

*For sampling details, please request the source document

Appropriate Engineering Controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face Protection Wear chemical splash goggles. If splashes are likely to occur, wear: Face-shield.
Skin and Body Protection Wear protection gloves/clothing
Respiratory Protection None required under normal usage. In case of inadequate ventilation wear respiratory protection.
Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties.

Physical State Liquid saturated on wipe
Appearance Solid
Form Pre-moistened towelette
Color Translucent
Odor Alcoholic solvent
Odor Threshold The highest known value is 22 ppm (Isopropyl alcohol)
pH Range ~7-9

Property	Values	Remarks * Method
Melting point/freezing point	No information available	
Boiling Point/Range	No information available	
Flash Point (High in °C)	78 °F – Closed cup	
Evaporation Rate	No information available	
Flammability (solid, gas)	Flammable solid	
Flammability Limit in Air		
Upper flammability limit:	12.7 V% (Isopropyl alcohol)	
Lower flammability limit:	2.1 V%	
Vapor pressure	No information available	
Vapor Density	No information available	
Specific Gravity (H2O = 1)	0.875	

Water Solubility	Totally soluble in water at 20°C
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Kinematic Viscosity	No information available
Dynamic Viscosity	No information available
Explosive Properties	No information available
Oxidizing Properties	No information available

Other Information

Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk Density	No information available

10. STABILITY AND REACTIVITY**Reactivity**

This product may react with strong oxidizing agents.

Chemical Stability

Stable under normal conditions

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks. Avoid temperatures exceeding the flash point. Do not mix with other chemicals.

Incompatible Materials

Aluminum, Acids, Oxidizing agents, Halogenated compounds, Acid anhydrides

Hazardous Decomposition Products

Carbon oxides, product vapors

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Health injuries are not known or expected under normal use.

Eye Contact Causes serious eye irritation

Skin Contact Not expected to be a primary skin irritant.

Ingestion Not applicable under normal conditions of use.

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropanol 67-63-0	LD50 4396 mg/kg (Rat)	LD50 12800 mg/kg (Rabbit)	LC50 16970 mg/l/4h

Information on Toxicological Effects

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization The product is not expected to cause skin sensitization.

Mutagenic Effects The finished product is not expected to have chronic health effects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive Effects The finished product is not expected to have chronic health effects.

STOT – single exposure Central nervous system depression

STOT – repeated exposure Nausea, dizziness, narcosis or drowsiness

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION**Ecotoxicity**

This material is not expected to be harmful to aquatic life.

Component	Freshwater Algae	Freshwater Fish	Water Flea
Isopropanol 67-63-0	IC50: Algae – 1000 mg/L – 72 h	LC50: Lepomis Macrochirus (bluegill) – > 1400 mg/l – 96 h	EC50 – Daphnia (Water flea) – 13299 mg/l – 48 h

Persistence and Degradability

No information available

Bioaccumulation/Accumulation

The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.

Mobility

No information available

Results of PBT and vPvB assessment

No information available

Other adverse effects

No information available

Endocrine Disruptor Information

No information available

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Waste Disposal Methods**

Follow container label directions carefully. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION**U.S. Department of Transportation (DOT)**

UN number: 3175 Class: 4.1 Packing group: II
Proper shipping name: Solids containing flammable liquid, n.o.s. (Isopropanol)
Reportable Quantity (RQ): Not applicable
Marine pollutant: No

IMDG

UN number: 3175 Class: 4.1 Packing group: II EMS-No: F-A, S-I
Proper shipping name: Solids containing flammable liquid, n.o.s. (Isopropanol)
Reportable Quantity (RQ): Not applicable
Marine pollutant: No

IATA

UN number: 3175 Class: 4.1 Packing group: II
Proper shipping name: Solids containing flammable liquid, n.o.s. (Isopropanol)
Reportable Quantity (RQ): Not applicable
Environmentally hazardous substance: No

15. REGULATORY INFORMATION**European Union Regulations**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

International Inventories

USINV	Component listed
CANINV	Component listed
EINECS/ELINCS	Component listed
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Component listed

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
CANINV/ DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

This product is known to be a "Hazardous Chemical" as defined by the OSHA Hazardous Communication Standard, 29 CFR 1910.1200. Flammable Solid

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains Isopropanol CAS 67-63-0 which is subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

State Right-to-Know

Massachusetts Right-to-Know Act – Substance List	Isopropanol (CAS 67-63-0)
New Jersey Worker and Community Right-to-Know Act	Isopropanol (CAS 67-63-0)
Pennsylvania Right-to-Know Act – Hazardous Substance	Isopropanol (CAS 67-63-0)
Rhode Island Right-to-Know Act	Isopropanol (CAS 67-63-0)
Illinois Chemical Safety Act – Substance List	Isopropanol (CAS 67-63-0)
Louisiana Spill Reporting: Listed Substance	Isopropanol (CAS 67-63-0)
Minnesota Haz Subs: Listed Substance	Isopropanol (CAS 67-63-0)

U.S. EPA Label Information

No information available

16. OTHER INFORMATION

Revision Date: 08-August-2025

Hazard Categories:	Health	Fire	Pressure	Reactivity	Reference 49 CFR 171.8,
Immediate	Yes	Yes	No	No	OSHA 29 CFR 1910.1200 and
Delayed	Yes	No	XXX	XXX	SARA 302/311/312/313.
HMIS Hazard ratings:	Health 1	Fire 3	Instability 0	Other B (Goggles, gloves)	

Hazard Ratings: Least: 0 Slight: 1 Moderate: 2 High: 3 Extreme: 4

This SDS is in accordance to Regulation (EC) No. 1907/2006.

Disclaimer:

IMPORTANT: The information contained in this SDS is correct to the best of our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties of any kind as to the accuracy or completeness of the information contained herein or the merchantability or fitness of the product or this information for a purpose. It is the responsibility of each individual buyer/user to determine the suitability of this information and the product for its intended purposes. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions or is altered in any way. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable government requirements. Since conditions of use of the product are not under direct control of Cole Parmer, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. Cole Parmer will not be liable for any injuries or damages resulting from handling, use, misuse or contact with the product.