

# SAFETY DATA SHEET

1. Identification

Product identifier AMCO CLEAR® TURBIDITY STANDARD, 800 NTU

Other means of identification

Product code 8028

**Recommended use** Reagent for determination of turbidity of liquids.

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** 

**Company name**Address
GFS Chemicals, Inc.
P.O. Box 245
Powell, OH 43065

United States

 Telephone
 Phone
 740-881-5501

 Toll Free Fax
 800-858-9682

www.gfschemicals.com 740-881-5989

Website service@gfschemicals.com
E-mail Emergency Assistance

Emergency phone Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

**Label elements** 

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
WATER		7732-18-5	90 - 100
STYRENE DIVINYLBENZENE COPOLYMER BEADS		9003-70-7	<0.1
Other components below reportable levels			< 0.1

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Dry skin with paper towel or similar.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and delayed

Material name: AMCO CLEAR® TURBIDITY STANDARD, 800 NTU

8028 Version #: 01 Revision date: Issue date: September-30-2015 1 / 6

**Indication of immediate** medical attention and special treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Use extinguishing agent suitable for type of surrounding fire. Water fog. Foam. Dry chemical Suitable extinguishing media

powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for

firefighters

Fire fighting

Move containers from fire area if you can do so without risk. equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**General fire hazards** No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions,

protective equipment and emergency procedures

Methods and materials for containment and cleaning up No special precautions.

This product is miscible in water. Containment of this material should not be necessary. Flush with

water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental** precautions

7. Handling and storage

**Precautions for safe handling** Avoid prolonged exposure. No special precautions required.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Do not allow material to freeze. Store away from

incompatible materials (see Section 10 of the SDS).

No special environmental precautions required.

8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should Appropriate engineering controls be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Not normally needed.

Other Wear suitable protective clothing.

Respiratory protection No personal respiratory protective equipment normally required. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

9. Physical and chemical properties

**Appearance** Cloudy. **Physical state** Liquid. **Form Aaueous** solution.

Colorless to white. Color

Odorless Odor **Odor threshold** Not available.

рH 6.7

Version #: 01 2/6 8028 Issue date: September-30-2015 Revision date:

Material name: AMCO CLEAR® TURBIDITY STANDARD, 800 NTU

Melting point/freezing 32 °F (0 °C) point estimated

Initial boiling point and 212 ٥F (100 °C)

boiling range estimated Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit upper

(%)

Not available.

**Explosive limit - lower** 

(%)

Not available. Not available.

**Explosive limit - upper** (%)

Not available. Vapor pressure Vapor density Not available. **Relative density** Not available.

Solubility(ies)

Solubility (water) Completely Miscible

Partition coefficient (n-

octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 1.00 g/cm3 estimated

**Percent volatile** > 99.9 % Specific gravity 1.00 estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Contact with incompatible materials. Do not freeze.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

### 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. **Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the Direct contact with eyes may cause temporary irritation. physical, chemical and toxicological characteristics

Information on toxicological effects

**Acute toxicity** 

Material name: AMCO CLEAR® TURBIDITY STANDARD, 800 NTU 8028 Version #: 01 3/6 Revision date: Issue date: September-30-2015

**Product Species Test Results** 

AMCO CLEAR® TURBIDITY STANDARD, 800 NTU (CAS Mixture)

\* Estimates for product may Acute be based on additional Dermal component data not shown. LD50

99999 mg/kg Skin corrosion/irritation Rabbit Oral Prolonged skin contact may

99999 mg/kg cause temporary irritation. LD50 Bird

Mouse 99999 mg/kg Rat 99999 mg/kg TD Rat 99999 mg/kg TDL0 99999 mg/kg

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

Rat

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

Not classified.

- single exposure

Specific target organ toxicity

Not classified.

- repeated exposure

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** Not applicable.

**Product Test Results Species** 

AMCO CLEAR® TURBIDITY STANDARD, 800 NTU (CAS Mixture)

**Aquatic** 

EC50 Crustacea 37000 mg/l, 48 hours estimated Daphnia 22840.0156 mg/l, 96 hours estimated LC50 Fish

Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

No data available. **Bioaccumulative potential** 

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** Wash to drains with lots of water. Dispose in accordance with all applicable regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container

is emptied. 14. Transport information

Material name: AMCO CLEAR® TURBIDITY STANDARD, 800 NTU

DOT

Not regulated as dangerous goods.

8028 Version #: 01 4/6 Revision date: Issue date: September-30-2015

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

## **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### **SARA 304 Emergency release notification**

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** No

**Hazardous chemical** 

### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** Not regulated.

(SDWA)

### **US state regulations**

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

### **US. Massachusetts RTK - Substance List**

Not regulated.

### **US. New Jersey Worker and Community Right-to-Know Act**

Not listed.

#### **US. Pennsylvania Worker and Community Right-to-Know Law**

Not listed.

## **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No

Material name: AMCO CLEAR® TURBIDITY STANDARD, 800 NTU

8028 Version #: 01 Revision date: Issue date: September-30-2015 5 / 6

EuropeEuropean List of Notified Chemical Substances (ELINCS)NoJapanInventory of Existing and New Chemical Substances (ENCS)YesKoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYes

Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** September-30-2015

Version # 01

**Philippines** 

**Disclaimer** GFS Chemicals cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

**Revision Information** Product and Company Identification: Product Codes

8028 Version #: 01 Revision date: Issue date: September-30-2015 6 / 6

 ${\tt Material\ name:\ AMCO\ CLEAR} \verb| TURBIDITY\ STANDARD,\ 800\ NTU\\$