

a **xylem** brand

Page 1/6

Safety data sheet

according to Regulation (EC) No 1907/2006 (REACH)

Printing date 20.06.2017

Version number 5

Revision: 20.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

• Trade name: <u>RL-G</u>

· Article number: 205204

· Description: Cleaning solution

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against:
 - Product category: PC21 Laboratory chemicals
 - Process category: PROC15 Use as laboratory reagent
 - Application of the substance / the preparation: Cleaning of galvanic oxygen sensors

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Xylem Analytics Germany GmbH WTW Dr.-Karl-Slevogt-Straße 1 82362 Weilheim Germany Tel. +49 881 183-0

· Further information obtainable from: E-mail: Info.WTW@Xyleminc.com

· 1.4 Emergency telephone number: Chemtrec: (USA & Canada) 800-424-9300 (International) 001 703-527-3887

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008:



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements:

• Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms: GHS07
- Signal word: Warning
- Hazard statements:
- H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Labelling of packages where the contents do not exceed 125 ml:
 - Hazard pictograms: GHS07
 - · Signal word: Warning
 - · Hazard statements: Void
- **2.3 Other hazards** No further relevant information available.

FU

according to Regulation (EC) No 1907/2006 (REACH)

Version number 5

Revision: 20.06.2017

Printing date 20.06.2017 Trade name: RL-G

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixture

Description:

Mixture, consisting of the following components: Water, acetic acid

· Dangerous components:

	CAS: 64-19-7	acetic acid	🚸 Flam. Lig. 3, H226; 🚸 Skin Corr. 1A, H314	10-<25%
	EINECS: 200-580-7		• • • • •	
	Index number: 607-002-00-6			1
_	• Additional information: F	or the wording of the listed hazard ph	rases refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation: Supply fresh air or oxygen; call for doctor.

- After skin contact:
- Wash with plenty of water.

Take off immediately all contaminated clothing and wash it before reuse.

- If skin irritation or rash occurs: Get medical advice/attention.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Make victim drink water immediately (2 glasses at most).

- Do not induce vomiting (risk of perforation)
- Do not attempt to neutralize.
- Call a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: The product is not flammable. Extinguishing agent to suit environment.
- 5.2 Special hazards arising from the substance or mixture
- Development of corrosive and flammable vapors in the event of fire.
- 5.3 Advice for firefighters
 - Protective equipment: Wear self-contained respiratory protective device.
 - Additional information
 - Suppress gases/fumes/haze with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear personal protective equipment (see section 8).
- · 6.2 Environmental precautions:
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Wash off residuals with water.

- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

EU

according to Regulation (EC) No 1907/2006 (REACH)

Version number 5

Revision: 20.06.2017

Trade name: RL-G

Printing date 20.06.2017

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Wear personal protective equipment (see section 8)

- Information about fire and explosion protection:
- Development of explosive acetic acid/air mixtures possible when heated.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store tigthly sealed at temperatures between 15 °C and 25 °C.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

64-19-7 acetic acid

IOELV Long-term value: 25 mg/m³, 10 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

- Avoid contact with the eyes and skin.
- Do not inhale gases / fumes / aerosols.

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and at the end of work.

Respiratory protection:

Only required when fog or aerosols are generated or when the workplace is not sufficiently ventilated.

- · Recommended filter device for short term use: Filter E
- · Protection of hands: Protective gloves
 - Material of gloves Nitrile rubber, NBR
- Butyl rubber, BR • Eye protection: Safety glasses

9.1 Information on basic physical and chemical properties			
· General Information			
· Appearance:			
· Form:	Fluid		
· Colour:	Colourless		
· Odour:	Pungent		
· pH-value at 20 °C:	1.7		
· Change in condition			
• Melting point/freezing point:	Undetermined.		
Initial boiling point and boiling r	ange: 100 °C		
· Flash point:	Not applicable.		
· Auto-ignition temperature:	Product is not selfigniting.		
· Explosive properties:	Product does not present an explosion hazard.		

EU -

according to Regulation (EC) No 1907/2006 (REACH)

Printing date 20.06.2017

Version number 5

Revision: 20.06.2017

Trade name: RL-G

		(Contd. of page 3)
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.01 g/cm ³	
• Solubility in / Miscibility with • water:	Fully miscible.	
· Viscosity:		
Dynamic:	Not determined.	
· Kinematic:	Not determined.	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions

Violent reactions with strong alkalines an oxidants (e. g. chrome(VI) oxide, chromosulfuric acid, potassium permanganate, sodium peroxide, perchloric acid, phosphoros halides, hydrogen peroxide).

- Formation of hydrogen possible with metals and alloys (risk of explosion).
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: In case of fire, see section 5.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
 - Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

64-19-7 acetic acid		
Oral	LD50	3310 mg/kg (Rat)
Dermal	LD50	1060 mg/kg (Rabbit)
Inhalative	LC50	11.4 mg/l, 4 h (Rat) (IUCLID)

- Primary irritant effect:
 - Skin corrosion/irritation
 - Causes skin irritation.
 - · Serious eye damage/irritation
 - Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - Carcinogenicity Based on available data, the classification criteria are not met.
 - Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- \cdot STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

64-19-7 acetic acid

EC50 47 mg/l, 24 h (Daphnia magna) (IUCLID)

LC50 75 mg/l, 96 h (Lepomis macrochirus) (IUCLID)

• 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 5)

according to Regulation (EC) No 1907/2006 (REACH)

Version number 5

Revision: 20.06.2017

(Contd. of page 4)

Trade name: RL-G

Printing date 20.06.2017

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Additional ecological information:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment Not applicable.

12.6 Other adverse effects

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Disposal must comply with the relevant local regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose the special waste.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
14.1 UN-Number · ADR/RID, IMDG, IATA	UN2790	
14.2 UN proper shipping name · ADR/RID · IMDG, IATA	2790 ACETIC ACID SOLUTION ACETIC ACID SOLUTION	
14.3 Transport hazard class(es)		
· ADR/RID, IATA		
A CONTRACTOR OF		
Class	8 Corrosive substances.	
·IMDG		
A THE A		
· Class	8 Corrosive substances.	
· Label	8	
14.4 Packing group · ADR/RID, IMDG, IATA	111	
14.5 Environmental hazards: · Marine pollutant:	No	
14.6 Special precautions for user · EMS Number:	Warning: Corrosive substances. F-A,S-B	

according to Regulation (EC) No 1907/2006 (REACH)

Printing date 20.06.2017

Version number 5

Revision: 20.06.2017

Trade name: RL-G

		(Contd. of page 5)	
· Segregation groups	Acids		
Stowage Category	А		
· 14.7 Transport in bulk according to Annex II of Marpol and			
the IBC Code	Not applicable.		
· ADR/RID			
 Limited quantities (LQ) 	5 L		
Transport category	3		
Tunnel restriction code	E		
· UN "Model Regulation":	UN 2790 ACETIC ACID SOLUTION, , III		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Relevant phrases

H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

** Data compared to the previous version altered.

EU