

1 Identification

- **Product identifier**
- **Product Name: Volatile Organics Mix (Low Level)**
- **Part Number: 60-BIG-MIX-200**
- **Application of the substance / the mixture** Certified Reference Material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SPEX CertiPrep, LLC.
203 Norcross Ave, Metuchen,
NJ 08840 USA
- **Information department:** product safety department
- **Emergency telephone number:**
Emergency Phone Number (24 hours)
CHEMTREC (800-424-9300)
Outside US: 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT SE 1 H370 Causes damage to organs.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS06



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

methanol

- **Hazard statements**

H225 Highly flammable liquid and vapor.

H331 Toxic if inhaled.

H370 Causes damage to organs.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 3

Reactivity = 0

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)**HEALTH** *1

Health = *1

FIRE 3

Fire = 3

REACTIVITY 0

Reactivity = 0

· Other hazards**· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**3 Composition/information on ingredients****· Chemical characterization: Mixtures****· Description:** Mixture of the substances listed below with nonhazardous additions.**· Dangerous components:**

67-56-1	methanol	98.8%
---------	----------	-------

· Chemical identification of the substance/preparation

98-82-8	isopropylbenzene	0.02%
108-38-3	m-xylene	0.02%
87-61-6	1,2,3-trichlorobenzene	0.02%
96-18-4	1,2,3-trichloropropane	0.02%
563-58-6	1,1-dichloropropene	0.02%
75-35-4	1,1-dichloroethylene	0.02%
75-34-3	1,1-dichloroethane	0.02%
79-34-5	1,1,2,2-tetrachloroethane	0.02%
79-00-5	1,1,2-trichloroethane	0.02%
71-55-6	1,1,1-trichloroethane	0.02%
630-20-6	1,1,1,2-Tetrachloroethane	0.02%
120-82-1	1,2,4-trichlorobenzene	0.02%
95-63-6	1,2,4-trimethylbenzene	0.02%
95-50-1	1,2-dichlorobenzene	0.02%
96-12-8	1,2-dibromo-3-chloropropane	0.02%
106-93-4	1,2-dibromoethane	0.02%
107-06-2	1,2-dichloroethane	0.02%
78-87-5	propylene dichloride	0.02%
108-67-8	mesitylene	0.02%
541-73-1	1,3-dichlorobenzene	0.02%
142-28-9	1,3-dichloropropane	0.02%
106-46-7	1,4-dichlorobenzene	0.02%
594-20-7	2,2-dichloropropane	0.02%
95-49-8	2-chlorotoluene	0.02%
106-43-4	4-chlorotoluene	0.02%
71-43-2	benzene	0.02%
75-09-2	dichloromethane	0.02%
103-65-1	propylbenzene	0.02%
104-51-8	butylbenzene	0.02%
91-20-3	naphthalene	0.02%
74-83-9	bromomethane	0.02%
75-27-4	bromodichloromethane	0.02%
75-25-2	bromoform	0.02%
108-86-1	bromobenzene	0.02%
74-97-5	bromochloromethane	0.02%
56-23-5	carbon tetrachloride	0.02%
95-47-6	o-xylene	0.02%
74-87-3	chloromethane	0.02%
67-66-3	chloroform	0.02%

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 2)

75-00-3	chloroethane	0.02%
108-90-7	chlorobenzene	0.02%
156-59-2	cis-dichloroethylene	0.02%
99-87-6	p-cymene	0.02%
106-42-3	p-xylene	0.02%
135-98-8	sec-butylbenzene	0.02%
100-42-5	styrene	0.02%
10061-01-5	(Z)-1,3-dichloropropene	0.02%
124-48-1	dibromochloromethane	0.02%
98-06-6	tert-butylbenzene	0.02%
127-18-4	tetrachloroethylene	0.02%
108-88-3	toluene	0.02%
156-60-5	trans-dichloroethylene	0.02%
75-71-8	dichlorodifluoromethane	0.02%
74-95-3	dibromomethane	0.02%
10061-02-6	trans-1,3-Dichloropropene	0.02%
79-01-6	trichloroethylene	0.02%
75-69-4	trichlorofluoromethane	0.02%
75-01-4	vinyl chloride	0.02%
100-41-4	ethylbenzene	0.02%
87-68-3	hexachlorobuta-1,3-diene	0.02%

4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:** Do not give anything to eat or drink - Do not induce vomiting

- **Information for Doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:** CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.

- **Advice for firefighters**

- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 3)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
67-56-1	methanol	530 ppm
98-82-8	isopropylbenzene	50 ppm
108-38-3	m-xylene	130 ppm
87-61-6	1,2,3-trichlorobenzene	15 mg/m ³
96-18-4	1,2,3-trichloropropane	0.015 ppm
563-58-6	1,1-dichloropropene	1.3 ppm
75-35-4	1,1-dichloroethylene	45 ppm
75-34-3	1,1-dichloroethane	300 ppm
79-34-5	1,1,2,2-tetrachloroethane	3 ppm
79-00-5	1,1,2-trichloroethane	30 ppm
71-55-6	1,1,1-trichloroethane	230 ppm
630-20-6	1,1,1,2-Tetrachloroethane	0.2 ppm
120-82-1	1,2,4-trichlorobenzene	0.45 ppm
95-63-6	1,2,4-trimethylbenzene	140 ppm
95-50-1	1,2-dichlorobenzene	50 ppm
96-12-8	1,2-dibromo-3-chloropropane	0.003 ppm
106-93-4	1,2-dibromoethane	17 ppm
107-06-2	1,2-dichloroethane	50 ppm
78-87-5	propylene dichloride	30 ppm
108-67-8	mesitylene	140 ppm
541-73-1	1,3-dichlorobenzene	6 ppm
142-28-9	1,3-dichloropropane	5.4 ppm
106-46-7	1,4-dichlorobenzene	30 ppm
594-20-7	2,2-dichloropropane	2.6 ppm
95-49-8	2-chlorotoluene	75 ppm
106-43-4	4-chlorotoluene	1.2 ppm
71-43-2	benzene	52 ppm
75-09-2	dichloromethane	200 ppm
103-65-1	propylbenzene	3.7 ppm
104-51-8	butylbenzene	3.6 ppm
· PAC-2:		
67-56-1	methanol	2,100 ppm
98-82-8	isopropylbenzene	300 ppm
108-38-3	m-xylene	920 ppm
87-61-6	1,2,3-trichlorobenzene	60 mg/m ³
96-18-4	1,2,3-trichloropropane	170 ppm
563-58-6	1,1-dichloropropene	15 ppm
75-35-4	1,1-dichloroethylene	500 ppm
75-34-3	1,1-dichloroethane	670 ppm
79-34-5	1,1,2,2-tetrachloroethane	120 ppm
79-00-5	1,1,2-trichloroethane	180 ppm
71-55-6	1,1,1-trichloroethane	600 ppm
630-20-6	1,1,1,2-Tetrachloroethane	2.2 ppm
120-82-1	1,2,4-trichlorobenzene	5 ppm
95-63-6	1,2,4-trimethylbenzene	360 ppm
95-50-1	1,2-dichlorobenzene	170 ppm
96-12-8	1,2-dibromo-3-chloropropane	2.2 ppm
106-93-4	1,2-dibromoethane	24 ppm
107-06-2	1,2-dichloroethane	200 ppm
78-87-5	propylene dichloride	220 ppm
108-67-8	mesitylene	360 ppm
541-73-1	1,3-dichlorobenzene	66 ppm

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 4)

142-28-9	1,3-dichloropropane	59 ppm
106-46-7	1,4-dichlorobenzene	170 ppm
594-20-7	2,2-dichloropropane	29 ppm
95-49-8	2-chlorotoluene	310 ppm
106-43-4	4-chlorotoluene	13 ppm
71-43-2	benzene	800 ppm
75-09-2	dichloromethane	560 ppm
103-65-1	propylbenzene	41 ppm
104-51-8	butylbenzene	40 ppm
· PAC-3:		
67-56-1	methanol	7200* ppm
98-82-8	isopropylbenzene	730 ppm
108-38-3	m-xylene	2500* ppm
87-61-6	1,2,3-trichlorobenzene	360 mg/m ³
96-18-4	1,2,3-trichloropropane	1,000 ppm
563-58-6	1,1-dichloropropene	87 ppm
75-35-4	1,1-dichloroethylene	1,000 ppm
75-34-3	1,1-dichloroethane	4,000 ppm
79-34-5	1,1,2,2-tetrachloroethane	150 ppm
79-00-5	1,1,2-trichloroethane	500 ppm
71-55-6	1,1,1-trichloroethane	4,200 ppm
630-20-6	1,1,1,2-Tetrachloroethane	13 ppm
120-82-1	1,2,4-trichlorobenzene	20 ppm
95-63-6	1,2,4-trimethylbenzene	480 ppm
95-50-1	1,2-dichlorobenzene	1,000 ppm
96-12-8	1,2-dibromo-3-chloropropane	4.3 ppm
106-93-4	1,2-dibromoethane	46 ppm
107-06-2	1,2-dichloroethane	300 ppm
78-87-5	propylene dichloride	2,000 ppm
108-67-8	mesitylene	480 ppm
541-73-1	1,3-dichlorobenzene	400 ppm
142-28-9	1,3-dichloropropane	350 ppm
106-46-7	1,4-dichlorobenzene	1,000 ppm
594-20-7	2,2-dichloropropane	170 ppm
95-49-8	2-chlorotoluene	1,800 ppm
106-43-4	4-chlorotoluene	80 ppm
71-43-2	benzene	4000* ppm
75-09-2	dichloromethane	6,900 ppm
103-65-1	propylbenzene	240 ppm
104-51-8	butylbenzene	240 ppm

7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:**

Keep receptacle tightly sealed.

(Contd. on page 6)

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 5)

- Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

67-56-1 methanol

PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m ³ , 250 ppm
	Long-term value: 260 mg/m ³ , 200 ppm
	Skin
TLV	Short-term value: 328 mg/m ³ , 250 ppm
	Long-term value: 262 mg/m ³ , 200 ppm
	Skin; BEI

· **Ingredients with biological limit values:**

67-56-1 methanol

BEI	15 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Methanol (background, nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Liquid
· Color:	According to product specification
· Odor:	Characteristic

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 6)

· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64.7 °C (148.5 °F)
· Flash point:	< 23 °C (<73.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density	Not applicable.
· Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	99.4 %
VOC content:	99.30 %
Solids content:	0.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

67-56-1 methanol

Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Toxic

(Contd. on page 8)

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 7)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

98-82-8	isopropylbenzene	2B
108-38-3	m-xylene	3
96-18-4	1,2,3-trichloropropane	2A
75-35-4	1,1-dichloroethylene	3
79-34-5	1,1,2,2-tetrachloroethane	2B
79-00-5	1,1,2-trichloroethane	3
71-55-6	1,1,1-trichloroethane	3
630-20-6	1,1,1,2-Tetrachloroethane	2B
95-50-1	1,2-dichlorobenzene	3
96-12-8	1,2-dibromo-3-chloropropane	2B
106-93-4	1,2-dibromoethane	2A
107-06-2	1,2-dichloroethane	2B
78-87-5	propylene dichloride	1
541-73-1	1,3-dichlorobenzene	3
106-46-7	1,4-dichlorobenzene	2B
71-43-2	benzene	1
75-09-2	dichloromethane	2A
91-20-3	naphthalene	2B
74-83-9	bromomethane	3
75-27-4	bromodichloromethane	2B
75-25-2	bromoform	3
56-23-5	carbon tetrachloride	2B
95-47-6	o-xylene	3
74-87-3	chloromethane	3
67-66-3	chloroform	2B
75-00-3	chloroethane	3
106-42-3	p-xylene	3
100-42-5	styrene	2B
124-48-1	dibromochloromethane	3
127-18-4	tetrachloroethylene	2A

· **NTP (National Toxicology Program)**

98-82-8	isopropylbenzene	R
96-18-4	1,2,3-trichloropropane	R
96-12-8	1,2-dibromo-3-chloropropane	R
106-93-4	1,2-dibromoethane	R
107-06-2	1,2-dichloroethane	R
106-46-7	1,4-dichlorobenzene	R
71-43-2	benzene	K
75-09-2	dichloromethane	R
91-20-3	naphthalene	R
75-27-4	bromodichloromethane	R
56-23-5	carbon tetrachloride	R
67-66-3	chloroform	R
100-42-5	styrene	R
127-18-4	tetrachloroethylene	R
79-01-6	trichloroethylene	K
75-01-4	vinyl chloride	K

· **OSHA-Ca (Occupational Safety & Health Administration)**

96-12-8	1,2-dibromo-3-chloropropane	
71-43-2	benzene	
75-09-2	dichloromethane	

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 8)

75-01-4 vinyl chloride

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|-------------------------------------|---------------------|
| · UN-Number | |
| · DOT, ADR, IMDG, IATA | UN1230 |
| · UN proper shipping name | |
| · DOT | Methanol |
| · ADR | 1230 METHANOL |
| · IMDG, IATA | METHANOL |
| · Transport hazard class(es) | |
| · DOT | |
| | |
| · Class | 3 Flammable liquids |
| · Label | 3, 6.1 |
| · ADR | |
| | |
| · Class | 3 Flammable liquids |
| · Label | 3+6.1 |
| · IMDG | |
| | |
| · Class | 3 Flammable liquids |

(Contd. on page 10)

US



Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 9)

· Label	3/6.1
· IATA	
 	
· Class	3 Flammable liquids
· Label	3 (6.1)
· Packing group	II
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	336
· EMS Number:	F-E,S-D
· Stowage Category	B
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· Section 313 (Specific toxic chemical listings):	
67-56-1	methanol
98-82-8	isopropylbenzene
108-38-3	m-xylene
96-18-4	1,2,3-trichloropropane
75-35-4	1,1-dichloroethylene
75-34-3	1,1-dichloroethane
79-34-5	1,1,2,2-tetrachloroethane
79-00-5	1,1,2-trichloroethane
71-55-6	1,1,1-trichloroethane
630-20-6	1,1,1,2-Tetrachloroethane
120-82-1	1,2,4-trichlorobenzene
95-63-6	1,2,4-trimethylbenzene
95-50-1	1,2-dichlorobenzene
96-12-8	1,2-dibromo-3-chloropropane
106-93-4	1,2-dibromoethane
107-06-2	1,2-dichloroethane
78-87-5	propylene dichloride
541-73-1	1,3-dichlorobenzene
106-46-7	1,4-dichlorobenzene
71-43-2	benzene
75-09-2	dichloromethane

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 10)

91-20-3	naphthalene
74-83-9	bromomethane
75-27-4	bromodichloromethane
75-25-2	bromoform
56-23-5	carbon tetrachloride
95-47-6	o-xylene
74-87-3	chloromethane
67-66-3	chloroform
75-00-3	chloroethane

· TSCA (Toxic Substances Control Act):

67-56-1	methanol
98-82-8	isopropylbenzene
108-38-3	m-xylene
87-61-6	1,2,3-trichlorobenzene
96-18-4	1,2,3-trichloropropane
75-35-4	1,1-dichloroethylene
75-34-3	1,1-dichloroethane
79-34-5	1,1,2,2-tetrachloroethane
79-00-5	1,1,2-trichloroethane
71-55-6	1,1,1-trichloroethane
630-20-6	1,1,1,2-Tetrachloroethane
120-82-1	1,2,4-trichlorobenzene
95-63-6	1,2,4-trimethylbenzene
95-50-1	1,2-dichlorobenzene
96-12-8	1,2-dibromo-3-chloropropane
106-93-4	1,2-dibromoethane
107-06-2	1,2-dichloroethane
78-87-5	propylene dichloride
108-67-8	mesitylene
541-73-1	1,3-dichlorobenzene
142-28-9	1,3-dichloropropane
106-46-7	1,4-dichlorobenzene
594-20-7	2,2-dichloropropane
95-49-8	2-chlorotoluene
106-43-4	4-chlorotoluene
71-43-2	benzene
75-09-2	dichloromethane
103-65-1	propylbenzene
104-51-8	butylbenzene
91-20-3	naphthalene

· Proposition 65

· Chemicals known to cause cancer:

98-82-8	isopropylbenzene
96-18-4	1,2,3-trichloropropane
75-35-4	1,1-dichloroethylene
75-34-3	1,1-dichloroethane
79-34-5	1,1,2,2-tetrachloroethane
79-00-5	1,1,2-trichloroethane
630-20-6	1,1,1,2-Tetrachloroethane
96-12-8	1,2-dibromo-3-chloropropane
106-93-4	1,2-dibromoethane
107-06-2	1,2-dichloroethane
78-87-5	propylene dichloride
106-46-7	1,4-dichlorobenzene
71-43-2	benzene

(Contd. on page 12)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 11)

75-09-2	dichloromethane
91-20-3	naphthalene
75-27-4	bromodichloromethane
75-25-2	bromoform
56-23-5	carbon tetrachloride
67-66-3	chloroform
75-00-3	chloroethane
100-42-5	styrene
127-18-4	tetrachloroethylene
79-01-6	trichloroethylene
75-01-4	vinyl chloride
100-41-4	ethylbenzene
87-68-3	hexachlorobuta-1,3-diene

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

96-12-8	1,2-dibromo-3-chloropropane
106-93-4	1,2-dibromoethane
71-43-2	benzene
74-87-3	chloromethane
79-01-6	trichloroethylene

· **Chemicals known to cause developmental toxicity:**

67-56-1	methanol
106-93-4	1,2-dibromoethane
71-43-2	benzene
74-83-9	bromomethane
74-87-3	chloromethane
67-66-3	chloroform
108-88-3	toluene
79-01-6	trichloroethylene

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

98-82-8	isopropylbenzene	D, CBD
108-38-3	m-xylene	I
96-18-4	1,2,3-trichloropropane	L
75-35-4	1,1-dichloroethylene	C, S (inh.), I (oral)
75-34-3	1,1-dichloroethane	C
79-34-5	1,1,2,2-tetrachloroethane	L
79-00-5	1,1,2-trichloroethane	C
71-55-6	1,1,1-trichloroethane	II
630-20-6	1,1,1,2-Tetrachloroethane	C
120-82-1	1,2,4-trichlorobenzene	D
95-63-6	1,2,4-trimethylbenzene	II
95-50-1	1,2-dichlorobenzene	D
106-93-4	1,2-dibromoethane	L
107-06-2	1,2-dichloroethane	B2
108-67-8	mesitylene	II
541-73-1	1,3-dichlorobenzene	D
71-43-2	benzene	A, K/L
75-09-2	dichloromethane	L
91-20-3	naphthalene	C, CBD
74-83-9	bromomethane	D
75-27-4	bromodichloromethane	B2
75-25-2	bromoform	B2
108-86-1	bromobenzene	II

(Contd. on page 13)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 12)

74-97-5	bromochloromethane	D
56-23-5	carbon tetrachloride	L
95-47-6	o-xylene	I
74-87-3	chloromethane	D, CBD
67-66-3	chloroform	B2, L, NL
108-90-7	chlorobenzene	D
156-59-2	cis-dichloroethylene	II

· TLV (Threshold Limit Value established by ACGIH)

108-38-3	m-xylene	A4
96-18-4	1,2,3-trichloropropane	A3
75-35-4	1,1-dichloroethylene	A4
75-34-3	1,1-dichloroethane	A4
79-34-5	1,1,2,2-tetrachloroethane	A3
79-00-5	1,1,2-trichloroethane	A3
71-55-6	1,1,1-trichloroethane	A4
95-50-1	1,2-dichlorobenzene	A4
106-93-4	1,2-dibromoethane	A3
107-06-2	1,2-dichloroethane	A4
78-87-5	propylene dichloride	A4
106-46-7	1,4-dichlorobenzene	A3
71-43-2	benzene	A1
75-09-2	dichloromethane	A3
91-20-3	naphthalene	A4
74-83-9	bromomethane	A4
75-25-2	bromoform	A3
56-23-5	carbon tetrachloride	A2
95-47-6	o-xylene	A4
74-87-3	chloromethane	A4
67-66-3	chloroform	A3
75-00-3	chloroethane	A3
108-90-7	chlorobenzene	A3
106-42-3	p-xylene	A4
100-42-5	styrene	A4
127-18-4	tetrachloroethylene	A3
108-88-3	toluene	A4
75-71-8	dichlorodifluoromethane	A4
79-01-6	trichloroethylene	A2
75-69-4	trichlorofluoromethane	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

96-18-4	1,2,3-trichloropropane
75-35-4	1,1-dichloroethylene
79-34-5	1,1,2,2-tetrachloroethane
79-00-5	1,1,2-trichloroethane
96-12-8	1,2-dibromo-3-chloropropane
106-93-4	1,2-dibromoethane
107-06-2	1,2-dichloroethane
78-87-5	propylene dichloride
106-46-7	1,4-dichlorobenzene
71-43-2	benzene
75-09-2	dichloromethane
74-83-9	bromomethane
56-23-5	carbon tetrachloride
74-87-3	chloromethane
67-66-3	chloroform
127-18-4	tetrachloroethylene

(Contd. on page 14)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/28/2019

Reviewed on 02/28/2019

Product Name: Volatile Organics Mix (Low Level)

(Contd. of page 13)

79-01-6	trichloroethylene
75-01-4	vinyl chloride
87-68-3	hexachlorobuta-1,3-diene

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02 GHS06 GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**
methanol
- **Hazard statements**
H225 Highly flammable liquid and vapor.
H331 Toxic if inhaled.
H370 Causes damage to organs.
- **Precautionary statements**
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Use explosion-proof electrical/ventilating/lighting/equipment.
Do not breathe dust/fume/gas/mist/vapors/spray.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** product safety department
- **Contact:**
SPEX CertiPrep, LLC.
1-732-549-7144
- **Date of preparation / last revision** 02/28/2019 / -
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 3: Acute toxicity – Category 3
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

US