



(as used in label and list) 827 Red Oil

# **Safety Data Sheet**

## Section 1 Product and Company Identification

Common Name Product Model Number

827 Red Oil 923RO

**Product File Number**920:405-922WA-10

Product Use
Indicating Fluid

Manufacturer's Name Emergency Phone Numbers

Meriam 1-800-255-3924 (US), + 01 813 248 0585 (International)

Address Engineering Control Data

10920 Madison Ave. MSDS - A35793-1, Rev. 0, E0 7519

Drawing - A35312

City, State, Zip Date Prepared
Cleveland, Ohio 44102 06-Nov-2015

## **Section 2** Hazards Identification

### Classification of the substance or mixture

### **GHS Hazards**

Acute toxicity, Aspiration:: Category 1
Serious eye damage/eye Category 2B

irritation:

Acute/Chronic aquatic toxicity:Category 2Flammable liquids:Category 3Skin irritation:Category 2

Carcinogenicity: Category 2

**Specific target organ toxicity:** Category 3 (single exposure) **Hazards Not Otherwise Classified** Static accumulating flammable liquid.

(HNOC)

Pictogram: Hazard symbols:



Signal word: DANGER.

| Hazard statements               |   |
|---------------------------------|---|
| Н304                            | May be fatal if swallowed and enter airways.  |
| H315                            | Causes skin irritation.   |
| H320                            | Causes eye irritation.  |
| H336                            | May cause drowsiness or dizziness.  |
| H351                            | Suspected of causing cancer.  |
| H411                            | Toxic to aquatic life with long-lasting effects.  |
| <b>Precautionary statements</b> |   |
| Prevention                      |   |
| P201                            | Obtain special instructions before use.   |
| P202                            | Do not handle until all safety precautions have been read and understood.   |
| P210                            | Keep away from heat/sparks/open flames/hot surfaces. <b>No smoking</b> .  |
| P233                            | Keep container tightly closed.  |
| P240                            | Ground/bond container and receiving equipment.  |
| P243                            | Take precautionary measures against static discharge.   |
| P261                            | Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.   |
| P264                            | Wash skin thoroughly after handling.  |
| P271                            | Use only outdoors or in a well-ventilated area.   |
| P273                            | Avoid release to the environment.   |
| P280                            | Wear protective gloves/ protective clothing/ eye protection/ face protection.   |
| Response                        |   |
| P308+311                        | If exposed or concerned:  |
|                                 | Call a Poison Center/ doctor.   |
| P303+361+353                    | <ul> <li>If on skin (or hair):</li> <li>Take off immediately all contaminated clothing. Rinse skin with water/ shower.</li> </ul> |
| P305 + P351 + P338              | If in eyes:   |
|                                 | <ul> <li>Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do.</li> </ul>   |
|                                 | Continue rinsing.   |
| P332+313                        | If skin irritation occurs:  |
|                                 | Get medical advice/attention.   |
| P363                            | Wash contaminated clothing before reuse.  |
| P304 + P340                     | If inhaled:   |
|                                 | <ul> <li>Remove victim to fresh air and keep at rest in a position comfortable<br/>for breathing.</li> </ul>                      |
| P312                            | Call a POISON CENTER or doctor if you feel unwell.  |

| P301 + P310                       | If swallowed:   |
|-----------------------------------|---|
|                                   | • Immediately call a <b>Poison Center</b> or doctor.  |
| P331                              | Do not induce vomiting.   |
| P370 + P378                       | In case of fire:  |
|                                   | <ul> <li>Use water spray, alcohol-resistant foam, dry chemical or carbon<br/>dioxide for extinction.</li> </ul> |
| P391                              | Collect spillage.   |
| Storage:                          |   |
| P403+P233                         | <ul><li>Store in a well-ventilated place.</li><li>Keep container tightly closed.</li></ul>                      |
| P403 + P235                       | <ul><li>Store in a well-ventilated place.</li><li>Keep cool.</li></ul>  |
| P405                              | Store locked up.  |
| Disposal:                         |   |
| P501                              | Dispose of contents/container to an approved waste disposal plant.  |
| Hazards not otherwise classified: | None.   |

# Section 3 Composition/Information on Ingredients

| 1. Chemical name: | Deodorized Kerosene        |
|-------------------|----------------------------|
| CAS No:           | 8008-20-6                  |
| OSHA/PEL:         | Not established.           |
| ACGIH/TLV:        | 200 mg/m3 as mist          |
| %:                | >37.4                      |
| 2. Chemical name: | Hydrotreated Petroleum Oil |
| CAS No:           | 64742-565-0                |
| OSHA/PEL:         | 5 mg/m³ as mist            |
| ACGIH/TLV:        | 5 mg/m³ as mist            |
| %:                | >62.4                      |
| 3. Chemical name: | 1-Chloronaphthalene        |
| CAS No:           | 90-13-1                    |
| OSHA/PEL:         | Not established.           |
| ACGIH/TLV:        | Not established.           |
| %:                | <1                         |
| 4. Chemical name: | Red Dye                    |
| CAS No:           | 4477-79-6                  |
| OSHA/PEL:         | Not established.           |
| ACGIH/TLV:        | Not established.           |
| %:                | Trace                      |

| Section 4     | First Aid Measures   |
|---------------|--|
| Eye contact:  | <ul> <li>Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open.</li> <li>Remove contact lenses after the first 2 minutes and continue rinsing.</li> <li>Seek immediate medical attention, preferably from an ophthalmologist.</li> </ul>  |
| Skin contact: | <ul> <li>Flush skin with large amounts of water while removing contaminated clothing and continue rinsing for at least 15 minutes.</li> <li>If irritation persists, seek medical attention.</li> </ul>   |
| Inhalation:   | <ul> <li>If product mist or vapor causes respiratory or distress, move the exposed person to fresh air immediately.</li> <li>If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel.</li> <li>Loosen tight fitting clothing such as collar, tie, belt or waistband.</li> <li>Seek immediate medical attention.</li> </ul>  |
| Ingestion:    | <ul> <li>Rinse mouth with water if victim is conscious.</li> <li>Remove dentures if present.</li> <li>Do not induce vomiting unless directed to do so by medical personnel.</li> <li>If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.</li> <li>Give 1 to 2 capfuls of water if victim is conscious, alert and able to swallow.</li> <li>Never give anything by mouth to an unconscious or convulsing person.</li> <li>Immediately call a <b>Poison Center</b> or doctor.</li> </ul> |

# Section 5 Fire Fighting Measures

| Extinguishable media                                   |   |
|--|---|
| Suitable methods of extinction:                        | <ul><li>Foam, Carbon dioxide (CO2).</li><li>Water fog, Dry chemical.</li></ul>  |
| Unsuitable methods of extinction:                      | Water jets and high pressure may spread the fire.   |
|  |   |
| Special hazards arising from the substance or mixture: | <ul> <li>This product has been determined to be a flammable liquid.</li> <li>May accumulate electrostatic charge and ignite or explode.</li> <li>Vapors may travel along the ground and be moved by ventilation and ignited by many sources pilot lights, sparks, electric motors, static discharge or other ignition sources at locations distant from material handling.</li> <li>Flashback can occur along the vapor trail.</li> </ul> |
| Unusual fire hazards:                                  | <ul> <li>Carbon oxides, toxic fumes of chlorides, and various hydrocarbons formed when burned.</li> <li>In the event of fire and or explosion, do not breathe fumes.</li> </ul>   |
| Explosion hazards:                                     | Not considered to be an explosion hazard.   |

#### **Advice for firefighters:**

- Full protective equipment including self-contained breathing apparatus should be used.
- Avoid using straight water streams.
- Water spray and foam may be applied carefully to avoid frothing and foam as far as a distance as possible.
- Avoid excessive water spray application.
- Keep surrounding area cool with water spray from a distance and prevent further ignition of combustible material.
- If possible, water contaminated by this material should be contained from being discharged to any waterway, sewer or drain to prevent environmental contamination.

NFPA:

Health-1

Flammability- 2

Reactivity- 0

### **Section 6**

### **Accidental Release Measures**

### Personal precautions, protective equipment, and emergency procedures:

- Evacuate non-essential personnel.
- Wear all appropriate protective equipment designated in Section 8.
- Do not breathe vapors or aerosols.
- Ventilate the area.
- Do not get material on skin or clothing.
- Eliminate all sources of ignition.
- All contaminated surfaces will be slippery.

### **Environmental precautions:**

- Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers, or waterways.
- Advise authorities and National Response Center if the product has entered a water course or sewer and creates a visible sheen.

# Methods and materials for containment and clean up:

- Cover drains and contain spill.
- Cover spill with a large quantity of inert absorbent.
- Do not use combustible material such as sawdust.
- Shovel or sweep up material and place into and approved container for proper disposal.
- When recovering free liquids ensure all equipment is grounded and bonded.
- Use only non-sparking tools.
- Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways.
- Dispose of according to state and federal regulations.

#### Waste disposal:

 Place in an appropriate disposal facility in compliance with federal, state, and local regulations.

### **Section 7**

## **Handling and Storage**

### **Conditions for safe storage:**

- Skin and eye contact should be avoided as good industrial practice.
- Wearing of protective gloves and eye protection is recommended.
- Wash hands and contaminated skin area after handling.
- Follow all warnings and precautions even after container is emptied.
- Wash thoroughly after handling or at the end of the shift.

| Other precautions:  • • • • | Store in cool dry place away from strong oxidizers and acids.  Keep container tightly closed when not in use.  All handling equipment should be properly grounded to prevent the build-up of electrostatic charges.  Do not expose to heat open flames, strong oxidizers or other sources of ignition. No smoking.  Storage area should be equipped with CO2 system.  Handle in accordance with good industrial hygiene and safety practices. |
|-----------------------------|---|
| Section 7 Notes::           | Containers should not be opened until ready for use. Use clean non-sparking equipment and tools when handling, ensure all equipment is grounded and bonded.   |

# **Section 8 Exposure Controls/Personal Protection**

| <b>Exposure Controls</b>        |   |
|---------------------------------|---|
| Engineering Measures:           | <ul> <li>Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.</li> <li>Use adequate ventilation.</li> <li>Local exhaust is preferable.</li> <li>Refer to Section 7 for additional data.</li> </ul>   |
| Individual protection measures: | <ul> <li>Wear protective clothing to prevent repeated or prolonged contact with product.</li> <li>Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substance handled.</li> <li>The chemical resistance of the protective equipment should be inquired at the representative supplier.</li> </ul>  |
| Hygiene measures:               | <ul> <li>Facilities storing or using this material should be equipped with an eyewash station and safety shower.</li> <li>Change contaminated clothing .</li> <li>Preventative skin protection is recommended.</li> <li>Wash hands thoroughly after use, before eating, drinking or using lavatory.</li> </ul>  |
| Eye/face protection:            | <ul> <li>Wear protective goggles or safety glasses with non-perforated side shields and face shield.</li> <li>Refer to 29 CFR 1910.133, ANSI Z87.4 or Standard EN 166.</li> </ul>   |
| Hand protection:                | <ul> <li>Wear gloves recommended by glove supplier for protection against materials in <i>Section 3</i>.</li> <li>Glove should be impermeable to chemicals and oil.</li> <li>Breakthrough time should be greater than the intended use period.</li> </ul>   |
| Respiratory protection:         | <ul> <li>Always use approved respirator when vapor/aerosols are generated.</li> <li>Where risk assessment shows air-purifying respirators are appropriate use a full-faced respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.</li> <li>If the respirator is the sole means of protection, use a full-face supplied air respirator.</li> <li>Use respirators and components tested and approved under the appropriate government standards such as NIOSH (US) or CEN (EU).</li> </ul> |

# Additional protective clothing or equipment:

- Boots, aprons, or chemical suits should be used when necessary to prevent skin contact.
- Eye wash fountains and safety showers should be available for emergency use.

## **Section 9** Physical and Chemical Properties

| Appearance:                             | Red color.                         |
|---|------------------------------------|
| Odor:                                   | Mild.                              |
| Odor threshold:                         | No data available.                 |
| pH:                                     | No data available.                 |
| Freezing/melting point, range:          | 0 °C to 2 °C (32 °F to 35.6 °F)    |
| Initial Boiling point:                  | 111 °C to187 °C (232 °F to 370 °F) |
| Evaporation rate:                       | Not applicable.                    |
| Flammability (solid, gas):              | No data available.                 |
| Flash point:                            | 61 °C (142 °F)                     |
| Autoignition temperature:               | No data available.                 |
| Decomposition temperature:              | No data available.                 |
| Lower explosive limit (LEL):            | 1.1                                |
| Upper explosive limit:                  | 6.0                                |
| Vapor pressure:                         | 1.0 mmHg at 20 °C                  |
| Vapor density:                          | No data available                  |
| Specific gravity:                       | 0.827 at 15.1 °C                   |
| Viscosity:                              | No data available.                 |
| Solubility in water:                    | No data available.                 |
| Partition coefficient: n-Octanol/water: | No data available.                 |
| Volatiles by volume at 21 °C:           | No data available.                 |
| Other data:                             | No data available.                 |

## Section 10 Stability and Reactivity

| Reactivity:                         | No specific test data related to reactivity is available for this product.   |
|-------------------------------------|--|
| Chemical stability:                 | <ul> <li>Stable when stored under the recommended storage conditions.</li> <li>Stable when handled under normal ambient temperature and working environments.</li> </ul> |
| Possibility of hazardous reactions: | <ul><li>None under normal application/processing.</li><li>Hazardous polymerization does not occur.</li></ul>   |
| Conditions to avoid:                | Temperature extremes, open flame, sources of ignition.   |
| Incompatible materials:             | Oxygen and strong oxidizing agents.  |
| Hazardous decomposition products:   | Will not occur.  |

# Section 11 Toxicological Information

| Acute toxicity                                      |   |
|---|---|
| LD50, Oral-Rat:                                     | > 2,000 mg/kg   |
| LC50, Inhalation-Rat                                | <ul><li>Exposure time: 4 hours.</li><li>4.1 mg/L</li></ul>  |
| LD50, Derma-Rabbit:                                 | > 2,000 mg/kg   |
|   |   |
| Skin corrosion/irritation:                          | Produces skin irritation upon prolonged or repeated exposures.  |
| Eye irritation/corrosion:                           | Causes mild eye irritation  |
| Ingestion:  | <ul><li>May be fatal if swallowed or vomited and enters airways.</li><li>May cause irritation of the mouth, throat, and gastrointestinal tract.</li></ul> |
| Inhalation:   | High vapor concentrations may produce irritation of the respiratory system, headache, giddiness, vertigo, and anesthetic stupor.                          |
| Genotoxicity in vitro:                              | No data available.  |
| Mutagenicity  | No data available.  |
| Specific target organ toxicity — single exposure:   | Central nervous system.   |
| Specific target organ toxicity — repeated exposure: | Not classified.   |
| Aspiration hazard:                                  | May be fatal if swallowed or vomited and enters airways.  |

## Carcinogen or potential carcinogen

| National Toxicology Program: | No. |
|------------------------------|-----|
| I.A.R.C Monographs:          | No. |
| OSHA:                        | No. |

## Section 12 Ecological Information

| Toxicity:                                  | Liquid can be toxic to aquatic life.   |
|--|--|
| Persistent and degrade in the environment: | Not readily biodegradable.   |
| Bioaccumulative potential:                 | Not provided.  |
| Mobility in soil:                          | May partition into soil.   |
| Results of PBT and vPvB assessment:        | No data available.   |
| Other adverse effects:                     | Additional ecological information:   |
|  | <ul> <li>Do not allow material to run into surface waters, wastewaters, or soil.</li> <li>An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.</li> </ul> |

### **Section 13**

## **Disposal Considerations**

# Waste treatment methods/disposal methods:

- The generation of waste should be avoided or minimized whenever possible.
- Empty containers or liners may retain some product residues.
- This material and its container must be disposed of in a safe way.
- Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
- Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
- Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
- Contact a licensed professional waste disposal service to dispose of this material along with any containment and cleanup materials.

#### **Hazard waste:**

The classification of this product is a non-hazardous waste when disposed of as defined in Resource Conservation Recovery Act (RCRA) regulations (40CFR261).

### **Section 14**

## **Transport Information**

| Proper Shipping Name:      | Kerosene                     |
|----------------------------|------------------------------|
| Hazard Class or Division:  | 3                            |
| Identification Number:     | UN1223                       |
| Packing Group:             | III                          |
| Packing Authorization:     | DOT 49 CFR 173.150 & 173.203 |
| IATA Packing Instructions: |                              |

# Section 15

## **Regulatory Information**

### Safety, health and environmental regulations specific for substances or mixtures

| US Federal Regulations                                 |  |
|--|--|
| TSCA (Toxic Substance Control Act)                     | All chemical substances in this product are either listed on the TSCA inventory or are in compliance with the TSCA Inventory exemptions.   |
| SARA Section 311/312 Hazard Categories:                | Acute health hazard, chronic health hazard, fire hazard.   |
| SARA Section 302/304<br>Extremely Hazardous Substance: | None of the chemicals in this product are subject to reporting requirements of these sections of Title III of SARA.  |
| SARA 313 Toxic Chemical List (TCL)                     | This product may contain components, which exceeds the minimum threshold, and as such may be subject to the reporting requirements of SARA Title III Section 313 Toxic Release Reporting (Form R). |
| Clean Water Act (CWA) – Priority Pollutants            | Not Provided.  |

Quick Identifier - 827 Red Oil

**US State Regulations:** 

**California Proposition 65:** Component: napthalene listed carcinogen.

### **Section 16** Other Information

### This product is for industrial and laboratory use only.

- Do not store in open, unlabeled or mislabeled containers.
- Store in cool, dry place with adequate ventilation.
- Keep away from flames and high temperatures.
- For personal hygiene protection, we recommend that employees wash thoroughly after handling product.
- Always wash up before eating, smoking, and using toilet facilities.
- Keep out of reach of children.
- HMIS® rating: HEALTH 2 FLAMMABILITY 2 REACTIVITY 1.

## **Disclaimer of Liability**

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of the results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitability of the chemical is the sole responsibility of the user. User of any chemical should satisfy themselves that the conditions and methods of use assure that the chemical is used safely. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION CONTAINED HEREIN OR THE CHEMICAL TO WHICH THE INFORMATION REFERS. It is the responsibility of the user to comply with all applicable federal, state, local laws and regulations.