



SAFETY DATA SHEET

Preparation Date: 3/13/2015 Revision Date: 10/4/2018 Revision Number: G3

1. IDENTIFICATION

Product identifier

Product code: P1315

Product Name: POTASSIUM HYDROXIDE, PELLETS, REAGENT, ACS

Other means of identification

Synonyms: Caustic Potash

Hydroxyde de potassium (French) Hidróxido de potasio (Spanish)

CAS #: 1310-58-3
RTECS # TT2100000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Electroplating: photoengraving & lithography: printing inks: in analytical chemistry

& in organic synthesis; manfufacturing of liquid soap; pharmaceutical aid (as alkalizing agent); mordant for woods; absorbing carbon dioxide; mercerizing cotton; paint & varnish removers. Principle uses of KOH include chemicals, particularly the production of potassium carbonate and potassium permaganate; pesticides, fertilizers, and other agricultural products; soaps and detergents; scrubbing and cleaning operations, e.g., industrial gases; dyes and colorants; and

rubber chemicals.

Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Label elements


Danger

Hazard statements

Toxic if swallowed

Causes severe skin burns and eye damage

May be corrosive to metals



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Reacts with water to evolve heat

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Absorb spillage to prevent material damage

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do NOT induce vomiting

Product code: P1315

Precautionary Statements - Storage

Store locked up

Store in corrosive resistant/ .? container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Components	0.000.000.	Weight 70

Product name: POTASSIUM HYDROXIDE, PELLETS, REAGENT,

Potassium Hvdroxide	1310-58-3	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect

himself.

Skin Contact: Wash off immediately with soap and plenty of water. Continue flushing with plenty of water

for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical

attention is required. Call a physician immediately.

Eye Contact: Flush eyes with water for 15 minutes. Immediate medical attention is required. Call a

physician immediately.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. WARNING! It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is

required. Call a physician immediately.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. If victim is conscious, give water or milk. Immediate medical attention

is required. Call a physician or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

Symptoms Severe skin and eye irritation or burns

Causes digestive (gastrointestinal) tract irritation May cause gastrointestinal (digestive) tract burns May cause abdominal pain, nausea, vomiting, diarrhea Causes chemical burns to the respiratory tract

May cause inflammation of the lungs (pneumonitis)

May cause pulmonary edema

Coughing

Dyspnea (Shortness of breath and difficulty breathing)

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: The product is not flammable. If it is involved in a fire,

extinguish the fire using an agent suitable for the type of

surrounding fire.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: No information available.

Specific hazards: No information available.

Special Protective Actions for Firefighters

Specific Methods:No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Use

personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or

confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent

spreading.

Methods for cleaning upSweep up and shovel. Use appropriate tools to put the spilled solid in a suitable

waste disposal container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapors/dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Deliquescent. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents Acids

Metals

Powdered metals

Organic materials
Water
Alcohols
Halogens
halogenated hydrocarbons
Acid anhydrides
Acid chlorides
Nitro compounds

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Potassium Hydroxide	1310-58-3	None	2 mg/m³ Ceiling	2 mg/m ³ Ceiling	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Potassium Hydroxide	1310-58-3	2 mg/m ³ Ceiling	2 mg/m3 Ceiling	2 mg/m³ Ceiling	2 mg/m3 Ceiling

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Potassium Hydroxide	1310-58-3	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles or Face-shield.

Skin and body protection: Chemical resistant apron

Long sleeved clothing

Gloves Boots

Respiratory protection: Wear respirator with dust filter.

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or

smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

 5/13

Physical state: Appearance: Color: Pellets. Flakes. Solid Colorless.

Odor: **Taste**

No information available. Odorless. KOH

Molecular/Formula weight (g/mole): Flammability:

Flashpoint (°C/°F): No information available. 56.11 No information available

Flash Point Tested according to: Autoignition Temperature (°C/°F):

No information available Not available

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

Formula:

Lower Explosion Limit (%):

No information available

1384 °C/2523 °F

No information available 380 °C/716 °F

Boiling point/range(°C/°F): **Bulk density:** Density (g/cm3):

No information available No information available No information available

Vapor pressure @ 20°C (kPa): Specific gravity: :Ha

13 (1% solution) No information available 2.044

Evaporation rate: Vapor density: VOC content (q/L): No information available No information available No information available

Odor threshold (ppm): **Partition coefficient** Viscosity: No information available

(n-octanol/water): No information available No information available

Miscibility: Solubility:

No information available Easily soluble in water

Insoluble in diethyl ether

10. STABILITY AND REACTIVITY

Reactivity

Reacts violently with acids, halogens, halogenated hydrocarbons, maleic anhydride, organic anhydrides, isocyanates, alkylene oxides, epichlorhydrin, aldehydes, alcohols, gylcols, phenols, cresols, caprolactum solution. Also incompatible with nitro compounds (nitrobenzene, nitromethane, nitrogen trichloride), organic materials, acid anhydrides, acid chlorides, magnesium, peroxidized tetrahydrofuran, trichlorethylene, chlorine dioxide, maleic dicarbide, sugars. Solid potassium hydroxide in contact with moisture or water may generate sufficient heat to ignite combustible materials. When wet attacks metals such as aluminum, tin, lead, and zinc. Violent reaction or ignition under appropriate conditions with acids, alcohols, p-bis(1,3-dibromoethyl) benzene, cyclopentadiene, germanium, hyponitrous acid, maleic anhydride, nitroalkanes, 2-nitrophenol, potassium peroxodisulfate, sugars, 2,2,3,3-tetrafluoropropanol, thorium dicarbide. Molten ortho -nitrophenol reacts violently with potassium hydroxide. When potassium hydroxide and tetrachloroethane are heated, a spontaneously flammable gas, chloroacetylene, is formed. When phosphorus is boiled in a solution of potassium hydroxide, phosphine gas is evolved which is spontaneously flammable.1,2-Dichloroethylene and Potassium hydroxide reaction produces chloroacetylene which is spontaneouslyflammable in air. Potassium Persulfate and a little Potassium hydroxide and water will ignite. When wet, attacks metals such as aluminum, tin, lead, and zinc, producing flammable hydrogen gas. When heated to decomposition it emits toxic fumes of K2O. Potentially explosive reaction with bromoform + crown ethers, chlorine dioxide, nitrobenzene, nitromethane, nitrogen trichloride, peroxidized tetrahydrofuran, 2.4,6-trinitrotoluene.Reaction with ammonium hexachloroplatiate(2-) + heat forms heat sensitive explosive product. Potassium hydroxide will cause explosive decomposition of maleic anhydride. Detonation will occur when potassium hydroxide is mixed with n-methyl-nitroso urea and methylene chloride. Nitrogen trichloride explodes on contact with potassium hydroxide.WHEN HEATED, TRICHLOROETHYLENE & POTASSIUM HYDROXIDE FORMS EXPLOSIVE MIXTURE OF DICHLOROACETYLENE NITROGEN TRICHLORIDE EXPLODES ON CONTACT WITH CONCENTRATED POTASSIUM HYDROXIDE.

Chemical stability

Stability: Stable under recommended storage conditions.

Product code: P1315 Product name: POTASSIUM HYDROXIDE, PELLETS, REAGENT, Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Exposure to moisture. Exposure to moist air. Incompatible materials.

Incompatible Materials: Oxidizing agents

> Acids Metals

Powdered metals Organic materials

Water Alcohols Halogens

halogenated hydrocarbons

Acid anhydrides Acid chlorides Nitro compounds

Hazardous decomposition

products:

No information available.

Other Information

Corrosivity: Extremely corrosive in presence of aluminum, brass, and zinc.

Slightly corrosive in presence of copper, of stainless steel(304).

Non-corrosive in presence of stainless steel(316).

Special Remarks on Corrosivity: Severe corrosive effect on brass and bronze.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Eyes. Skin. Ingestion. Inhalation.

Acute Toxicity

Component Information

Potassium Hydroxide CAS-No. 1310-58-3

LD50/oral/rat = 284 mg/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = 214 mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

Product code: P1315 Product name: POTASSIUM HYDROXIDE, PELLETS, REAGENT, 7/13

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Severe skin irritation. Causes skin burns.

Eye Contact: Severe eye irritation. Causes eye burns. May cause permanent injury.

Inhalation Irritating to respiratory system. Inhalation of mist or vapor can cause severe

irritation and burns of the respiratory tract and mucous membranes, coughing, difficulty breathing. Irritation may lead to chemical pneumonitis, and pulmonary

edema.

Ingestion Toxic if swallowed. May cause severe and permanent damage to the digestive

tract. Causes severe irritation and burns of the gastrointestinal (digestive) tract with abdominal pain, vomiting, bloody diarrhea, cardiovascular collapse, and

possible death. May cause perforation of the digestive tract.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated skin contact with dilute solutions of potassium hydroxide

can cause dermatitis. Prolonged or repeated eye contact with dilute solutions can cause conjunctivitis. Prolonged or repeated Inhalation can produce chronic

productive cough, and shortness of breath.

Sensitization: No information available.

Mutagenic Effects: For Potassium Hydroxide:

Cytogenic analysis - Hamster ovary 12mmol/L (Registry of Toxic Effects of

Chemical Substances)

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Potassium Hydroxide	1310-58-3	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

Product code: P1315

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects:No information availableDevelopmental Effects:No information availableTeratogenic Effects:No information available

Specific Target Organ Toxicity

STOT - single exposure
STOT - repeated exposure
Target Organs:

No information available.
No information available.
Skin. Respiratory system. Eyes.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Potassium Hydroxide - 1310-58-3

Freshwater Fish Species Data: 80 mg/L LC50 Gambusia affinis 96 h static 1

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Potassium Hydroxide	1310-58-3	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: UN1813

Proper Shipping Name: Potassium hydroxide, solid

Hazard Class:

Subsidiary Class No information available

Packing group: II Emergency Response Guide 154

Number

Marine Pollutant

DOT RQ (lbs):

Special Provisions

No data available
1000 lbs./454 kg
IB8, IP2, IP4, T3, TP33

Symbol(s): [DOT]: (R4) - Identifies

[DOT]: (R4) - Identifies a material that is a hazardous substance that has a

reportable quantity (RQ) of 1000 pounds (454 Kilograms).

Description: UN1813, Potassium hydroxide, solid, 8, II

TDG (Canada)

UN-No: UN1813

Proper Shipping Name: Potassium hydroxide, solid

Hazard Class: 8

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No Information available

Description: UN1813, Potassium hydroxide, solid, 8, II

ADR

UN-No: UN1813

Proper Shipping Name: Potassium hydroxide, solid

Hazard Class: 8
Packing Group: |

Subsidiary Risk: No information available

Description: UN1813, Potassium hydroxide, solid, 8, II

IMO / IMDG

UN-No: UN1813

Proper Shipping Name: Potassium hydroxide, solid

Hazard Class: 8

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No information available

EMS: F-A

Description UN1813, Potassium hydroxide, solid, 8, II

RID

UN-No: UN1813

Proper Shipping Name: Potassium hydroxide, solid

Hazard Class:

Subsidiary Risk: No information available

Packing Group:

Description: UN1813, Potassium hydroxide, solid, 8, II

ICAO

UN-No: UN1813

Proper Shipping Name: Potassium hydroxide, solid

Hazard Class: 8

Subsidiary Risk: No information available

Packing Group:

Description: UN1813, Potassium hydroxide, solid, 8, II

IATA

UN-No: UN1813

Proper Shipping Name: Potassium hydroxide, solid

Hazard Class: 8

Subsidiary Risk: No information available

Packing Group: II ERG Code: 8L

Special Provisions No information available

PELLETS, REAGENT,

Description: UN1813, Potassium hydroxide, solid, 8, II

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Potassium Hydroxide	1310-58-3	PresentACTIV E	Present KE-29139	Present	Present (1)-369	Present	Present	Present 215-181-3

U.S. Regulations

Potassium Hydroxide

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: sn 1571

New Jersey - Discharge Prevention - List of Hazardous Substances: Present

Pennsylvania RTK: Environmental hazard

Pennsylvania RTK - Environmental Hazard List Present

Minnesota - Hazardous Substance List: Present

New York Release Reporting - List of Hazardous Substances:

1000 lb RQ 100 lb RQ

Louisana Reportable Quantity List for Pollutants: 1000lbfinal RQ

454kgfinal RQ

California Directors List of Hazardous Substances: Present

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 184.1631

FDA - 21 CFR - Total Food Additives 163.110, 163.111, 163.112, 172.841, 175.210, 176.180, 176.210, 177.1600, 177.2800,

- List Sourced from EAFUS 184.1631, 73.85

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Female Reproductive Toxicity:
Potassium Hydroxide	1310-58-3	Not Listed	Not Listed	 Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Potassium Hydroxide	1310-58-3	1000 lb final RQ 454 kg final RQ	None	None	None	None

U.S. TSCA

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals	TSCA 8(d) -Health and Safety
		With Significant New Use Rules	Reporting
		(SNURS)	
Potassium Hydroxide	1310-58-3	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component Potassium Hydroxide 1310-58-3 (100) WHMIS 2015 Hazard Classification
Corrosive to Metals - Category 1: H290 May be corrosive to
metals. (2.5% in aqueous solution; potentially corrosive to metals;
the supplier should be contacted for more information); Acute
toxicity - Oral - Category 3: H301 Toxic if swallowed.; Acute
toxicity - Oral - Category 4: H302 Harmful if swallowed. (25%
aqueous solution); Health Hazard Not Otherwise Classified Category 1: Causes severe damage to the respiratory tract; Skin
corrosion/irritation - Category 1: H314 Causes severe skin burns
and eye damage.; Serious Eye Damage/Eye Irritation - Category
1: H318 Causes serious eye damage.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

Components	WHMIS Ingredient Disclosure List -
Potassium Hydroxide	1 %

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Potassium Hydroxide	1310-58-3	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Potassium Hydroxide	1310-58-3	Not listed
Components		CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Potassium Hydroxide	1310-58-3	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Potassium Hydroxide	1310-58-3	Acute toxicity - Oral - Acute Tox. 4:
		H302 Harmful if swallowed. (Minimum
		classification); Skin corrosion/irritation
		- Skin Corr. 1A: H314 Causes severe
		skin burns and eye damage. (C >= 5
		%)019-002-00-8
		Skin corrosion/irritation - Skin Corr.
		1A: H314 Causes severe skin burns
		and eye damage. (C >= 5 %); Skin
		corrosion/irritation - Skin Corr. 1B:
		H314 Causes severe skin burns and
		eye damage. (2 % <= C <5 %); Skin
		corrosion/irritation - Skin Irrit. 2: H315
		Causes skin irritation. (0.5 % <= C <2
		%); Serious Eye Damage/Eye Irritation
		- Eye Irrit. 2: H319 Causes serious eye
		irritation. (0.5 % <= C <2
		%)019-002-00-8

EU - CLP (1272/2008)

R-phrase(s)

R22 - Harmful if swallowed.

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S 1/2 - Keep locked up and out of the reach of children.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Potassium Hydroxide	1310-58-3	C; R35	· · · · · · · · · · · · · · · · · · ·	S1/2 S26 S36/37/39 S45

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

C - Corrosive. Xn - Harmful.





16. OTHER INFORMATION

Preparation Date:3/13/2015Revision Date:10/4/2018Prepared by:Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: P1315

Product name: POTASSIUM HYDROXIDE, PELLETS, REAGENT,