



# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS)

## SECTION 1: Identification

### 1.1. Product Identifier

**Trade Name or Designation:** Buffer, Reference Standard, pH 3.56 ± 0.01 at 25°C

**Product Number:** 86970-47

**Other Identifying Product Numbers:**

### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

### 1.3. Details of the Supplier of the Safety Data Sheet

**Company:** Cole-Parmer Instrument Company

**Address:** 625 EAST BUNKER COURT

VERNON HILLS, IL 60061 USA

**Telephone:** 800-323-9340

### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300

CHEMTREC (International) 1+ 703-527-3887

## SECTION 2: Hazard(s) Identification

### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

This product is not categorized as hazardous in any GHS hazard class.

### 2.2. GHS Label Elements

**Pictograms:** None Required.

**Signal Word:** None Required.

## Safety Data Sheet

**Hazard Statements:** None Required.

**Precautionary Statements:** None Required.

### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

## SECTION 3: Composition / Information on Ingredients

### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H <sub>2</sub> O	18.01 g/mol	7732-18-5	98.96
Potassium Acid Phthalate	HOCOC <sub>6</sub> H <sub>4</sub> COOK	204.22 g/mol	877-24-7	1.02
Hydrochloric Acid	HCl	36.46 g/mol	7647-01-0	< 0.1

## SECTION 4: First-Aid Measures

### 4.1. General First Aid Information

**Eye Contact:** May cause slight irritation.

**Inhalation:** Not expected to require first aid. If necessary, remove to fresh air.

**Skin Contact:** May cause slight irritation.

**Ingestion:** Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Wash areas of contact with water. Does not present any significant health hazards. EYE CONTACT: May cause slight irritation. SKIN CONTACT: May cause slight irritation.

### 4.3. Medical Attention or Special Treatment Needed

Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Di with water or milk. Do not induce vomiting. Call a physician if necessary.

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire (water or water spray). Neutralize with soda ash or slaked lime.



## Safety Data Sheet

### 5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard. May react with metals to release flammable Hydrogen gas.

### 5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

## SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear appropriate PPE for the size and nature of the spill. As a general rule, wear safety glasses and gloves.

### 6.2. Cleanup and Containment Methods and Materials

Cover the spill with Sodium Carbonate or a soda ash-slaked lime mixture (50:50). Mix and add water to form slurry. Decant the liquid to the drain with excess water. Treat the solid residue as normal refuse. Wash site with soda ash solution. Always dispose of in accordance with local regulations.

## SECTION 7: Handling and Storage

### 7.1. Precautions for Safe Handling and Storage Conditions

As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

## Safety Data Sheet

### SECTION 8: Exposure Controls / Personal Protection

#### 8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	"5 ppm Ceiling; 7 mg/m <sup>3</sup> Ceiling" As Hydrogen chloride [7647-01-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	"2 ppm Ceiling" As Hydrogen chloride [7647-01-0]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	"2 ppm Ceiling" As Hydrogen chloride [7647-01-0]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	"5 ppm Ceiling; 7 mg/m <sup>3</sup> Ceiling" As Hydrogen chloride [7647-01-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	"2 ppm Ceiling" As Hydrogen chloride [7647-01-0]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	"5 ppm Ceiling; 7 mg/m <sup>3</sup> Ceiling" As Hydrogen chloride [7647-01-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	"2 ppm Ceiling" As Hydrogen chloride [7647-01-0]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	"5 ppm Ceiling; 7 mg/m <sup>3</sup> Ceiling" As Hydrogen chloride [7647-01-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	2 ppm Ceiling	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	5 ppm Ceiling; 7 mg/m <sup>3</sup> Ceiling	U.S. - OSHA - Final PELs - Ceiling Limits
Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	"2 ppm Ceiling" As Hydrogen chloride [7647-01-0]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	"5 ppm Ceiling; 7 mg/m <sup>3</sup> Ceiling" As Hydrogen chloride [7647-01-0]	U.S. - OSHA - Final PELs - Ceiling Limits

## Safety Data Sheet

Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	"2 ppm Ceiling" As Hydrogen chloride [7647-01-0]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	"5 ppm Ceiling; 7 mg/m <sup>3</sup> Ceiling" As Hydrogen chloride [7647-01-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	"5 ppm Ceiling; 7 mg/m <sup>3</sup> Ceiling" As Hydrogen chloride [7647-01-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	"2 ppm Ceiling" As Hydrogen chloride [7647-01-0]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)

### 8.2. Exposure Controls

**Engineering Controls:** No specific controls are needed. Normal room ventilation is adequate.

**Respiratory Protection:** Normal room ventilation is adequate.

**Skin Protection:** Chemical resistant gloves.

**Eye Protection:** Safety glasses or goggles.

### 8.3. Personal Protective Equipment

Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

## Safety Data Sheet

### SECTION 9: Physical and Chemical Properties

#### 9.1. Basic Physical and Chemical Properties

**Appearance:** Colorless liquid

**Physical State:** Liquid

**Odor:** Data not available.

**Odor Threshold:** Data not available.

**pH:** 3.56

**Melting/Freezing Point:** 0.0°C

**Initial Boiling Point/Range:** 100°C - 100°C

**Flash Point:** Data not available.

**Evaporation Rate:** Data not available.

**Flammability:** Data not available.

**Flammability/Explosive Limits:** Data not available.

**Vapor Pressure:** Data not available.

**Vapor Density:** Data not available.

**Relative Density:** 1.0

**Solubility:** Miscible

**Partition Coefficient:** Data not available.

**Auto-Ignition Temperature:** Data not available.

**Decomposition Temperature:** Data not available.

**Viscosity:** Data not available.

**Explosive Properties:** Data not available.

**Oxidizing Properties:** Data not available.

### SECTION 10: Stability and Reactivity

#### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### 10.2. Possibility of Hazardous Reactions

Data not available.

#### 10.3. Conditions to Avoid and Incompatible Materials

Most metals, Alkalis, active metals, Cyanides, Sulfides, Sulfites, Metal Oxides, Formaldehyde.

#### 10.4. Hazardous Decomposition Products

Will not occur.

## Safety Data Sheet

### SECTION 11: Toxicological Information

#### 11.1. Information on Toxicological Effects

**Acute Toxicity - Oral Exposure:**

Not applicable.

**Acute Toxicity - Dermal Exposure:**

Not applicable.

**Acute Toxicity - Inhalation Exposure:**

Not applicable.

**Acute Toxicity - Other Information:**

LD50, Oral, Rabbit (Hydrochloric Acid) 900 mg/kg; LD50, Oral, Rat (Potassium Acid Phthalate) > 3200 mg/kg, details of toxic effects not reported other than lethal dose value. LCLo, inhalation, human: (Hydrochloric Acid) 3000 ppm/5 minutes: No toxic effects noted.

**Skin Corrosion and Irritation:**

Not applicable.

**Serious Eye Damage and Irritation:**

Not applicable.

**Respiratory Sensitization:**

Not applicable.

**Skin Sensitization:**

Not applicable.

**Germ Cell Mutagenicity:**

Not applicable.

**Carcinogenicity:**

Not applicable.

**Reproductive Toxicity:**

Not applicable.

**Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

**Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

**Aspiration Hazard:**

Not applicable.

**Additional Toxicology Information:**

Data not available.



## Safety Data Sheet

### SECTION 12: Ecological Information

#### 12.1. Ecotoxicity

Not applicable.

#### 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

#### 12.4. Mobility in Soil

Data not available.

#### 12.5. Other Adverse Ecological Effects

Data not available.

### SECTION 13: Disposal Considerations

#### 13.1. Waste Treatment Methods

Data not available.

### SECTION 14: Transportation Information

#### 14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Not regulated according to DOT Regulations.



## Safety Data Sheet

### 14.2. Transportation by Air - International Air Transport Association (IATA)

Not regulated according to IATA Dangerous Goods Regulations.

### 14.3 Transportation of Dangerous Goods (TDG, Canada)

Not regulated according to TDG Regulations.

## SECTION 15: Regulatory Information

### 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrochloric Acid (CAS # 7647-01-0): "500 lb TPQ (gas only)" As Hydrogen chloride [7647-01-0]

Hydrochloric Acid (CAS # 7647-01-0): "5000 lb EPCRA RQ (gas only)" As Hydrogen chloride [7647-01-0]

Hydrochloric Acid (CAS # 7647-01-0): 500 lb TPQ (gas only)

Hydrochloric Acid (CAS # 7647-01-0): 5000 lb EPCRA RQ (gas only)

### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Hydrochloric Acid (CAS # 7647-01-0): "5000 lb final RQ

Hydrochloric Acid (CAS # 7647-01-0): 2270 kg final RQ

Hydrochloric Acid (CAS # 7647-01-0): 2270 kg final RQ" As Hydrochloric acid [7647-01-0]

Hydrochloric Acid (CAS # 7647-01-0): 5000 lb final RQ



## Safety Data Sheet

### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Hydrochloric Acid (CAS # 7647-01-0): "1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)" As Hydrochloric acid [7647-01-0]

Hydrochloric Acid (CAS # 7647-01-0): 1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

### 15.5. Massachusetts Right-to-Know Substance List

Hydrochloric Acid (CAS # 7647-01-0): "Extraordinarily hazardous" As Hydrochloric acid [7647-01-0]

Hydrochloric Acid (CAS # 7647-01-0): Extraordinarily hazardous

### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Hydrochloric Acid (CAS # 7647-01-0): "Environmental hazard" As Hydrochloric acid [7647-01-0]

Hydrochloric Acid (CAS # 7647-01-0): Environmental hazard

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

### 15.7. New Jersey Worker and Community Right-to-Know Components

Hydrochloric Acid (CAS # 7647-01-0): "corrosive" As Hydrogen chloride [7647-01-0]

Hydrochloric Acid (CAS # 7647-01-0): "SN 1012 500 lb TPQ"

Hydrochloric Acid (CAS # 7647-01-0): "sn 1012" As Hydrogen chloride [7647-01-0]

Hydrochloric Acid (CAS # 7647-01-0): corrosive

Hydrochloric Acid (CAS # 7647-01-0): sn 1012

Hydrochloric Acid (CAS # 7647-01-0): SN 1012 500 lb TPQ

Hydrochloric Acid (CAS # 7647-01-0): SN 2909 500 lb TPQ (gas only)

Hydrochloric Acid (CAS # 7647-01-0): SN 2909 500 lb TPQ (gas only)" As Hydrogen chloride [7647-01-0]

### 15.8. California Proposition 65

Not listed.

### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Hydrochloric Acid (CAS # 7647-01-0): "Present" As Hydrogen chloride [7647-01-0] (DSL)

Hydrochloric Acid (CAS # 7647-01-0): Present (DSL)

Water (CAS # 7732-18-5): "Present" As Water [7732-18-5] (DSL)

Water (CAS # 7732-18-5): Present (DSL)

Potassium Acid Phthalate (CAS # 877-24-7): Present (DSL)

### 15.10. United States of America Toxic Substances Control Act (TSCA) List

**All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.**

Hydrochloric Acid (CAS # 7647-01-0): "Present (ACTIVE)" As Hydrochloric acid [7647-01-0]

Hydrochloric Acid (CAS # 7647-01-0): Present (ACTIVE)

Water (CAS # 7732-18-5): "Present [XU] (ACTIVE)" As Water [7732-18-5]

Water (CAS # 7732-18-5): Present [XU] (ACTIVE)

Potassium Acid Phthalate (CAS # 877-24-7): Present (ACTIVE)

## Safety Data Sheet

### 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Hydrochloric Acid (CAS # 7647-01-0): "231-595-7" As Hydrogen chloride [7647-01-0]

Hydrochloric Acid (CAS # 7647-01-0): 231-595-7

Water (CAS # 7732-18-5): "231-791-2" As Water [7732-18-5]

Water (CAS # 7732-18-5): 231-791-2

Potassium Acid Phthalate (CAS # 877-24-7): 212-889-4

## SECTION 16: Other Information

### 16.1. Full Text of Hazard Statements and Precautionary Statements

### 16.2. Miscellaneous Hazard Classes

**Canadian Carcinogenicity Hazard Class:** Not Applicable.


**Physical Hazards Not Otherwise Classified (PHNOC):** Not Applicable.

**Health Hazards Not Otherwise Classified (HHNOC):** Not Applicable.

**Biohazardous Infectious Materials Hazard Class:** Not Applicable.

### 16.3. National Fire Protection Association (NFPA) Rating

**Health:** 1  
**Flammability:** 0  
**Reactivity:** 0  
**Special Hazard:**



### 16.4. Document Revision

**Last Revision Date:** 2025-04-04

## DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and COLE-PARMER INSTRUMENT COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.