

# Material Safety Data Sheet

## N,N-Dimethylbenzylamine, 98%

ACC# 95220

### Section 1 - Chemical Product and Company Identification

**MSDS Name:** N,N-Dimethylbenzylamine, 98%

**Catalog Numbers:** AC180880000, AC180880010, AC180882500

**Synonyms:** Benzyldimethylamine; BDMA

**Company Identification:**

Acros Organics N.V.

One Reagent Lane

Fair Lawn, NJ 07410

**For information in North America, call:** 800-ACROS-01

**For emergencies in the US, call CHEMTREC:** 800-424-9300

### Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
103-83-3	N,N-Dimethylbenzylamine	98	203-149-1

### Section 3 - Hazards Identification

#### EMERGENCY OVERVIEW

Appearance: colorless to light yellow liquid. Flash Point: 54 deg C.

**Danger!** Corrosive. Causes eye and skin burns. Harmful if swallowed. May cause allergic respiratory reaction. **Flammable liquid and vapor.** May cause allergic skin reaction. May be harmful if absorbed through the skin. May cause severe respiratory tract irritation with possible burns. May cause severe digestive tract irritation with possible burns.

**Target Organs:** None.

#### Potential Health Effects

**Eye:** Causes eye burns.

**Skin:** Causes skin burns. May cause skin sensitization, an allergic reaction, which becomes evident upon re-exposure to this material. May cause dermatitis. May be harmful if absorbed through the skin.

**Ingestion:** Harmful if swallowed. May cause severe and permanent damage to the digestive tract. Causes gastrointestinal tract burns. May cause tremors and convulsions. May cause nausea and vomiting.

**Inhalation:** May cause asthmatic attacks due to allergic sensitization of the respiratory tract. Causes chemical burns to the respiratory tract. Inhalation may be fatal as a result of spasm, inflammation, edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema. Vapors may cause dizziness or suffocation.

**Chronic:** Prolonged or repeated skin contact may cause sensitization dermatitis and possible destruction and/or ulceration.

### Section 4 - First Aid Measures

**Eyes:** Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes).

**Skin:** Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Destroy contaminated shoes.

**Ingestion:** Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.

**Inhalation:** Get medical aid immediately. Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask.

**Notes to Physician:** Treat symptomatically and supportively.

### Section 5 - Fire Fighting Measures

**General Information:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form an explosive mixture with air. Vapors can travel to a source of ignition and flash back. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Will burn if involved in a fire. Use water spray to keep fire-exposed containers cool. Containers may explode in the heat of a fire. Flammable liquid and vapor. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas.

**Extinguishing Media:** For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. For large fires, use water spray, fog, or alcohol-resistant foam. Use water spray to cool fire-exposed containers. Water may be ineffective. Do NOT use straight streams of water.

**Flash Point:** 54 deg C ( 129.20 deg F)

**Autoignition Temperature:** Not available.

**Explosion Limits, Lower:**Not available.

**Upper:** Not available.

**NFPA Rating:** (estimated) Health: 3; Flammability: 2; Instability: 0

## Section 6 - Accidental Release Measures

**General Information:** Use proper personal protective equipment as indicated in Section 8.

**Spills/Leaks:** Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Scoop up with a nonsparking tool, then place into a suitable container for disposal. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation. A vapor suppressing foam may be used to reduce vapors.

## Section 7 - Handling and Storage

**Handling:** Wash thoroughly after handling. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Do not breathe dust, vapor, mist, or gas. Do not get in eyes, on skin, or on clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Take precautionary measures against static discharges. Keep container tightly closed. Keep away from heat, sparks and flame. Do not ingest or inhale. Use with adequate ventilation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.

**Storage:** Keep away from heat, sparks, and flame. Keep away from sources of ignition. Keep container closed when not in use. Keep under a nitrogen blanket. Flammables-area.

## Section 8 - Exposure Controls, Personal Protection

**Engineering Controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

### Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
N,N-Dimethylbenzylamine	none listed	none listed	none listed

**OSHA Vacated PELs:** N,N-Dimethylbenzylamine: No OSHA Vacated PELs are listed for this chemical.

### Personal Protective Equipment

**Eyes:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin:** Wear appropriate protective gloves to prevent skin exposure.

**Clothing:** Wear appropriate protective clothing to minimize contact with skin.

**Respirators:** A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

## Section 9 - Physical and Chemical Properties

**Physical State:** Liquid

**Appearance:** colorless to light yellow

**Odor:** Odor of fish or ammonia.

**pH:** Not available.

**Vapor Pressure:** 2.4 hPa @ 20 C

**Vapor Density:** 4.7

**Evaporation Rate:**Not available.

**Viscosity:** Not available.

**Boiling Point:** 183 - 184 deg C @ 765.00mm Hg

**Freezing/Melting Point:**-75 deg C

**Decomposition Temperature:**Not available.

**Solubility:** insoluble

**Specific Gravity/Density:**.9000g/cm3

**Molecular Formula:**C9H13N

**Molecular Weight:**135.23

## Section 10 - Stability and Reactivity

**Chemical Stability:** Stable under normal temperatures and pressures.

**Conditions to Avoid:** Mechanical shock, incompatible materials, ignition sources, excess heat, temperatures above 50°C (122°F).

**Incompatibilities with Other Materials:** Strong acids, strong bases, strong oxidizing agents, strong reducing agents.

**Hazardous Decomposition Products:** Nitrogen oxides, carbon monoxide, irritating and toxic fumes and gases, carbon dioxide, nitrogen.

**Hazardous Polymerization:** Will not occur.

## Section 11 - Toxicological Information

**RTECS#:**

**CAS#** 103-83-3: DP4500000

**LD50/LC50:**

CAS# 103-83-3:

Draize test, rabbit, eye: 5 mg Severe;

Draize test, rabbit, skin: 500 mg/4H Severe;

Oral, rat: LD50 = 265 mg/kg;

Skin, rabbit: LD50 = 1660 mg/kg;

**Carcinogenicity:**

CAS# 103-83-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

**Epidemiology:** No information available.

**Teratogenicity:** No information available.

**Reproductive Effects:** No information available.

**Mutagenicity:** No information available.

**Neurotoxicity:** No information available.

**Other Studies:**

## Section 12 - Ecological Information

No information available.

## Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

**RCRA P-Series:** None listed.

**RCRA U-Series:** None listed.

## Section 14 - Transport Information

	US DOT	Canada TDG
<b>Shipping Name:</b>	BENZYL DIMETHYLAMINE	BENZYL DIMETHYLAMINE
<b>Hazard Class:</b>	8	8
<b>UN Number:</b>	UN2619	UN2619
<b>Packing Group:</b>	II	II
<b>Additional Info:</b>		FLASH POINT 54C

## Section 15 - Regulatory Information

### US FEDERAL

**TSCA**

CAS# 103-83-3 is listed on the TSCA inventory.

**Health & Safety Reporting List**

None of the chemicals are on the Health & Safety Reporting List.

**Chemical Test Rules**

None of the chemicals in this product are under a Chemical Test Rule.

**Section 12b**

None of the chemicals are listed under TSCA Section 12b.

**TSCA Significant New Use Rule**

None of the chemicals in this material have a SNUR under TSCA.

**CERCLA Hazardous Substances and corresponding RQs**

None of the chemicals in this material have an RQ.

**SARA Section 302 Extremely Hazardous Substances**

None of the chemicals in this product have a TPQ.

**SARA Codes**

CAS # 103-83-3: immediate, fire.

**Section 313** No chemicals are reportable under Section 313.

**Clean Air Act:**

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depleters.

This material does not contain any Class 2 Ozone depleters.

**Clean Water Act:**

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

**OSHA:**

None of the chemicals in this product are considered highly hazardous by OSHA.

**STATE**

CAS# 103-83-3 can be found on the following state right to know lists: New Jersey.

**California Prop 65**

California No Significant Risk Level: None of the chemicals in this product are listed.

**European/International Regulations****European Labeling in Accordance with EC Directives****Hazard Symbols:**

C

**Risk Phrases:**

R 10 Flammable.

R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.  
R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety Phrases:**

S 16 Keep away from sources of ignition - No smoking.  
S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S 33 Take precautionary measures against static discharges.  
S 36 Wear suitable protective clothing.  
S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).  
S 9 Keep container in a well-ventilated place.  
S 61 Avoid release to the environment. Refer to special instructions /safety data sheets.

**WGK (Water Danger/Protection)**

CAS# 103-83-3: 2

**Canada - DSL/NDSL**

CAS# 103-83-3 is listed on Canada's DSL List.

**Canada - WHMIS**

This product has a WHMIS classification of E, B2, D2B.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

**Canadian Ingredient Disclosure List**

CAS# 103-83-3 is listed on the Canadian Ingredient Disclosure List.

<b>Section 16 - Additional Information</b>
--

**MSDS Creation Date:** 2/17/1999

**Revision #3 Date:** 10/03/2005

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.*