Material Safety Data Sheet

Ethyl oxalyl chloride, 98%

ACC# 96784

Section 1 - Chemical Product and Company Identification

MSDS Name: Ethyl oxalyl chloride, 98%

Catalog Numbers: AC118780000, AC118780250, AC118781000

Synonyms: Ethyl chloroglyoxylate **Company Identification:**Acros Organics N.V.

Acros Organics N.V. One Reagent Lane Fair Lawn, NJ 07410

For information in North America, call: 800-ACROS-01 For emergencies in the US, call CHEMTREC: 800-424-9300

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
4755-77-5	Ethyl oxalyl chloride	98	225-285-0

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: clear light yellow liquid. Flash Point: 41 deg C.

Danger! Corrosive. Causes eye and skin burns. **Flammable liquid and vapor.** Lachrymator (substance which increases the flow of tears). May cause severe respiratory tract irritation with possible burns. May cause severe digestive tract irritation with possible burns. May cause central nervous system depression. Moisture sensitive.

Target Organs: Central nervous system.

Potential Health Effects

Eye: Causes eye burns. Lachrymator (substance which increases the flow of tears). May cause chemical conjunctivitis and corneal damage.

Skin: Causes skin burns. May cause cyanosis of the extremities. May cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color.

Ingestion: May cause severe and permanent damage to the digestive tract. Causes gastrointestinal tract burns. May cause perforation of the digestive tract. Ingestion of large amounts may cause CNS depression. May cause systemic effects.

Inhalation: May cause severe irritation of the respiratory tract with sore throat, coughing, shortness of breath and delayed lung edema. Causes chemical burns to the respiratory tract. Aspiration may lead to pulmonary edema. Vapors may cause dizziness or suffocation. May cause systemic effects. May cause burning sensation in the chest.

Chronic: Effects may be delayed.

Section 4 - First Aid Measures

Eyes: Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes).

Skin: Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Destroy contaminated shoes.

Ingestion: Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.

Inhalation: Get medical aid immediately. Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form an explosive mixture with air. Vapors can travel to a source of ignition and flash back. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Will burn if involved in a fire. Use water spray to keep fire-exposed containers cool. Containers may explode in the heat of a fire. Flammable liquid and vapor. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas.

Extinguishing Media: For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. For large fires, use water spray, fog, or alcohol-resistant foam. Use water spray to cool fire-exposed containers. Use foam, dry chemical, or carbon dioxide. Water may be ineffective. Do NOT get water inside containers. Do NOT use straight streams of water.

Flash Point: 41 deg C (105.80 deg F)
Autoignition Temperature: Not applicable.
Explosion Limits, Lower: Not available.

Upper: Not available.

NFPA Rating: (estimated) Health: 3; Flammability: 2; Instability: 0

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation. Do not get water inside containers. A vapor suppressing foam may be used to reduce vapors.

Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use only in a well-ventilated area. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Do not get in eyes, on skin, or on clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Keep away from heat, sparks and flame. Do not ingest or inhale. Do not allow contact with water. Discard contaminated shoes. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Keep from contact with moist air and steam.

Storage: Keep away from heat, sparks, and flame. Keep away from sources of ignition. Keep container closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances. Flammables-area. Store protected from moisture. Store in air tight containers.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels. **Exposure Limits**

 Chemical Name
 ACGIH
 NIOSH
 OSHA - Final PELs

 Ethyl oxalyl chloride
 none listed
 none listed

OSHA Vacated PELs: Ethyl oxalyl chloride: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Section 9 - Physical and Chemical Properties

Physical State: Liquid

Appearance: clear light yellow

Odor: None reported.

pH: Not available.

Vapor Pressure: Not available. Vapor Density: 4.71

Evaporation Rate:Not available. **Viscosity:** Not available.

Boiling Point: 135 deg C @ 760.00 mmHg **Freezing/Melting Point:**Not available. **Decomposition Temperature:**Not available.

Solubility: Decomposes.

Specific Gravity/Density:1.2220 g/cm3

Molecular Formula:C4H5ClO3 Molecular Weight:136.53

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Incompatible materials, ignition sources, moisture, excess heat. **Incompatibilities with Other Materials:** Moisture, bases, alcohols, steel, oxidizing agents.

Hazardous Decomposition Products: Hydrogen chloride, carbon monoxide, irritating and toxic fumes and gases, carbon dioxide.

Hazardous Polymerization: Has not been reported.

Section 11 - Toxicological Information

RTECS#:

CAS# 4755-77-5 unlisted.

LD50/LC50: Not available.

Carcinogenicity:

CAS# 4755-77-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No information found Teratogenicity: No information found Reproductive Effects: No information found Mutagenicity: No information found

Neurotoxicity: No information found

Other Studies:

Section 12 - Ecological Information

No information available.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

Section 14 - Transport Information

	US DOT	Canada TDG	
Shipping Name:	CORROSIVE LIQUIDS, FLAMMABLE, N.O.S.	No information available.	
Hazard Class:	8		
UN Number:	UN2920		
Packing Group:	II		

Section 15 - Regulatory Information

US FEDERAL

TSCA

CAS# 4755-77-5 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

None of the chemicals in this material have an RQ.

SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPO.

Section 313 No chemicals are reportable under Section 313.

Clean Air Act:

This material does not contain any hazardous air pollutants. This material does not contain any Class 1 Ozone depletors.

This material does not contain any Class 2 Ozone depletors.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 4755-77-5 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:

Risk Phrases:

R 10 Flammable.

R 34 Causes burns.

Safety Phrases:

- S 16 Keep away from sources of ignition No smoking.
- S 33 Take precautionary measures against static discharges.
- S 9 Keep container in a well-ventilated place.
- S 28A After contact with skin, wash immediately with plenty of water

WGK (Water Danger/Protection)

CAS# 4755-77-5: No information available.

Canada - DSL/NDSL

CAS# 4755-77-5 is listed on Canada's DSL List.

Canada - WHMIS

This product has a WHMIS classification of B3, E.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian Ingredient Disclosure List

Section 16 - Additional Information

MSDS Creation Date: 9/02/1997 **Revision #8 Date:** 10/03/2005

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.