

Material Safety Data Sheet

DL-Camphor, 96%

ACC# 97150

Section 1 - Chemical Product and Company Identification

MSDS Name: DL-Camphor, 96%

Catalog Numbers: AC164640000, AC164640010, AC164640050

Synonyms: Camphor; 2-Bornanone; 2-Camphanone; Formosa camphor, Gum camphor, 1,7,7-Trimethylnorcamphor; Laurel camphor; dl-Camphor; DL-Camphor; 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one; Synthetic camphor.

Company Identification:

Acros Organics N.V.
One Reagent Lane
Fair Lawn, NJ 07410

For information in North America, call: 800-ACROS-01

For emergencies in the US, call CHEMTREC: 800-424-9300

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
76-22-2	Camphor	96	200-945-0
21368-68-3	CAS deleted and replaced by 76-22-2.	-	244-350-4

Hazard Symbols: XI F

Risk Phrases: 11 36/37/38

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: white chunks. Flash Point: 64 deg C. Flammable solid. **Warning!** Causes eye and skin irritation. Causes respiratory tract irritation. May cause central nervous system effects.

Target Organs: Central nervous system, respiratory system, eyes, skin.

Potential Health Effects

Eye: Causes eye irritation. Camphor may be expected to be irritating to the eye, but no serious injuries have been noted.

Skin: Causes skin irritation.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Inhalation: Causes respiratory tract irritation. Camphor may cause loss of the sense of smell. Heavy exposures to camphor are reported to cause nausea, anxiety, dizziness, confusion, headache, twitching of facial muscles, spasticity, and with severe poisoning, convulsions and coma.

Chronic: No information found.

Section 4 - First Aid Measures

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical aid.

Skin: In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical aid.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Flammable solid. Vapors are heavier than air and may travel to a source of ignition and flash back. Vapors can spread along the ground and collect in low or confined areas.

Extinguishing Media: For small fires, use dry chemical, soda ash, lime or sand. For large fires, use dry sand, dry chemical, soda ash or lime or withdraw from area and let fire burn.

Flash Point: 64 deg C (147.20 deg F)

Autoignition Temperature: 466 deg C (870.80 deg F)

Explosion Limits, Lower: 0.6 vol %

Upper: 3.5 vol %

NFPA Rating: (estimated) Health: 2; Flammability: 2; Instability: 0

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Sweep up or absorb material, then place into a suitable clean, dry, closed container for disposal. Avoid generating dusty conditions. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation.

Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Use only with adequate ventilation. Keep away from heat, sparks and flame. Avoid breathing vapor.

Storage: Keep away from heat, sparks, and flame. Keep away from sources of ignition. Keep container closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Camphor	2 ppm TWA; 3 ppm STEL	2 mg/m ³ TWA 200 mg/m ³ IDLH	2 mg/m ³ TWA
CAS deleted and replaced by 76-22-2.	none listed	none listed	none listed

OSHA Vacated PELs: Camphor: 2 mg/m³ TWA CAS deleted and replaced by 76-22-2.: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

Section 9 - Physical and Chemical Properties

Physical State: Chunks

Appearance: white

Odor: aromatic odor - characteristic odor

pH: Not available.

Vapor Pressure: 0.65 mm Hg @ 25 deg C

Vapor Density: 5.24 (air=1)

Evaporation Rate: Not available.

Viscosity: Not available.

Boiling Point: 204 deg C @ 760 mm Hg

Freezing/Melting Point: 175 - 177 deg C

Decomposition Temperature: Not available.

Solubility: Insoluble.

Specific Gravity/Density: 0.992 @ 25°C

Molecular Formula: C₁₀H₁₆O

Molecular Weight: 152.24

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Excess heat.

Incompatibilities with Other Materials: Strong oxidizing agents, strong reducing agents, chlorinated solvents.

Hazardous Decomposition Products: Carbon monoxide, irritating and toxic fumes and gases, carbon dioxide.

Hazardous Polymerization: Has not been reported.

Section 11 - Toxicological Information

RTECS#:

CAS# 76-22-2: EX1225000

CAS# 21368-68-3: EX1234000

LD50/LC50:

CAS# 76-22-2:

Inhalation, mouse: LC50 = 450 mg/m³;

Inhalation, rat: LC50 = 500 mg/m³;

Oral, mouse: LD50 = 1310 mg/kg;

CAS# 21368-68-3:

Carcinogenicity:

CAS# 76-22-2:

ACGIH: A4 - Not Classifiable as a Human Carcinogen CAS# 21368-68-3: Not listed by ACGIH, IARC, NIOSH, NTP, or OSHA.**Epidemiology:** No information available.**Teratogenicity:** No information available.**Reproductive Effects:** No information available.**Neurotoxicity:** No information available.**Mutagenicity:** No information available.**Other Studies:** No data available.**Section 12 - Ecological Information**

No information available.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.**RCRA U-Series:** None listed.**Section 14 - Transport Information**

	US DOT	IATA	RID/ADR	IMO	Canada TDG
Shipping Name:	CAMPHOR				No information available.
Hazard Class:	4.1				
UN Number:	UN2717				
Packing Group:	III				

Section 15 - Regulatory Information**US FEDERAL****TSCA**

CAS# 76-22-2 is listed on the TSCA inventory.

CAS# 21368-68-3 is not listed on the TSCA inventory. It is for research and development use only.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

SARA**CERCLA Hazardous Substances and corresponding RQs**

None of the chemicals in this material have an RQ.

SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

SARA Codes

CAS # 21368-68-3: acute, flammable.

Section 313

No chemicals are reportable under Section 313.

Clean Air Act:

This material does not contain any hazardous air pollutants. This material does not contain any Class 1 Ozone depleters. This material does not contain any Class 2 Ozone depleters.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 76-22-2 can be found on the following state right to know lists: California, New Jersey, Florida, Pennsylvania, Minnesota, Massachusetts.

CAS# 21368-68-3 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations**European Labeling in Accordance with EC Directives****Hazard Symbols:**

XI F

Risk Phrases:

R 11 Highly flammable.

R 36/37/38 Irritating to eyes, respiratory system and skin.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37/39 Wear suitable gloves and eye/face protection.

WGK (Water Danger/Protection)

CAS# 76-22-2: 1

CAS# 21368-68-3: No information available.

Canada - DSL/NDSL

CAS# 76-22-2 is listed on Canada's DSL List.

CAS# 21368-68-3 is listed on Canada's DSL List.

Canada - WHMIS

This product has a WHMIS classification of B4, D2B.

Canadian Ingredient Disclosure List

Exposure Limits

CAS# 76-22-2: OEL-AUSTRALIA:TWA 2 ppm (12 mg/m³);STEL 3 ppm (18 mg/m³) OEL-AUSTRIA:TWA 2 ppm (13 mg/m³) OEL-BELGIUM:TWA 2 ppm (12 mg/m³) ;STEL 3 ppm (19 mg/m³) OEL-DENMARK:TWA 2 ppm (12 mg/m³) OEL-FINLAND: TWA 0.3 ppm (2 mg/m³);STEL 0.9 ppm (6 mg/m³) OEL-FRANCE:TWA 2 ppm (12 mg/m³) OEL-GERMANY:TWA 2 ppm (13 mg/m³) OEL-THE NETHERLANDS:TWA 2 ppm (12 mg/m³) OEL-THE PHILIPPINES:TWA 2 ppm (12 mg/m³) OEL-RUSSIA:STEL 3 mg/m³ OEL-SWITZERLAND:TWA 2 ppm (13 mg/m³) OEL-UNITED KINGDOM:TWA 2 ppm (12 mg/m³);STEL 3 ppm (18 mg/m³) OEL IN BULGARIA, COLOMBIA, JORDAN, KOREA check ACGIH TLV OEL IN NEW ZEALAND, SINGAPORE, VIETNAM check ACGI TLV

Section 16 - Additional Information

MSDS Creation Date: 6/29/1998

Revision #4 Date: 8/08/2002

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.