

# SAFETY DATA SHEET

Issue Date 24-Jun-2016 Revision Date 10-Aug-2016 Version 5 Page 1/20

### 1. IDENTIFICATION

Product identifier

Product Name STABLCAL® FORMAZIN STANDARD 200 NTU

Other means of identification

Product Code(s)

2660401

Safety data sheet number M03447

Component of Kits or Sets 2659505; 2662105; 2662105SUB; 4700000; 4700002; 4700100; 4700102; 4790000;

4790002; 4790100; 4790102; 9657800; 9657900; LDW; LPV444.53.00120; LPV444.53.00210; LPV444.53.00310; LPV444.53.00320; LPV444.99.00120; LPV444.99.00210; LPV444.99.00310; LPV444.99.00320; R21S002; TL2300.NA;

TL2310.NA; TL2350.NA; TL2360.NA

Recommended use of the chemical and restrictions on use

**Recommended Use** Laboratory Use. Standard solution.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Hach Company P.O.Box 389 Loveland, CO 80539 USA (970) 669-3050

Emergency telephone number

(303) 623-5716 - 24 Hour Service (515)232-2533 - 8am - 4pm CST

**Product Information** 

Chemical NameNot applicableFormulaNot applicableCAS NoNot applicableAlternate CAS NumberNot applicableNIOSH (RTECS) NumberNone reported

### 2. HAZARDS IDENTIFICATION

#### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

#### Hazards not otherwise classified (HNOC)

Not applicable

Issue Date 24-Jun-2016

Version 5

Product Name STABLCAL® FORMAZIN STANDARD 200

NTU

Revision Date 10-Aug-2016

Page 2/20

#### Label elements

### Signal word - Danger



#### **Hazard statements**

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 - May cause an allergic skin reaction EUH208 - May produce an allergic reaction

#### **Precautionary statements**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P284 - Wear respiratory protection

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Information

Not applicable

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Not applicable

#### **Mixture**

**Chemical Family** 

Mixture.

### Percent ranges are used where confidential product information is applicable.

Chemical Name	CAS No	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10	-
Formaldehyde	50-00-0	0.1 - 1	-

NTU

Issue Date 24-Jun-2016 Revision Date 10-Aug-2016

Version 5 Page 3/20

#### 4. FIRST AID MEASURES

**Description of first aid measures** 

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If symptoms persist, call a physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. If symptoms persist, call a physician.

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. If symptoms

persist, call a physician.

**Ingestion** IF SWALLOWED: Rinse Mouth. If symptoms persist, call a physician.

**Self-protection of the first aider**Use personal protective equipment as required. Ensure that medical personnel are aware

of the material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

#### Flammable properties

During a fire, this product decomposes to form toxic gases.

#### Specific hazards arising from the chemical

May react violently with:. Strong acids. strong oxidizers. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

**Hazardous combustion products** 

This material will not burn.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice**Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations

should respond to a spill involving chemicals.

EC Notice Only persons properly qualified to respond to an emergency involving hazardous

NTU

Issue Date 24-Jun-2016 Revision Date 10-Aug-2016

Version 5 Page 4/20

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

WHMIS Notice Only persons properly qualified to respond to an emergency involving hazardous

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Do not touch or walk through spilled material. Ventilate

affected area. Use personal protective equipment as required.

**For emergency responders** Use personal protection recommended in Section 8.

**Environmental precautions** 

**Environmental precautions** Avoid release to the environment. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

**Methods for cleaning up**Neutralize spill if necessary. Soak up with inert absorbent material. Take up mechanically,

placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

Dispose of in accordance with local, state and federal regulations or laws.

Emergency Response Guide Number Not applicable

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated

place.

Flammability class Not applicable

**Incompatible materials** Oxidizers. Acids.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	Ceiling: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
0.1 - 1		(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		(vacated) Ceiling: 5 ppm	• •
		STEL: 2 ppm	

Chemical Name	Alberta OEL	British Columbia	Manitoba OEL	New Brunswick	New Foundland &
		OEL		OEL	Labrador OEL

NTU

Issue Date 24-Jun-2016 Revision Date 10-Aug-2016

Version 5 Page 5/20

Formaldehyde	Ceiling: 1 ppm	TWA: 0.3 ppm	Ceiling: 0.3 ppm	TWA: 0.5 ppm	RSP+
0.1 - 1	Ceiling: 1.3 mg/m <sup>3</sup>	Ceiling: 1 ppm		STEL: 1.5 ppm	Ceiling: 0.3 ppm
	TWA: 0.75 ppm	SKN+			SKN+
	TWA: 0.9 mg/m <sup>3</sup>				

Chemical Name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
1,3,5,7-Tetraazatricyclo[3. 3.1.1(3,7)]decane 5 - 10	NDF	NDF	NDF	STEL: 0.35 ppm STEL: 2 mg/m <sup>3</sup>	NDF
Formaldehyde 0.1 - 1	Ceiling: 0.3 ppm SKN+	RSP+ Ceiling: 0.3 ppm SKN+	Ceiling: 0.3 ppm	STEL: 1 ppm Ceiling: 1.5 ppm	Ceiling: 0.3 ppm

Chemical Name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Formaldehyde	Ceiling: 2 ppm	Ceiling: 0.3 ppm	Ceiling: 2 ppm
0.1 - 1	Ceiling: 3 mg/m <sup>3</sup>	SKN+	Ceiling: 3 mg/m <sup>3</sup>

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Legend** See section 16 for terms and abbreviations

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields

(or goggles).

**Skin and body protection**Suitable protective clothing. Wear protective gloves and protective clothing.

**Respiratory protection** In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Take off all contaminated clothing and wash it before reuse. Wash hands thoroughly after handling. Regular cleaning of equipment, work area

and clothing is recommended.

**Environmental exposure controls** 

Do not allow into any sewer, on the ground or into any body of water.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

Gas Under Pressure Not classified according to GHS criteria

Appearance Turbid solution Color milky white

aqueous solution

Odor Odorless Odor threshold No data available

NTU

Issue Date 24-Jun-2016 Revision Date 10-Aug-2016

Version 5 Page 6/20

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight No data available

**pH** ~ 8.14

Melting point/freezing point 0 °C / 32 °F

Boiling point / boiling range 100 °C / 212 °F

**Evaporation rate** 1 (water = 1) Estimation based on theoretical Estimation based on theoretical

calculation calculation

Vapor pressure 17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F Estimation based on theoretical

calculation

Vapor density (air = 1) 0.62

Specific gravity (water = 1 / air = 1) 1.02

Partition Coefficient (n-octanol/water) Not applicable

**Soil Organic Carbon-Water Partition** 

**Autoignition temperature** 

Coefficient

Not applicable

No data available

Decomposition temperature No data available

Dynamic viscosity No data available

Kinematic viscosity

No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

### Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

## Other Information

Metal Corrosivity

Not classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate

No data available

Aluminum Corrosion Rate

No data available

Volatile Organic Compounds (VOC) Content

No information available.

Bulk density Not applicable

Explosive properties Not classified according to GHS criteria.

NTU

Issue Date 24-Jun-2016 Revision Date 10-Aug-2016

Version 5 Page 7/20

Explosion data No data available

Upper explosion limit No data available

Lower explosion limit No data available

Flammable properties During a fire, this product decomposes to form toxic gases.

Flammability Limit in Air

Upper flammability limit: No data available

Lower flammability limit: No data available

Flash point No data available

Oxidizing properties Not classified according to GHS criteria.

Reactivity propeties Not classified as self-reactive, pyrophoric, self-heating or emitting

flammable gases in contact with water according to GHS criteria.

#### 10. STABILITY AND REACTIVITY

#### Reactivity propeties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

#### **Chemical stability**

Stable under recommended storage conditions.

#### Special dangers of the product

No information available

### **Possibility of Hazardous Reactions**

No information available.

**Hazardous polymerization** Hazardous polymerization does not occur.

#### **Conditions to avoid**

Poor Ventilation. Extremes of temperature and direct sunlight. Heating to decomposition.

#### Incompatible materials

Oxidizers. Acids.

### **Hazardous Decomposition Products**

Ammonia. Carbon monoxide. Formaldehyde. nitrogen oxides. sodium oxides. Sulfur oxides.

#### **Explosive properties**

Not classified according to GHS criteria.

Upper explosion limit No data available

Lower explosion limit No data available

## **Autoignition temperature**

Product Name STABLCAL® FORMAZIN STANDARD 200

NTU

Revision Date 10-Aug-2016

Page 8/20

Issue Date 24-Jun-2016

Version 5

No data available

**Sensitivity to Static Discharge** 

None reported

**Sensitivity to Mechanical Impact** 

None reported

## 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

Product Information	Respiratory sensitizer. Skin sensitizer.
Inhalation	May cause sensitization by inhalation.
Eye contact	No known effect based on information supplied.
Skin contact	May cause sensitization by skin contact.
Ingestion	No known effect based on information supplied.
Aggravated Medical Conditions	Respiratory disorders. Skin disorders.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	See ingredients information below.

Chemical Name	Toxicokinetics, metabolism and distribution				
Formaldehyde	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to				
(0.1 - 1)	formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.				
CAS#: 50-00-0					

### **Product Acute Toxicity Data**

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 7,252.00 mg/kg

## Ingredient Acute Toxicity Data

**Oral Exposure Route** 

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc	Rat	569 mg/kg	None	None reported	Vendor SDS
lo[3.3.1.1(3,7)]decan	LD <sub>50</sub>		reported		
е					
(5 - 10)					
CAS#: 100-97-0					
Formaldehyde	Rat	100 mg/kg	None	None reported	No information available
(0.1 - 1)	LD <sub>50</sub>		reported		
CAS#: 50-00-0					
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data
Formaldehyde	Human	70 mg/kg	None	Kidney, Ureter, or Bladder	RTECS (Registry of Toxic

Issue Date 24-Jun-2016

Version 5

Product Name STABLCAL® FORMAZIN STANDARD 200

NTU

Revision Date 10-Aug-2016

**Page** 9/20

(0.1 - 1)	LDLo		reported	Other changes	Effects of Chemical
CAS#: 50-00-0				Liver	Substances)
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data
Formaldehyde	Human	643 mg/kg	None	Lungs, Thorax, or Respiration	RTECS (Registry of Toxic
(0.1 - 1)	TDLo		reported	Respiratory obstruction	Effects of Chemical
CAS#: 50-00-0				·	Substances)

**Dermal Exposure Route** 

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (0.1 - 1) CAS#: 50-00-0	Rabbit LD <sub>50</sub>	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

## Inhalation (Dust/Mist) Exposure Route

No data available

**Inhalation (Vapor) Exposure Route** 

	Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ī	Formaldehyde	Rat	250 mg/L	4 hours	None reported	RTECS (Registry of Toxic
1	(0.1 - 1)	LC50				Effects of Chemical
	CAS#: 50-00-0					Substances)

Inhalation (Gas) Exposure Route

No data available

### **Product Skin Corrosion/Irritation Data**

No data available.

#### **Ingredient Skin Corrosion/Irritation Data**

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (0.1 - 1) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (0.1 - 1) CAS#: 50-00-0	Standard Draize Test	Rabbit	2 mg	24 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

**Product Serious Eye Damage/Eye Irritation Data** 

No data available.

**Ingredient Eye Damage/Eye Irritation Data** 

Product Name STABLCAL® FORMAZIN STANDARD 200

Issue Date 24-Jun-2016

Revision Date 10-Aug-2016

Version 5 Page 10 / 20

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and
						sources for data
1,3,5,7-Tetraazatricyc	Standard Draize	Rabbit	100 mg	None	Not corrosive or	ECHA (The European
lo[3.3.1.1(3,7)]decan	Test			reported	irritating to eyes	Chemicals Agency)
е						
(5 - 10)						
CAS#: 100-97-0						
Formaldehyde	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of
(0.1 - 1)						Toxic Effects of
CAS#: 50-00-0						Chemical Substances)
Chemical Name	Test method	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Standard Draize	Rabbit	0.750 mg	24 hours	Corrosive to eyes	RTECS (Registry of
(0.1 - 1)	Test					Toxic Effects of
CAS#: 50-00-0						Chemical Substances)

## **Sensitization Information**

**Product Sensitization Data** 

**Skin Sensitization Exposure Route** No data available.

**Respiratory Sensitization Exposure Route** No data available.

**Ingredient Sensitization Data** 

Skin Sensitization Exposure Route

Chemical Name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (0.1 - 1) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)

**Respiratory Sensitization Exposure Route** 

teophratery conductation Expectate Reales .										
Chemical Name	Test method	Species	Results	Key literature references and sources for data						
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10) CAS#: 100-97-0	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB (Hazardous Substances Data Bank)						
Formaldehyde (0.1 - 1) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)						

### **Chronic Toxicity Information**

**Product Repeat Dose Toxicity Data** 

No data available. **Oral Exposure Route** 

**Dermal Exposure Route** No data available.

Inhalation (Dust/Mist) Exposure Route No data available.

Inhalation (Vapor) Exposure Route No data available.

NTU

Issue Date 24-Jun-2016 Revision Date 10-Aug-2016

Version 5 Page 11/20

Inhalation (Gas) Exposure Route No data available.

**Ingredient Repeat Dose Toxicity Data** 

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route Toxicological data for ingredients is not indicative of likely harm.

Inhalation (Vapor) Exposure Route Toxicological data for ingredients is not indicative of likely harm.

	<u>, , , , , , , , , , , , , , , , , , , </u>						
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and		
	type	dose	time		sources for data		
Formaldehyde	Human	0.017 mg/L	0.5 days	Eye	RTECS (Registry of Toxic		
(0.1 - 1)	TCLo			Lacrimation	Effects of Chemical		
CAS#: 50-00-0				Lungs, Thorax, or Respiration	Substances)		
				Other changes			
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and		
	type	dose	time		sources for data		
Formaldehyde	Human	2 mg/L	40 minutes	Lungs, Thorax, or Respiration	RTECS (Registry of Toxic		
(0.1 - 1)	TCLo			Other changes	Effects of Chemical		
CAS#: 50-00-0				Respiratory depression	Substances)		

Inhalation (Gas) Exposure Route

No data available

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	-	=	-
3.1.1(3,7)]decane					
Formaldehyde	50-00-0	A2	Group 1	Known	Χ

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of	X - Present
Labor)	

<u>Product Carcinogenicity Data</u>

No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

**Ingredient Carcinogenicity Data** 

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Product Name STABLCAL® FORMAZIN STANDARD 200

NTU

Issue Date 24-Jun-2016

Version 5

Revision Date 10-Aug-2016

**Page** 12 / 20

Inhalation (Vapor) Exposure Route

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (0.1 - 1)	Rat	15 mg/L	78 weeks	<b>Olfaction</b> Tumors	RTECS (Registry of Toxic Effects of Chemical
CAS#: 50-00-0					Substances)

## Inhalation (Gas) Exposure Route

No data available

### Product Germ Cell Mutagenicity invitro Data

No data available.

### **Ingredient Germ Cell Mutagenicity** *invitro* **Data**

Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10) CAS#: 100-97-0	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10) CAS#: 100-97-0	Morphological transformation	Hamster kidney	10 mg/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Oral Exposure Route No data available

**Dermal Exposure Route**No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Germ Cell Mutagenicity invivo Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route

Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (0.1 - 1) CAS#: 50-00-0	DNA damage	Rat	0.000035 mg/L	8 weeks	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route

Chemical Name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and

Issue Date 24-Jun-2016

Product Name STABLCAL® FORMAZIN STANDARD 200

NTU

Revision Date 10-Aug-2016

Version 5 Page 13/20

						sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for	RTECS (Registry
(0.1 - 1)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)
<b>Chemical Name</b>	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for	RTECS (Registry
(0.1 - 1)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)

Inhalation (Gas) Exposure Route No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

**Ingredient Reproductive Toxicity Data** 

**Oral Exposure Route** 

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

**Inhalation (Vapor) Exposure Route** 

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(0.1 - 1)	TCLo			Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 50-00-0				stunted fetus)	Substances)
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	.001 mg/L	24 weeks	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(0.1 - 1)	TCLo			Cytological changes (including	Effects of Chemical
CAS#: 50-00-0				somatic cell genetic material)	Substances)
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat TC <sub>Lo</sub>	.0005 mg/L	19 days	Specific Developmental	RTECS (Registry of Toxic
(0.1 - 1)			-	Abnormalities Musculoskeletal	Effects of Chemical
CAS#: 50-00-0				system	Substances)

Inhalation (Gas) Exposure Route

No data available

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Based on the classification principles, not classified as hazardous to the environment.

Product Ecological Data

**Aquatic toxicity** 

Product Name STABLCAL® FORMAZIN STANDARD 200

NTU

Issue Date 24-Jun-2016

Version 5

Revision Date 10-Aug-2016

Page 14/20

Fish No data available

Crustacea No data available

Algae No data available

**Terrestrial toxicity** 

**Soil** No data available

Vertebrates No data available

Invertebrates No data available

**Ingredient Ecological Data** 

## **Aquatic toxicity**

Fish

1 1311					
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10) CAS#: 100-97-0	96 hours	Alburnus alburnus	LC <sub>50</sub>	> 10000 mg/L	No information available
Formaldehyde (0.1 - 1) CAS#: 50-00-0	96 hours	Morone saxatilis	LC50	6.7 mg/L	PEEN (Pan European Ecological Network)
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (0.1 - 1) CAS#: 50-00-0	96 hours	None reported	LC50	52.5 mg/L	PEEN (Pan European Ecological Network)

Crustacea

0:0:0:0:0					
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10) CAS#: 100-97-0	48 Hours	Daphnia magna	EC <sub>50</sub>	> 36000 mg/L	EPA (United States Environmental Protection Agency)
Formaldehyde (0.1 - 1) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN (Pan European Ecological Network)
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (0.1 - 1) CAS#: 50-00-0	48 hours	Daphnia magna	EC50	29 mg/L	PEEN (Pan European Ecological Network)

Algae

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10)		Selenastrum capricornutum	EC <sub>50</sub>	> 100 mg/L	CEPA (Canadian Environmental Protection Agency)

Product Name STABLCAL® FORMAZIN STANDARD 200

NTU

Revision Date 10-Aug-2016

Page 15 / 20

Issue Date 24-Jun-2016 Version 5

version 5

CAS#: 100-97-0			

### **Terrestrial toxicity**

Soil No data available

**Vertebrates**No data available

Invertebrates No data available

#### **Other Information**

Canadian Environmental Protection Act (CEPA) - Domestic Substances List (DSL): Environmentally Hazardous Substances Categorizations

### Persistence and degradability

None known.

#### **Product Biodegradability Data**

If available, see ingredient data below.

### **Ingredient Biodegradability Data**

Test data reported below

Chemical Name	Test method	Biodegradation	Exposure time	Results
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan	None reported	70%	28 days	Readily biodegradable
e (5 - 10)				
CAS#: 100-97-0				
Formaldehyde (<0.1)	None reported	99%	28 days	Readily biodegradable
CAS#: 50-00-0				

#### **Bioaccumulation**

If available, see ingredient data below.

## **Product Bioaccumulation Data**

If available, see ingredient data below.

## **Ingredient Bioaccumulation Data**

Chemical Name	Test method	Exposure time	Species	Bioconcentrat ion factor (BCF)	Results
Formaldehyde (0.1 - 1) CAS#: 50-00-0	None reported	None reported	None reported	None reported	Does not have the potential to bioaccumula te

#### **Additional information**

## **Product Information**

Partition Coefficient (n-octanol/water)

Not applicable

Issue Date 24-Jun-2016

Revision Date 10-Aug-2016 Version 5 Page 16 / 20

### **Ingredient Information**

Chemical Name	Partition Coefficient (n-octanol/water)	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10) CAS#: 100-97-0	$log K_{ow} = -2.13$	No information available
Formaldehyde (0.1 - 1) CAS#: 50-00-0	log K <sub>ow</sub> = 0.35	No information available

**Mobility** 

Mobility in soil: High mobility. If available, see ingredient data below.

**Product Information** 

**Soil Organic Carbon-Water Partition Coefficient** Not applicable

Ingredient Information

Chemical Name	Soil Organic Carbon-Water Partition Coefficient	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10) CAS#: 100-97-0	log K <sub>oc</sub> = 2.68	No information available
Formaldehyde (0.1 - 1) CAS#: 50-00-0	log K <sub>oc</sub> = 0.89	No information available

## **Additional information**

### Water solubility

### **Product Information**

Water solubility classification	<u>Water solubility</u>	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

## **Ingredient Information**

Chemical Name	Water solubility classification	Water solubility	Water solubility temperature °C	Water solubility temperature °F
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10) CAS#: 100-97-0	Completely soluble	667000 mg/L	20 °C	68 °F
Formaldehyde (0.1 - 1) CAS#: 50-00-0	Completely soluble	> 40000 mg/L	20 °C	68 °F

## Other adverse effects

Contains a substance with an endocrine-disrupting potential.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes** 

Disposal should be in accordance with applicable regional, national and local laws and

NTU

Issue Date 24-Jun-2016 Revision Date 10-Aug-2016

Version 5 Page 17 / 20

regulations.

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number Not applicable, U122

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010,	-	U122
		K038, K040, K156, K157		

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

**Special Provisions** 

TDG Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u> Not regulated

**Note:** No special precautions necessary.

#### **Additional information**

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

## 15. REGULATORY INFORMATION

**National Inventories** 

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **International Inventories**

Complies **EINECS/ELINCS** Complies **ENCS IECSC** Complies Complies **KECL PICCS** Complies TCSI Complies Complies **AICS NZIoC** Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

Issue Date 24-Jun-2016

Product Name STABLCAL® FORMAZIN STANDARD 200

NTU

Revision Date 10-Aug-2016

Page 18/20

NZIoC - New Zealand Inventory of Chemicals

## **US Federal Regulations**

#### **SARA 313**

Version 5

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Formaldehyde (CAS #: 50-00-0)	0.1	

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde	100 lb	-	-	X
50-00-0				

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

#### U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical Name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (0.1 - 1)	Release - Toxic (solution)
CAS#: 50-00-0	

### **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Formaldehyde (CAS #: 50-00-0)	Carcinogen	

### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(	X	-	-
3,7)]decane			
100-97-0			
Formaldehyde	X	X	X
50-00-0			

NTU

Issue Date 24-Jun-2016 Revision Date 10-Aug-2016

Version 5 Page 19/20

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

#### NFPA and HMIS Classifications

	NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical
				-	Properties -
I	HMIS	Health hazards - 2	Flammability - 0	Physical hazards - 0	Personal protection - X
					- See section 8 for more
					information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

#### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN\* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization \*\* Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 24-Jun-2016

Revision Date 10-Aug-2016

Revision Note None

#### **Disclaimer**

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

**HACH COMPANY ©2015** 

Issue Date 24-Jun-2016 Version 5

Product Name STABLCAL® FORMAZIN STANDARD 200

Revision Date 10-Aug-2016 Page 20 / 20

**End of Safety Data Sheet**