

1 Identification

- **Product identifier**
- **Product Name: Instrument Check Standard 1**
- **Part Number: CL-ICS-1**
- **Application of the substance / the mixture** Certified Reference Material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SPEX CertiPrep, LLC.
203 Norcross Ave, Metuchen,
NJ 08840 USA
- **Information department:** product safety department
- **Emergency telephone number:**
Emergency Phone Number (24 hours)
CHEMTREC (800-424-9300)
Outside US: 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



- **Signal word** Warning
- **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
- **Precautionary statements**
Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see on this label).
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/29/2018

Reviewed on 05/29/2018

Product Name: Instrument Check Standard 1

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

7697-37-2	nitric acid	2.0%
-----------	-------------	------

- **Chemical identification of the substance/preparation**

87-69-4	(+)-tartaric acid	0.2%
7664-39-3	hydrofluoric acid	0.1%
7440-02-0	nickel	0.001%
7439-96-5	manganese	0.001%
7440-66-6	zinc powder -zinc dust (stabilized)	0.001%
7440-48-4	cobalt	0.001%
7440-38-2	arsenic	0.001%
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate	0.001%
7440-39-3	Barium from Barium carbonate	0.001%
7440-36-0	antimony	0.001%
7440-43-9	cadmium (non-pyrophoric)	0.001%
7782-49-2	selenium	0.001%
7440-41-7	Beryllium from Beryllium Acetate	0.001%
7429-90-5	aluminium	0.001%
7440-22-4	silver	0.001%
7439-92-1	Lead from Lead Oxide	0.001%
7440-50-8	copper	0.001%
7440-62-2	Vanadium from Ammonium trioxovanadate	0.001%
7440-28-0	Thallium from Thallium nitrate	0.001%
7732-18-5	water, distilled, conductivity or of similar purity	97.683%

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not give anything to eat or drink - Do not induce vomiting
- **Information for Doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/29/2018

Reviewed on 05/29/2018

Product Name: Instrument Check Standard 1

(Contd. of page 2)

· Protective Action Criteria for Chemicals**· PAC-1:**

7697-37-2	nitric acid	0.16 ppm
87-69-4	(+)-tartaric acid	1.6 mg/m ³
7440-02-0	nickel	4.5 mg/m ³
7439-96-5	manganese	3 mg/m ³
7440-66-6	zinc powder -zinc dust (stabilized)	6 mg/m ³
7440-48-4	cobalt	0.18 mg/m ³
7440-38-2	arsenic	1.5 mg/m ³
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate	1.5 mg/m ³
7440-39-3	Barium from Barium carbonate	1.5 mg/m ³
7440-36-0	antimony	1.5 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	0.10 mg/m ³
7782-49-2	selenium	0.6 mg/m ³
7440-41-7	Beryllium from Beryllium Acetate	0.0023 mg/m ³
7440-22-4	silver	0.3 mg/m ³
7439-92-1	Lead from Lead Oxide	0.15 mg/m ³
7440-50-8	copper	3 mg/m ³
7440-62-2	Vanadium from Ammonium trioxovanadate	3 mg/m ³
7440-28-0	Thallium from Thallium nitrate	0.06 mg/m ³

· PAC-2:

7697-37-2	nitric acid	24 ppm
87-69-4	(+)-tartaric acid	17 mg/m ³
7440-02-0	nickel	50 mg/m ³
7439-96-5	manganese	5 mg/m ³
7440-66-6	zinc powder -zinc dust (stabilized)	21 mg/m ³
7440-48-4	cobalt	2 mg/m ³
7440-38-2	arsenic	17 mg/m ³
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate	17 mg/m ³
7440-39-3	Barium from Barium carbonate	180 mg/m ³
7440-36-0	antimony	13 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	0.76 mg/m ³
7782-49-2	selenium	6.6 mg/m ³
7440-41-7	Beryllium from Beryllium Acetate	0.025 mg/m ³
7440-22-4	silver	170 mg/m ³
7439-92-1	Lead from Lead Oxide	120 mg/m ³
7440-50-8	copper	33 mg/m ³
7440-62-2	Vanadium from Ammonium trioxovanadate	5.8 mg/m ³
7440-28-0	Thallium from Thallium nitrate	3.3 mg/m ³

· PAC-3:

7697-37-2	nitric acid	92 ppm
87-69-4	(+)-tartaric acid	100 mg/m ³
7440-02-0	nickel	99 mg/m ³
7439-96-5	manganese	1,800 mg/m ³
7440-66-6	zinc powder -zinc dust (stabilized)	120 mg/m ³
7440-48-4	cobalt	20 mg/m ³
7440-38-2	arsenic	100 mg/m ³
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate	99 mg/m ³
7440-39-3	Barium from Barium carbonate	1,100 mg/m ³
7440-36-0	antimony	80 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	4.7 mg/m ³
7782-49-2	selenium	40 mg/m ³
7440-41-7	Beryllium from Beryllium Acetate	0.1 mg/m ³
7440-22-4	silver	990 mg/m ³
7439-92-1	Lead from Lead Oxide	700 mg/m ³
7440-50-8	copper	200 mg/m ³

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/29/2018

Reviewed on 05/29/2018

Product Name: Instrument Check Standard 1

(Contd. of page 3)

7440-62-2	Vanadium from Ammonium trioxovanadate	35 mg/m ³
7440-28-0	Thallium from Thallium nitrate	20 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm
Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm
Long-term value: 5.2 mg/m³, 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

Product Name: Instrument Check Standard I

(Contd. of page 4)

9 Physical and chemical properties· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

Form: Liquid
Color: According to product specification

· **Odor:** Characteristic· **Odour Threshold:** Not applicable.· **pH-value:** Not applicable.· **Change in condition**

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 100 °C (212 °F)

· **Flash point:** Not applicable.· **Flammability (solid, gaseous):** Not applicable.· **Ignition temperature:**

Decomposition temperature: Not applicable.

· **Auto igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Explosion limits:**

Lower: Not applicable.
Upper: Not applicable.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)· **Density at 20 °C (68 °F)** 1.00257 g/cm³ (8.36645 lbs/gal)· **Relative density** Not applicable.· **Vapor density** Not applicable.· **Evaporation rate** Not applicable.· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not applicable.· **Viscosity:**

Dynamic: Not applicable.
Kinematic: Not applicable.

· **Solvent content:**

Water: 97.7 %
VOC content: 0.00 %

Solids content: 0.2 %

· **Other information** No further relevant information available.**10 Stability and reactivity**· **Reactivity** No further relevant information available.· **Chemical stability**· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.· **Possibility of hazardous reactions** No dangerous reactions known.· **Conditions to avoid** No further relevant information available.· **Incompatible materials:** No further relevant information available.· **Hazardous decomposition products:** No dangerous decomposition products known.**11 Toxicological information**· **Information on toxicological effects**· **Acute toxicity:**· **Primary irritant effect:**· **on the skin:** Irritant to skin and mucous membranes.· **on the eye:** Irritating effect.· **Sensitization:** No sensitizing effects known.· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/29/2018

Reviewed on 05/29/2018

Product Name: Instrument Check Standard 1

(Contd. of page 5)

Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7440-02-0	nickel	2B
7440-48-4	cobalt	2B
7440-38-2	arsenic	1
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate	3
7440-43-9	cadmium (non-pyrophoric)	1
7782-49-2	selenium	3
7440-41-7	Beryllium from Beryllium Acetate	1
7439-92-1	Lead from Lead Oxide	2B

· **NTP (National Toxicology Program)**

7440-02-0	nickel	R
7440-48-4	cobalt	R
7440-38-2	arsenic	K
7440-43-9	cadmium (non-pyrophoric)	K
7440-41-7	Beryllium from Beryllium Acetate	K
7439-92-1	Lead from Lead Oxide	R

· **OSHA-Ca (Occupational Safety & Health Administration)**

7440-38-2	arsenic	
7440-43-9	cadmium (non-pyrophoric)	

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **DOT, ADR, IMDG, IATA**

UN3264

· **UN proper shipping name**

· **DOT**

Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, Hydrofluoric acid)

· **ADR**

3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, Hydrofluoric acid)

· **IMDG, IATA**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION, HYDROFLUORIC ACID)

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/29/2018

Reviewed on 05/29/2018

Product Name: Instrument Check Standard I

(Contd. of page 6)

· Transport hazard class(es)

· DOT



· Class 8 Corrosive substances
· Label 8

· ADR, IMDG, IATA



· Class 8 Corrosive substances
· Label 8

· Packing group

· DOT, ADR, IMDG, IATA III

· Environmental hazards: Not applicable.

· Special precautions for user

Warning: Corrosive substances

· Danger code (Kemler):

80

· EMS Number:

F-A,S-B

· Segregation groups

Acids

· Stowage Category

A

· Stowage Code

SW2 Clear of living quarters.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC

Code Not applicable.

· Transport/Additional information:

· ADR

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· IMDG

· Limited quantities (LQ)

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION, HYDROFLUORIC ACID), 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 313 (Specific toxic chemical listings):

7697-37-2	nitric acid
7664-39-3	hydrofluoric acid
7440-02-0	nickel
7439-96-5	manganese
7440-66-6	zinc powder -zinc dust (stabilized)
7440-48-4	cobalt
7440-38-2	arsenic
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate
7440-39-3	Barium from Barium carbonate
7440-36-0	antimony
7440-43-9	cadmium (non-pyrophoric)
7782-49-2	selenium

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/29/2018

Reviewed on 05/29/2018

Product Name: Instrument Check Standard I

(Contd. of page 7)

7440-41-7	Beryllium from Beryllium Acetate
7429-90-5	aluminium
7440-22-4	silver
7439-92-1	Lead from Lead Oxide
7440-50-8	copper
7440-62-2	Vanadium from Ammonium trioxovanadate
7440-28-0	Thallium from Thallium nitrate

· **TSCA (Toxic Substances Control Act):**

7697-37-2	nitric acid
87-69-4	(+)-tartaric acid
7440-02-0	nickel
7439-96-5	manganese
7440-66-6	zinc powder -zinc dust (stabilized)
7440-48-4	cobalt
7440-38-2	arsenic
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate
7440-39-3	Barium from Barium carbonate
7440-36-0	antimony
7440-43-9	cadmium (non-pyrophoric)
7782-49-2	selenium
7440-41-7	Beryllium from Beryllium Acetate
7429-90-5	aluminium
7440-22-4	silver
7439-92-1	Lead from Lead Oxide
7440-50-8	copper
7440-62-2	Vanadium from Ammonium trioxovanadate
7440-28-0	Thallium from Thallium nitrate
7732-18-5	water, distilled, conductivity or of similar purity

· **TSCA new (21st Century Act) (Substances not listed)**· **Proposition 65**· **Chemicals known to cause cancer:**

7440-02-0	nickel
7440-48-4	cobalt
7440-38-2	arsenic
7440-43-9	cadmium (non-pyrophoric)
7440-41-7	Beryllium from Beryllium Acetate
7439-92-1	Lead from Lead Oxide

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

7440-43-9	cadmium (non-pyrophoric)
-----------	--------------------------

· **Chemicals known to cause developmental toxicity:**

7440-43-9	cadmium (non-pyrophoric)
-----------	--------------------------

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

7439-96-5	manganese	D
7440-66-6	zinc powder -zinc dust (stabilized)	D, I, II
7440-38-2	arsenic	A
7440-39-3	Barium from Barium carbonate	D, CBD(inh), NL(oral)
7440-43-9	cadmium (non-pyrophoric)	B1
7782-49-2	selenium	D
7440-41-7	Beryllium from Beryllium Acetate	B1, K/L(inh), CBD(oral)
7440-22-4	silver	D
7439-92-1	Lead from Lead Oxide	B2
7440-50-8	copper	D

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/29/2018

Reviewed on 05/29/2018

Product Name: Instrument Check Standard 1

(Contd. of page 8)

· TLV (Threshold Limit Value established by ACGIH)		
7440-02-0	nickel	A5
7440-48-4	cobalt	A3
7440-38-2	arsenic	A1
7440-39-3	Barium from Barium carbonate	A4
7440-43-9	cadmium (non-pyrophoric)	A2
7429-90-5	aluminium	A4
7439-92-1	Lead from Lead Oxide	A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)	
7440-02-0	nickel
7440-38-2	arsenic
7440-43-9	cadmium (non-pyrophoric)

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· **Precautionary statements**

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** product safety department

· **Contact:**

SPEX CertiPrep, LLC.

1-732-549-7144

· **Date of preparation / last revision** 05/29/2018 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A