

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/25/2016

Reviewed on 05/25/2016

## 1 Identification

- **Product identifier**
- **Product Name:** Analytes C
- **Part Number:**  
CL-INT-B3  
CL-INT-B3N
- **Application of the substance / the mixture** *Certified Reference Material*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SPEX CertiPrep, LLC.  
203 Norcross Ave, Metuchen,  
NJ 08840 USA
- **Information department:** *product safety department*
- **Emergency telephone number:**  
*Emergency Phone Number (24 hours)*  
CHEMTREC (800-424-9300)  
*Outside US:* 703-527-3887

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

*Skin Irrit. 2 H315 Causes skin irritation.*  
*Eye Irrit. 2A H319 Causes serious eye irritation.*

- **Label elements**
- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
- **Hazard pictograms**



GHS07

- **Signal word** *Warning*
- **Hazard statements**  
*Causes skin irritation.*  
*Causes serious eye irritation.*
- **Precautionary statements**  
*Wear protective gloves.*  
*Wear eye protection / face protection.*  
*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*Specific treatment (see on this label).*  
*If skin irritation occurs: Get medical advice/attention.*  
*If eye irritation persists: Get medical advice/attention.*
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



*Health = 1*  
*Fire = 0*  
*Reactivity = 0*

- **HMS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

US

(Contd. on page 2)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/25/2016

Reviewed on 05/25/2016

Product Name: Analytes C

(Contd. of page 1)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

7697-37-2	nitric acid	2.0%
-----------	-------------	------

- **Chemical identification of the substance/preparation**

87-69-4	(+)-tartaric acid	0.2%
7664-39-3	hydrofluoric acid	0.1%
7440-41-7	Beryllium from Beryllium Acetate	0.0002%
7440-66-6	zinc powder -zinc dust (stabilized)	0.0002%
7440-38-2	arsenic	0.0002%
7440-50-8	copper	0.0002%
7439-92-1	Lead from Lead Oxide	0.0002%
7439-96-5	manganese	0.0002%
7440-02-0	nickel	0.0002%
7440-39-3	Barium from Barium carbonate	0.0002%
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate	0.0002%
7440-48-4	cobalt	0.0002%
7782-49-2	selenium	0.0002%
7440-36-0	antimony	0.0002%
7440-43-9	cadmium (non-pyrophoric)	0.0002%
7440-28-0	Thallium from Thallium nitrate	0.0002%
7440-22-4	silver	0.0002%
7440-62-2	Vanadium from Ammonium trioxovanadate	0.0002%
7732-18-5	water, distilled, conductivity or of similar purity	97.697%

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for Doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

US

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/25/2016

Reviewed on 05/25/2016

Product Name: Analytes C

(Contd. of page 2)

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

#### 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm  
Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

TLV Short-term value: 10 mg/m<sup>3</sup>, 4 ppm  
Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

US

(Contd. on page 4)

Product Name: Analytes C

(Contd. of page 3)

**9 Physical and chemical properties**· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

**Form:** Liquid  
**Color:** According to product specification

· **Odor:** Characteristic· **Odour Threshold:** Not applicable.· **pH-value:** Not applicable.· **Change in condition**

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** 100 °C (212 °F)

· **Flash point:** Not applicable.· **Flammability (solid, gaseous):** Not applicable.· **Ignition temperature:****Decomposition temperature:** Not applicable.· **Auto igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Explosion limits:**

**Lower:** Not applicable.  
**Upper:** Not applicable.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)· **Density at 20 °C (68 °F)** 1.00173 g/cm<sup>3</sup> (8.359 lbs/gal)· **Relative density** Not applicable.· **Vapor density** Not applicable.· **Evaporation rate** Not applicable.· **Solubility in / Miscibility with****Water:** Not miscible or difficult to mix.· **Partition coefficient (n-octanol/water):** Not applicable.· **Viscosity:**

**Dynamic:** Not applicable.  
**Kinematic:** Not applicable.

· **Solvent content:**

**Organic solvents:** 0.0 %  
**Water:** 97.7 %

**Solids content:** 0.2 %· **Other information** No further relevant information available.**10 Stability and reactivity**· **Reactivity** No further relevant information available.· **Chemical stability**· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.· **Possibility of hazardous reactions** No dangerous reactions known.· **Conditions to avoid** No further relevant information available.· **Incompatible materials:** No further relevant information available.· **Hazardous decomposition products:** No dangerous decomposition products known.**11 Toxicological information**· **Information on toxicological effects**· **Acute toxicity:**· **Primary irritant effect:**· **on the skin:** Irritant to skin and mucous membranes.· **on the eye:** Irritating effect.· **Sensitization:** No sensitizing effects known.· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/25/2016

Reviewed on 05/25/2016

Product Name: Analytes C

(Contd. of page 4)

Irritant

## · Carcinogenic categories

## · IARC (International Agency for Research on Cancer)

7440-41-7	Beryllium from Beryllium Acetate	I
7440-38-2	arsenic	I
7439-92-1	Lead from Lead Oxide	2B
7440-02-0	nickel	I
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate	3
7440-48-4	cobalt	2B
7782-49-2	selenium	3
7440-43-9	cadmium (non-pyrophoric)	I

## · NTP (National Toxicology Program)

7440-41-7	Beryllium from Beryllium Acetate	K
7440-38-2	arsenic	K
7439-92-1	Lead from Lead Oxide	R
7440-02-0	nickel	R
7782-49-2	selenium	R
7440-43-9	cadmium (non-pyrophoric)	K

## · OSHA-Ca (Occupational Safety &amp; Health Administration)

7440-38-2	arsenic	
7440-43-9	cadmium (non-pyrophoric)	

**12 Ecological information**

## · Toxicity

· Aquatic toxicity: No further relevant information available.

· Persistence and degradability: No further relevant information available.

## · Behavior in environmental systems:

· Bioaccumulative potential: No further relevant information available.

· Mobility in soil: No further relevant information available.

## · Additional ecological information:

## · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Other adverse effects: No further relevant information available.

**13 Disposal considerations**

## · Waste treatment methods

· Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

## · Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

**14 Transport information**

## · UN-Number

· DOT, ADR, IMDG, IATA

UN3264

## · UN proper shipping name

· DOT, IATA

Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, Hydrofluoric acid)

· ADR

3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, Hydrofluoric acid)

· IMDG

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION, HYDROFLUORIC ACID)

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/25/2016

Reviewed on 05/25/2016

Product Name: Analytes C

(Contd. of page 5)

· **Transport hazard class(es)**· **DOT**

· **Class** 8 Corrosive substances  
· **Label** 8

· **ADR, IMDG, IATA**

· **Class** 8 Corrosive substances  
· **Label** 8

· **Packing group**

· **DOT, ADR, IMDG, IATA** III

· **Environmental hazards:** Not applicable.

· **Special precautions for user**

Warning: Corrosive substances

· **Danger code (Kemler):**

80

· **EMS Number:**

F-A,S-B

· **Segregation groups**

Acids

· **Stowage Category**

A

· **Stowage Code**

SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **ADR**· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **IMDG**· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III

### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Sara**· **Section 355 (extremely hazardous substances):**

7697-37-2 nitric acid

7664-39-3 hydrofluoric acid

· **Section 313 (Specific toxic chemical listings):**

7697-37-2 nitric acid

7664-39-3 hydrofluoric acid

7440-41-7 Beryllium from Beryllium Acetate

7440-66-6 zinc powder -zinc dust (stabilized)

7440-38-2 arsenic

7440-50-8 copper

7439-92-1 Lead from Lead Oxide

7439-96-5 manganese

7440-02-0 nickel

7440-39-3 Barium from Barium carbonate

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/25/2016

Reviewed on 05/25/2016

**Product Name: Analytes C**

(Contd. of page 6)

7440-47-3	Chromium from Chromium(III) nitrate nonahydrate
7440-48-4	cobalt
7782-49-2	selenium
7440-36-0	antimony
7440-43-9	cadmium (non-pyrophoric)

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

7440-41-7	Beryllium from Beryllium Acetate
7440-38-2	arsenic
7439-92-1	Lead from Lead Oxide
7440-02-0	nickel
7440-48-4	cobalt
7440-43-9	cadmium (non-pyrophoric)

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

7440-43-9	cadmium (non-pyrophoric)
-----------	--------------------------

· **Chemicals known to cause developmental toxicity:**

7440-43-9	cadmium (non-pyrophoric)
-----------	--------------------------

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

7440-41-7	Beryllium from Beryllium Acetate	B1, K/L(inh), CBD(oral)
7440-66-6	zinc powder -zinc dust (stabilized)	D, I, II
7440-38-2	arsenic	A
7440-50-8	copper	D
7439-92-1	Lead from Lead Oxide	B2
7439-96-5	manganese	D
7440-39-3	Barium from Barium carbonate	D, CBD(inh), NL(oral)
7782-49-2	selenium	D
7440-43-9	cadmium (non-pyrophoric)	B1
7440-22-4	silver	D

· **TLV (Threshold Limit Value established by ACGIH)**

7440-38-2	arsenic	A1
7439-92-1	Lead from Lead Oxide	A3
7440-02-0	nickel	A5
7440-39-3	Barium from Barium carbonate	A4
7440-48-4	cobalt	A3
7440-43-9	cadmium (non-pyrophoric)	A2

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

7440-38-2	arsenic
7440-02-0	nickel
7440-43-9	cadmium (non-pyrophoric)

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/25/2016

Reviewed on 05/25/2016

**Product Name: Analytes C**

(Contd. of page 7)

**· Precautionary statements**

Wear protective gloves.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Department issuing SDS:** product safety department**· Contact:**

SPEX CertiPrep, LLC.

1-732-549-7144

**· Date of preparation / last revision** 05/25/2016 / -**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

US