

**1 Identification**

- **Product identifier**
- **Product Name:** High Conc Base/Neutrals Surrogate Standard, 5 mL
- **Part Number:** CLP90-SBH5
- **Application of the substance / the mixture** Certified Reference Material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SPEX CertiPrep, LLC.  
203 Norcross Ave, Metuchen,  
NJ 08840 USA
- **Information department:** product safety department
- **Emergency telephone number:**  
Emergency Phone Number (24 hours)  
CHEMTREC (800-424-9300)  
Outside US: 703-527-3887

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 2 H310 Fatal in contact with skin.



GHS08 Health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1A H350 May cause cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS06



GHS07



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

benzene

dichloromethane

Nitrobenzene-d5

1,2-Dichlorobenzene-d4

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/26/2018

Reviewed on 11/26/2018

**Product Name: High Conc Base/Neutrals Surrogate Standard, 5 mL**

(Contd. of page 1)

· **Hazard statements**

- H225 Highly flammable liquid and vapor.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H336 May cause drowsiness or dizziness.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H304 May be fatal if swallowed and enters airways.

· **Precautionary statements**

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read label before use.
- If swallowed: Immediately call a poison center/doctor.
- Specific treatment (see on this label).
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Rinse mouth.
- Take off immediately all contaminated clothing and wash it before reuse.
- Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMS-ratings (scale 0 - 4)**

|            |   |                |
|------------|---|----------------|
| HEALTH     | 3 | Health = *3    |
| FIRE       | 3 | Fire = 3       |
| REACTIVITY | 0 | Reactivity = 0 |

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

|           |                 |         |
|-----------|-----------------|---------|
| 75-09-2   | dichloromethane | 33.333% |
| 71-43-2   | benzene         | 32.333% |
| 67-64-1   | acetone         | 32.333% |
| 4165-60-0 | Nitrobenzene-d5 | 0.5%    |

· **Chemical identification of the substance/preparation**

|           |                        |      |
|-----------|------------------------|------|
| 1718-51-0 | p-Terphenyl-d14        | 0.5% |
| 2199-69-1 | 1,2-Dichlorobenzene-d4 | 0.5% |
| 321-60-8  | 2-Fluorobiphenyl       | 0.5% |

### 4 First-aid measures

· **Description of first aid measures**

· **General information:**

- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/26/2018

Reviewed on 11/26/2018

**Product Name: High Conc Base/Neutrals Surrogate Standard, 5 mL**

(Contd. of page 2)

- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Immediately call a doctor.  
Do not give anything to eat or drink - Do not induce vomiting
- **Information for Doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

|         |                 |         |
|---------|-----------------|---------|
| 75-09-2 | dichloromethane | 200 ppm |
| 71-43-2 | benzene         | 52 ppm  |
| 67-64-1 | acetone         | 200 ppm |

· **PAC-2:**

|         |                 |           |
|---------|-----------------|-----------|
| 75-09-2 | dichloromethane | 560 ppm   |
| 71-43-2 | benzene         | 800 ppm   |
| 67-64-1 | acetone         | 3200* ppm |

· **PAC-3:**

|         |                 |           |
|---------|-----------------|-----------|
| 75-09-2 | dichloromethane | 6,900 ppm |
| 71-43-2 | benzene         | 4000* ppm |
| 67-64-1 | acetone         | 5700* ppm |

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/26/2018

Reviewed on 11/26/2018

**Product Name: High Conc Base/Neutrals Surrogate Standard, 5 mL**

(Contd. of page 3)

· **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 75-09-2 dichloromethane

PEL Short-term value: 125 ppm  
Long-term value: 25 ppm  
see 29 CFR 1910.1052

REL See Pocket Guide App. A

TLV Long-term value: 174 mg/m<sup>3</sup>, 50 ppm  
BEI

#### 71-43-2 benzene

PEL Short-term value: 15\* mg/m<sup>3</sup>, 5\* ppm  
Long-term value: 3\* mg/m<sup>3</sup>, 1\* ppm  
\*table Z-2 for exclusions in 29CFR1910.1028(d)

REL Short-term value: 1 ppm  
Long-term value: 0.1 ppm  
See Pocket Guide App. A

TLV Short-term value: 8 mg/m<sup>3</sup>, 2.5 ppm  
Long-term value: 1.6 mg/m<sup>3</sup>, 0.5 ppm  
Skin; BEI

#### 67-64-1 acetone

PEL Long-term value: 2400 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 590 mg/m<sup>3</sup>, 250 ppm

TLV Short-term value: 1187 mg/m<sup>3</sup>, 500 ppm  
Long-term value: 594 mg/m<sup>3</sup>, 250 ppm  
BEI

· **Ingredients with biological limit values:**

#### 75-09-2 dichloromethane

BEI 0.3 mg/L  
Medium: urine  
Time: end of shift  
Parameter: Dichloromethane (semi-quantitative)

#### 71-43-2 benzene

BEI 25 µg/g creatinine  
Medium: urine  
Time: end of shift  
Parameter: S-Phenylmercapturic acid (background)

500 µg/g creatinine  
Medium: urine  
Time: end of shift  
Parameter: t,t-Muconic acid (background)

#### 67-64-1 acetone

BEI 50 mg/L  
Medium: urine  
Time: end of shift  
Parameter: Acetone (nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.

(Contd. on page 5)

**Product Name: High Conc Base/Neutrals Surrogate Standard, 5 mL**

(Contd. of page 4)

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

|                           |                                    |
|---------------------------|------------------------------------|
| · <b>Form:</b>            | Liquid                             |
| · <b>Color:</b>           | According to product specification |
| · <b>Odor:</b>            | Characteristic                     |
| · <b>Odour Threshold:</b> | Not applicable.                    |

· **pH-value:** Not applicable.

· **Change in condition**

|                                       |                |
|---------------------------------------|----------------|
| · <b>Melting point/Melting range:</b> | Undetermined.  |
| · <b>Boiling point/Boiling range:</b> | 40 °C (104 °F) |

· **Flash point:** < 0 °C (<32 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 465 °C (869 °F)

· **Decomposition temperature:** Not applicable.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

|                 |           |
|-----------------|-----------|
| · <b>Lower:</b> | 1.2 Vol % |
| · <b>Upper:</b> | 22 Vol %  |

· **Vapor pressure at 20 °C (68 °F):** 453 hPa (339.8 mm Hg)

· **Density** Not applicable.

· **Relative density** Not applicable.

· **Vapor density** Not applicable.

· **Evaporation rate** Not applicable.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not applicable.

· **Viscosity:**

|                     |                 |
|---------------------|-----------------|
| · <b>Dynamic:</b>   | Not applicable. |
| · <b>Kinematic:</b> | Not applicable. |

· **Solvent content:**

· **Organic solvents:** 98.0 %

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/26/2018

Reviewed on 11/26/2018

**Product Name: High Conc Base/Neutrals Surrogate Standard, 5 mL**

(Contd. of page 5)

|                          |  |
|--------------------------|--|
| <b>VOC content:</b>      | 32.33 %                                    |
| <b>Solids content:</b>   | 0.0 %                                      |
| <b>Other information</b> | No further relevant information available. |

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

#### 75-09-2 dichloromethane

|            |          |                   |
|------------|----------|-------------------|
| Oral       | LD50     | 1,600 mg/kg (rat) |
| Inhalative | LC50/4 h | 88 mg/l (rat)     |

#### 71-43-2 benzene

|            |          |                    |
|------------|----------|--------------------|
| Oral       | LD50     | 4,894 mg/kg (rat)  |
| Dermal     | LD50     | 48 mg/kg (mouse)   |
| Inhalative | LC50/4 h | 9,980 mg/l (mouse) |

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful  
Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

The product can cause inheritable damage.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

|         |                 |    |
|---------|-----------------|----|
| 75-09-2 | dichloromethane | 2A |
| 71-43-2 | benzene         | I  |

- **NTP (National Toxicology Program)**

|         |                 |   |
|---------|-----------------|---|
| 75-09-2 | dichloromethane | R |
| 71-43-2 | benzene         | K |

- **OSHA-Ca (Occupational Safety & Health Administration)**

|         |                 |  |
|---------|-----------------|--|
| 75-09-2 | dichloromethane |  |
| 71-43-2 | benzene         |  |

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- Water hazard class 3 (Self-assessment): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/26/2018

Reviewed on 11/26/2018

**Product Name: High Conc Base/Neutrals Surrogate Standard, 5 mL**

(Contd. of page 6)

*Danger to drinking water if even extremely small quantities leak into the ground.*









· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

|   |   |
|---|---|
| · <b>UN-Number</b><br>· <b>DOT, ADR, IMDG, IATA</b>   | UN1992  |
| · <b>UN proper shipping name</b><br>· <b>DOT</b><br>· <b>ADR</b><br>· <b>IMDG, IATA</b>   | Flammable liquids, toxic, n.o.s. (Acetone, Dichloromethane)<br>1992 Flammable liquids, toxic, n.o.s. (Acetone, Dichloromethane)<br>FLAMMABLE LIQUID, TOXIC, N.O.S. (ACETONE, DICHLOROMETHANE) |
| · <b>Transport hazard class(es)</b><br>· <b>DOT</b>   |   |
|     |   |
| · <b>Class</b><br>· <b>Label</b>  | 3 Flammable liquids<br>3, 6.1   |
| · <b>ADR</b>  |   |
|   |   |
| · <b>Class</b><br>· <b>Label</b>  | 3 Flammable liquids<br>3+6.1  |
| · <b>IMDG</b>   |   |
|   |   |
| · <b>Class</b><br>· <b>Label</b>  | 3 Flammable liquids<br>3/6.1  |
| · <b>IATA</b>   |   |
|   |   |
| · <b>Class</b><br>· <b>Label</b>  | 3 Flammable liquids<br>3 (6.1)  |
| · <b>Packing group</b><br>· <b>DOT, ADR, IMDG, IATA</b>   | II  |
| · <b>Environmental hazards:</b>   | Not applicable.   |
| · <b>Special precautions for user</b><br>· <b>Danger code (Kemler):</b><br>· <b>EMS Number:</b>   | Warning: Flammable liquids<br>336<br>F-E,S-D  |

(Contd. on page 8)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/26/2018

Reviewed on 11/26/2018

**Product Name: High Conc Base/Neutrals Surrogate Standard, 5 mL**

(Contd. of page 7)

|   |   |
|---|---|
| · Segregation groups  | Liquid halogenated hydrocarbons   |
| · Stowage Category  | B   |
| · Stowage Code  | SW2 Clear of living quarters.   |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable.   |
| · Transport/Additional information:                                       |   |
| · ADR   |   |
| · Excepted quantities (EQ)  | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · IMDG  |   |
| · Limited quantities (LQ)   | 1L  |
| · Excepted quantities (EQ)  | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · UN "Model Regulation":  | UN 1992 FLAMMABLE LIQUIDS, TOXIC, N.O.S. (ACETONE, DICHLOROMETHANE), 3 (6.1), II                                |

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

#### · Section 313 (Specific toxic chemical listings):

75-09-2 dichloromethane

71-43-2 benzene

#### · TSCA (Toxic Substances Control Act):

75-09-2 dichloromethane

71-43-2 benzene

67-64-1 acetone

321-60-8 2-Fluorobiphenyl

#### · TSCA new (21st Century Act) (Substances not listed)

4165-60-0 Nitrobenzene-d5

#### · Proposition 65

#### · Chemicals known to cause cancer:

75-09-2 dichloromethane

71-43-2 benzene

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

71-43-2 benzene

#### · Chemicals known to cause developmental toxicity:

71-43-2 benzene

#### · Carcinogenic categories

##### · EPA (Environmental Protection Agency)

75-09-2 dichloromethane

L

71-43-2 benzene

A, K/L

67-64-1 acetone

I

##### · TLV (Threshold Limit Value established by ACGIH)

75-09-2 dichloromethane

A3

71-43-2 benzene

A1

67-64-1 acetone

A4

##### · NIOSH-Ca (National Institute for Occupational Safety and Health)

75-09-2 dichloromethane

71-43-2 benzene

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

**Product Name: High Conc Base/Neutrals Surrogate Standard, 5 mL**

(Contd. of page 8)

· **Hazard pictograms**



· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

benzene  
dichloromethane  
Nitrobenzene-d5  
1,2-Dichlorobenzene-d4

· **Hazard statements**

H225 *Highly flammable liquid and vapor.*  
H302 *Harmful if swallowed.*  
H310 *Fatal in contact with skin.*  
H315 *Causes skin irritation.*  
H319 *Causes serious eye irritation.*  
H340 *May cause genetic defects.*  
H350 *May cause cancer.*  
H361 *Suspected of damaging fertility or the unborn child.*  
H336 *May cause drowsiness or dizziness.*  
H372 *Causes damage to organs through prolonged or repeated exposure.*  
H304 *May be fatal if swallowed and enters airways.*

· **Precautionary statements**

*If medical advice is needed, have product container or label at hand.*  
*Keep out of reach of children.*  
*Read label before use.*  
*If swallowed: Immediately call a poison center/doctor.*  
*Specific treatment (see on this label).*  
*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*  
*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*Rinse mouth.*  
*Take off immediately all contaminated clothing and wash it before reuse.*  
*Store locked up.*  
*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **National regulations:**

· **Additional classification according to Decree on Hazardous Materials:** *Carcinogenic hazardous material group III (dangerous).*

· **Information about limitation of use:**

*Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.*

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** *product safety department*

· **Contact:**

*SPEX CertiPrep, LLC.*  
*1-732-549-7144*

· **Date of preparation / last revision** *11/26/2018 / -*

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*  
*IMDG: International Maritime Code for Dangerous Goods*  
*DOT: US Department of Transportation*  
*IATA: International Air Transport Association*  
*ACGIH: American Conference of Governmental Industrial Hygienists*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*NFPA: National Fire Protection Association (USA)*  
*HMIS: Hazardous Materials Identification System (USA)*  
*VOC: Volatile Organic Compounds (USA, EU)*  
*LCS0: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*NIOSH: National Institute for Occupational Safety*  
*OSHA: Occupational Safety & Health*

(Contd. on page 10)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 11/26/2018

Reviewed on 11/26/2018

**Product Name: High Conc Base/Neutrals Surrogate Standard, 5 mL**

(Contd. of page 9)

*TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**BEL: Biological Exposure Limit**Flam. Liq. 2: Flammable liquids – Category 2**Acute Tox. 4: Acute toxicity – Category 4**Acute Tox. 2: Acute toxicity – Category 2**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A**Muta. 1B: Germ cell mutagenicity – Category 1B**Carc. 1A: Carcinogenicity – Category 1A**Repr. 2: Reproductive toxicity – Category 2**STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1**Asp. Tox. 1: Aspiration hazard – Category 1*

US