

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

1 Identification

- **Product identifier**
- **Trade name:** Certified Reference Material - Sea Water
- **Article number:** CRM-SW
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 High-Purity Standards
 P.O. Box 41727
 Charleston, SC 29423
 Telephone: (843) 767-7900
 FAX: (843) 767-7906
- **Information department:** Product safety department
- **Emergency telephone number:**
 INFOTRAC
 Emergency telephone numbers 1-800-535-5053
 Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.
 Skin Corr. 1A H314 Causes severe skin burns and eye damage.
 Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
 nitric acid
- **Hazard statements**
 H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
 Keep only in original container.
 Do not breathe dusts or mists.
 Wash thoroughly after handling.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Rinse mouth. Do NOT induce vomiting.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 1)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7697-37-2	nitric acid	2.0%
497-19-8	sodium carbonate	1.05%

· **Chemical identification of the substance/preparation**

7647-14-5	sodium chloride	1.9%
7439-95-4	magnesium	0.125%
7664-93-9	sulphuric acid	0.09%
471-34-1	calcium carbonate	0.04%
7757-79-1	potassium nitrate	0.038%
12124-97-9	ammonium bromide	0.0065%
144-62-7	oxalic acid	0.003%
10042-76-9	strontium nitrate	0.0012%
16919-19-0	ammonium hexafluorosilicate	0.0004%
7440-43-9	cadmium (non-pyrophoric)	0.0000001%
6156-78-1	Manganese(II) acetate tetrahydrate	0.000001%

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

		(Contd. of page 2)
7439-97-6	mercury	0.000000003%
12027-67-7	ammonium molybdate	0.00000005%
7440-02-0	nickel	0.00000001%
7722-76-1	Ammonium dihydrogenphosphate	0.00001%
7440-50-8	copper	0.000001%
584-09-8	rubidium carbonate	0.00002%
12060-08-1	scandium oxide	0.000000004%
7782-49-2	selenium	0.0000004%
554-13-2	lithium carbonate	0.00001%
7440-22-4	silver	0.00000003%
10043-35-3	boric acid	0.0001%
7439-92-1	lead	0.0000004%
7440-47-3	chromium	0.00000003%
1344-59-8	Uranium Oxide U ₃ O ₈	0.00000015%
7803-55-6	Ammonium Vanadate	0.00000003%
7440-66-6	zinc	0.0000005%
7440-57-5	Gold	0.0000000006%
7439-89-6	iron	0.000002%
513-77-9	barium carbonate	0.000005%
12027-06-4	ammonium iodide	0.0000005%
7440-38-2	arsenic	0.000002%
7429-90-5	aluminium	0.00005%
7732-18-5	water, distilled, conductivity or of similar purity	94.744%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 3)

- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

7697-37-2	nitric acid	0.16 ppm
497-19-8	sodium carbonate	7.6 mg/m ³
7439-95-4	magnesium	18 mg/m ³
7664-93-9	sulphuric acid	0.20 mg/m ³
471-34-1	calcium carbonate	45 mg/m ³
7757-79-1	potassium nitrate	9 mg/m ³
12124-97-9	ammonium bromide	8.1 mg/m ³
144-62-7	oxalic acid	2 mg/m ³
10042-76-9	strontium nitrate	5.7 mg/m ³
16919-19-0	ammonium hexafluorosilicate	12 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	0.10 mg/m ³
6156-78-1	Manganese(II) acetate tetrahydrate	13 mg/m ³
7439-97-6	mercury	0.15 mg/m ³
12027-67-7	ammonium molybdate	2.6 mg/m ³
7440-02-0	nickel	4.5 mg/m ³
7722-76-1	Ammonium dihydrogenphosphate	17 mg/m ³
7440-50-8	copper	3 mg/m ³
12060-08-1	scandium oxide	30 mg/m ³
7782-49-2	selenium	0.6 mg/m ³
554-13-2	lithium carbonate	3.1 mg/m ³
7440-22-4	silver	0.3 mg/m ³
10043-35-3	boric acid	6 mg/m ³

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

		(Contd. of page 4)
7439-92-1	lead	0.15 mg/m ³
7440-47-3	chromium	1.5 mg/m ³
1344-59-8	Uranium Oxide U ₃ O ₈	0.71 mg/m ³
7803-55-6	Ammonium Vanadate	0.01 mg/m ³
7440-66-6	zinc	6 mg/m ³
7440-57-5	Gold	0.46 mg/m ³
7439-89-6	iron	3.2 mg/m ³
513-77-9	barium carbonate	2.2 mg/m ³

PAC-2:

7697-37-2	nitric acid	24 ppm
497-19-8	sodium carbonate	83 mg/m ³
7439-95-4	magnesium	200 mg/m ³
7664-93-9	sulphuric acid	8.7 mg/m ³
471-34-1	calcium carbonate	210 mg/m ³
7757-79-1	potassium nitrate	100 mg/m ³
12124-97-9	ammonium bromide	89 mg/m ³
144-62-7	oxalic acid	20 mg/m ³
10042-76-9	strontium nitrate	62 mg/m ³
16919-19-0	ammonium hexafluorosilicate	130 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	0.76 mg/m ³
6156-78-1	Manganese(II) acetate tetrahydrate	22 mg/m ³
7439-97-6	mercury	1.7 mg/m ³
12027-67-7	ammonium molybdate	230 mg/m ³
7440-02-0	nickel	50 mg/m ³
7722-76-1	Ammonium dihydrogenphosphate	190 mg/m ³
7440-50-8	copper	33 mg/m ³
12060-08-1	scandium oxide	330 mg/m ³
7782-49-2	selenium	6.6 mg/m ³
554-13-2	lithium carbonate	34 mg/m ³
7440-22-4	silver	170 mg/m ³
10043-35-3	boric acid	23 mg/m ³
7439-92-1	lead	120 mg/m ³
7440-47-3	chromium	17 mg/m ³
1344-59-8	Uranium Oxide U ₃ O ₈	10 mg/m ³
7803-55-6	Ammonium Vanadate	0.11 mg/m ³
7440-66-6	zinc	21 mg/m ³
7440-57-5	Gold	5.1 mg/m ³
7439-89-6	iron	35 mg/m ³
513-77-9	barium carbonate	270 mg/m ³

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 5)

· PAC-3:		
7697-37-2	nitric acid	92 ppm
497-19-8	sodium carbonate	500 mg/m ³
7439-95-4	magnesium	1,200 mg/m ³
7664-93-9	sulphuric acid	160 mg/m ³
471-34-1	calcium carbonate	1,300 mg/m ³
7757-79-1	potassium nitrate	600 mg/m ³
12124-97-9	ammonium bromide	530 mg/m ³
144-62-7	oxalic acid	500 mg/m ³
10042-76-9	strontium nitrate	370 mg/m ³
16919-19-0	ammonium hexafluorosilicate	780 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	4.7 mg/m ³
6156-78-1	Manganese(II) acetate tetrahydrate	740 mg/m ³
7439-97-6	mercury	8.9 mg/m ³
12027-67-7	ammonium molybdate	1,400 mg/m ³
7440-02-0	nickel	99 mg/m ³
7722-76-1	Ammonium dihydrogenphosphate	1,100 mg/m ³
7440-50-8	copper	200 mg/m ³
12060-08-1	scandium oxide	2,000 mg/m ³
7782-49-2	selenium	40 mg/m ³
554-13-2	lithium carbonate	210 mg/m ³
7440-22-4	silver	990 mg/m ³
10043-35-3	boric acid	830 mg/m ³
7439-92-1	lead	700 mg/m ³
7440-47-3	chromium	99 mg/m ³
1344-59-8	Uranium Oxide U ₃ O ₈	50 mg/m ³
7803-55-6	Ammonium Vanadate	80 mg/m ³
7440-66-6	zinc	120 mg/m ³
7440-57-5	Gold	30 mg/m ³
7439-89-6	iron	150 mg/m ³
513-77-9	barium carbonate	1,600 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 6)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

7697-37-2 nitric acid

PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m ³ , 4 ppm
	Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: 10 mg/m ³ , 4 ppm
	Long-term value: 5.2 mg/m ³ , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 7)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Color:	Colorless
Odor:	Characteristic
Odor threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 8)

· Solvent content:	
Water:	94.7 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
· Solids content:	3.2 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**
497-19-8 sodium carbonate

Oral LD50 4,090 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:**
Strong caustic effect.
Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive
Irritant
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7664-93-9	sulphuric acid	1
7440-43-9	cadmium (non-pyrophoric)	1
7439-97-6	mercury	3
7440-02-0	nickel	2B
7782-49-2	selenium	3
7439-92-1	lead	2B

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 9)

7440-47-3	chromium	3
7440-38-2	arsenic	1
· NTP (National Toxicology Program)		
7664-93-9	sulphuric acid	K
7440-43-9	cadmium (non-pyrophoric)	K
7440-02-0	nickel	R
7439-92-1	lead	R
7440-38-2	arsenic	K
· OSHA-Ca (Occupational Safety & Health Administration)		
7440-43-9	cadmium (non-pyrophoric)	
7440-38-2	arsenic	

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN3264

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 10)

· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· Transport hazard class(es) · DOT 	
· Class · Label	8 Corrosive substances 8
· ADR, IMDG, IATA 	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups · Stowage Category · Stowage Code	Warning: Corrosive substances 80 F-A,S-B Acids A SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ)	5L

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 11)

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(NITRIC ACID), 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture
· Sara
· Section 355 (extremely hazardous substances):

7697-37-2	nitric acid
7664-93-9	sulphuric acid

· Section 313 (Specific toxic chemical listings):

7697-37-2	nitric acid
7664-93-9	sulphuric acid
7757-79-1	potassium nitrate
10042-76-9	strontium nitrate
7440-43-9	cadmium (non-pyrophoric)
7439-97-6	mercury
7440-02-0	nickel
7440-50-8	copper
7782-49-2	selenium
554-13-2	lithium carbonate
7440-22-4	silver
7439-92-1	lead
7440-47-3	chromium
7803-55-6	Ammonium Vanadate
7440-66-6	zinc
513-77-9	barium carbonate
7440-38-2	arsenic
7429-90-5	aluminium

· TSCA (Toxic Substances Control Act):

7697-37-2	nitric acid
7647-14-5	sodium chloride
497-19-8	sodium carbonate
7439-95-4	magnesium
7664-93-9	sulphuric acid
471-34-1	calcium carbonate
7757-79-1	potassium nitrate

(Contd. on page 13)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 12)

12124-97-9	ammonium bromide
144-62-7	oxalic acid
10042-76-9	strontium nitrate
16919-19-0	ammonium hexafluorosilicate
7440-43-9	cadmium (non-pyrophoric)
7439-97-6	mercury
12027-67-7	ammonium molybdate
7440-02-0	nickel
7722-76-1	Ammonium dihydrogenphosphate
7440-50-8	copper
584-09-8	rubidium carbonate
12060-08-1	scandium oxide
7782-49-2	selenium
554-13-2	lithium carbonate
7440-22-4	silver
10043-35-3	boric acid
7439-92-1	lead
7440-47-3	chromium
1344-59-8	Uranium Oxide U3O8
7803-55-6	Ammonium Vanadate
7440-66-6	zinc
7440-57-5	Gold
7439-89-6	iron

· Proposition 65
· Chemicals known to cause cancer:

7440-43-9	cadmium (non-pyrophoric)
7440-02-0	nickel
7439-92-1	lead
7440-38-2	arsenic

· Chemicals known to cause reproductive toxicity for females:

7439-92-1	lead
-----------	------

· Chemicals known to cause reproductive toxicity for males:

7440-43-9	cadmium (non-pyrophoric)
7439-92-1	lead

· Chemicals known to cause developmental toxicity:

7440-43-9	cadmium (non-pyrophoric)
7439-97-6	mercury
554-13-2	lithium carbonate
7439-92-1	lead

(Contd. on page 14)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 13)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency) (Substances not listed)**

7697-37-2	nitric acid
7647-14-5	sodium chloride
497-19-8	sodium carbonate
7439-95-4	magnesium
7664-93-9	sulphuric acid
471-34-1	calcium carbonate
7757-79-1	potassium nitrate
12124-97-9	ammonium bromide
144-62-7	oxalic acid
10042-76-9	strontium nitrate
16919-19-0	ammonium hexafluorosilicate
6156-78-1	Manganese(II) acetate tetrahydrate
12027-67-7	ammonium molybdate
7440-02-0	nickel
7722-76-1	Ammonium dihydrogenphosphate
584-09-8	rubidium carbonate
12060-08-1	scandium oxide
554-13-2	lithium carbonate
1344-59-8	Uranium Oxide U3O8
7803-55-6	Ammonium Vanadate
7440-57-5	Gold
7439-89-6	iron
12027-06-4	ammonium iodide
7429-90-5	aluminium
7732-18-5	water, distilled, conductivity or of similar purity

· **TLV (Threshold Limit Value established by ACGIH)**

7664-93-9	sulphuric acid	A2
7440-43-9	cadmium (non-pyrophoric)	A2
7439-97-6	mercury	A4
7440-02-0	nickel	A5
10043-35-3	boric acid	A4
7439-92-1	lead	A3
7440-47-3	chromium	A4
513-77-9	barium carbonate	A4
7440-38-2	arsenic	A1
7429-90-5	aluminium	A4

(Contd. on page 15)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 14)

· NIOSH-Ca (National Institute for Occupational Safety and Health)	
7440-43-9	cadmium (non-pyrophoric)
7440-02-0	nickel
7440-38-2	arsenic

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** *Danger*
- **Hazard-determining components of labeling:**
nitric acid
- **Hazard statements**
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
Keep only in original container.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.
Store locked up.
Store in corrosive resistant container with a resistant inner liner.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** *Environment protection department.*
- **Contact:**
High-Purity Standards
Tel: 843-767-7900
Fax: 843-767-7906
- **Date of preparation / last revision** *03/29/2019 / -*

(Contd. on page 16)

Safety Data Sheet
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Certified Reference Material - Sea Water

(Contd. of page 15)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Met. Corr. 1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

US