

1 Identification

- **Product identifier**
- **Product Name:** 8270 Add-ons Mix
- **Part Number:** ECS-A-031
- **Application of the substance / the mixture** Certified Reference Material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SPEX CertiPrep, LLC.
203 Norcross Ave, Metuchen,
NJ 08840 USA
- **Information department:** product safety department
- **Emergency telephone number:**
Emergency Phone Number (24 hours)
CHEMTREC (800-424-9300)
Outside US: 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

dichloromethane

aniline

4-chloroaniline

o-nitroaniline

- **Hazard statements**

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/07/2019

Reviewed on 01/07/2019

Product Name: 8270 Add-ons Mix

(Contd. of page 1)

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

75-09-2	dichloromethane	97.6%
106-47-8	4-chloroaniline	0.2%
62-53-3	aniline	0.2%
95-95-4	2,4,5-trichlorophenol	0.2%

- **Chemical identification of the substance/preparation**

91-57-6	2-methylnaphthalene	0.2%
95-48-7	o-cresol	0.2%
88-74-4	o-nitroaniline	0.2%
99-09-2	m-nitroaniline	0.2%
106-44-5	p-cresol	0.2%
100-01-6	p-nitroaniline	0.2%
65-85-0	Benzoic acid	0.2%
100-51-6	Benzyl alcohol	0.2%
132-64-9	dibenzofuran	0.2%

4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water.

- **After swallowing:**

Immediately call a doctor.

Do not give anything to eat or drink - Do not induce vomiting

- **Information for Doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

US

(Contd. on page 3)

Product Name: 8270 Add-ons Mix

(Contd. of page 2)

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

75-09-2	dichloromethane	200 ppm
91-57-6	2-methylnaphthalene	9 mg/m ³
88-74-4	o-nitroaniline	6.2 mg/m ³
99-09-2	m-nitroaniline	1.6 mg/m ³
106-47-8	4-chloroaniline	6.1 mg/m ³
100-01-6	p-nitroaniline	9 mg/m ³
62-53-3	aniline	8.0 ppm
65-85-0	Benzoic acid	13 mg/m ³
100-51-6	Benzyl alcohol	30 ppm
132-64-9	dibenzofuran	30 mg/m ³
95-95-4	2,4,5-trichlorophenol	2.5 mg/m ³

· **PAC-2:**

75-09-2	dichloromethane	560 ppm
91-57-6	2-methylnaphthalene	54 mg/m ³
88-74-4	o-nitroaniline	68 mg/m ³
99-09-2	m-nitroaniline	18 mg/m ³
106-47-8	4-chloroaniline	68 mg/m ³
100-01-6	p-nitroaniline	71 mg/m ³
62-53-3	aniline	12 ppm
65-85-0	Benzoic acid	140 mg/m ³
100-51-6	Benzyl alcohol	52 ppm
132-64-9	dibenzofuran	330 mg/m ³
95-95-4	2,4,5-trichlorophenol	27 mg/m ³

· **PAC-3:**

75-09-2	dichloromethane	6,900 ppm
91-57-6	2-methylnaphthalene	320 mg/m ³
88-74-4	o-nitroaniline	410 mg/m ³
99-09-2	m-nitroaniline	110 mg/m ³
106-47-8	4-chloroaniline	100 mg/m ³
100-01-6	p-nitroaniline	300 mg/m ³
62-53-3	aniline	20 ppm
65-85-0	Benzoic acid	830 mg/m ³
100-51-6	Benzyl alcohol	740 ppm
132-64-9	dibenzofuran	2,000 mg/m ³

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/07/2019

Reviewed on 01/07/2019

Product Name: 8270 Add-ons Mix

(Contd. of page 3)

95-95-4 2,4,5-trichlorophenol

160 mg/m³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

75-09-2 dichloromethane

PEL Short-term value: 125 ppm
Long-term value: 25 ppm
see 29 CFR 1910.1052

REL See Pocket Guide App. A

TLV Long-term value: 174 mg/m³, 50 ppm
BEI

62-53-3 aniline

PEL Long-term value: 19 mg/m³, 5 ppm
and Homologues; Skin

REL And Homologues; See Pocket Guide App. A

TLV Long-term value: 7.6 mg/m³, 2 ppm
Skin; BEI

- **Ingredients with biological limit values:**

75-09-2 dichloromethane

BEI 0.3 mg/L
Medium: urine
Time: end of shift
Parameter: Dichloromethane (semi-quantitative)

62-53-3 aniline

BEI 50 mg/L
Medium: urine
Time: end of shift
Parameter: p-Aminophenol with hydrolysis (background, nonspecific, semi-quantitative)

-
Medium: urine
Time: end of shift
Parameter: Aniline with hydrolysis (nonquantitative)

-
Medium: blood
Time: end of shift
Parameter: Aniline released from hemoglobin (nonquantitative)

(Contd. on page 5)

Product Name: 8270 Add-ons Mix

(Contd. of page 4)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: According to product specification

· **Odor:** Characteristic

· **Odour Threshold:** Not applicable.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 40 °C (104 °F)

· **Flash point:** < 0 °C (<32 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 605 °C (1,121 °F)

· **Decomposition temperature:** Not applicable.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

Lower: 13 Vol %

Upper: 22 Vol %

· **Vapor pressure at 20 °C (68 °F):** 453 hPa (339.8 mm Hg)

· **Density at 20 °C (68 °F)** 1.32569 g/cm³ (11.06288 lbs/gal)

· **Relative density** Not applicable.

· **Vapor density** Not applicable.

· **Evaporation rate** Not applicable.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/07/2019

Reviewed on 01/07/2019

Product Name: 8270 Add-ons Mix

(Contd. of page 5)

- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not applicable.
- **Viscosity:**
 - Dynamic:** Not applicable.
 - Kinematic:** Not applicable.
- **Solvent content:**
 - Organic solvents:** 98.0 %
 - VOC content:** 0.40 %
- **Solids content:** 2.0 %
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

75-09-2 dichloromethane

Oral	LD50	1,600 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/l (rat)

106-47-8 4-chloroaniline

Oral	LD50	310 mg/kg (rat)
Dermal	LD50	3,200 mg/kg (rat)

62-53-3 aniline

Oral	LD50	250 mg/kg (rat)
Dermal	LD50	820 mg/kg (rabbit)
Inhalative	LC50/4 h	175 mg/l (mouse)

- **Primary irritant effect:**
- **on the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

75-09-2	dichloromethane	2A
106-47-8	4-chloroaniline	2B
62-53-3	aniline	3
95-95-4	2,4,5-trichlorophenol	2B

· **NTP (National Toxicology Program)**

75-09-2	dichloromethane	R
---------	-----------------	---

· **OSHA-Ca (Occupational Safety & Health Administration)**

75-09-2	dichloromethane	
62-53-3	aniline	

US

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/07/2019

Reviewed on 01/07/2019

Product Name: 8270 Add-ons Mix

(Contd. of page 6)



12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	UN1593
· UN proper shipping name · DOT · ADR · IMDG, IATA	Dichloromethane 1593 Dichloromethane DICHLOROMETHANE
· Transport hazard class(es) · DOT	
	
· Class · Label	6.1 Toxic substances 6.1
· ADR, IMDG, IATA	
	
· Class · Label	6.1 Toxic substances 6.1
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups	Warning: Toxic substances 60 F-A,S-A Liquid halogenated hydrocarbons
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/07/2019

Reviewed on 01/07/2019

Product Name: 8270 Add-ons Mix

(Contd. of page 7)

· **Transport/Additional information:**· **ADR**· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **IMDG**· **Limited quantities (LQ)**· **Excepted quantities (EQ)**

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN 1593 DICHLOROMETHANE, 6.1, III

15 Regulatory information· **Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Sara**· **Section 313 (Specific toxic chemical listings):**

75-09-2 dichloromethane

95-48-7 o-cresol

106-47-8 4-chloroaniline

106-44-5 p-cresol

100-01-6 p-nitroaniline

62-53-3 aniline

132-64-9 dibenzofuran

95-95-4 2,4,5-trichlorophenol

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **TSCA new (21st Century Act) (Substances not listed)**

95-95-4 2,4,5-trichlorophenol

· **Proposition 65**· **Chemicals known to cause cancer:**

75-09-2 dichloromethane

106-47-8 4-chloroaniline

62-53-3 aniline

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

75-09-2 dichloromethane L

91-57-6 2-methylnaphthalene I

95-48-7 o-cresol C

106-44-5 p-cresol C

62-53-3 aniline B2

65-85-0 Benzoic acid D

132-64-9 dibenzofuran D

· **TLV (Threshold Limit Value established by ACGIH)**

75-09-2 dichloromethane A3

91-57-6 2-methylnaphthalene A4

100-01-6 p-nitroaniline A4

62-53-3 aniline A3

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/07/2019

Reviewed on 01/07/2019

Product Name: 8270 Add-ons Mix

(Contd. of page 8)

· NIOSH-Ca (National Institute for Occupational Safety and Health)	
75-09-2	dichloromethane
62-53-3	aniline

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02

GHS07

GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

dichloromethane

aniline

4-chloroaniline

o-nitroaniline

· **Hazard statements**

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** product safety department

· **Contact:**

SPEX CertiPrep, LLC.

1-732-549-7144

· **Date of preparation / last revision** 01/07/2019 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2