

1 Identification

- **Product identifier**
- **Product Name:** REV 4.0 Add-Ons
- **Part Number:** ECS-B-046XP
- **Application of the substance / the mixture** Certified Reference Material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SPEX CertiPrep, LLC.
203 Norcross Ave, Metuchen,
NJ 08840 USA
- **Information department:** product safety department
- **Emergency telephone number:**
Emergency Phone Number (24 hours)
CHEMTREC (800-424-9300)
Outside US: 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 1A H360 May damage fertility or the unborn child.

STOT SE 1 H370 Causes damage to organs.

STOT RE 1 H372 Causes damage to the blood through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Sens. 1 H317 May cause an allergic skin reaction

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS06



GHS07



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

methanol

nitrobenzene

methacrylonitrile

chloroacetonitrile

methyl methacrylate

acrylonitrile

methyl acrylate

ethyl methacrylate

(Contd. on page 2)

Product Name: REV 4.0 Add-Ons

(Contd. of page 1)

Hazard statements

- H225 Highly flammable liquid and vapor.
 H302+H312 Harmful if swallowed or in contact with skin.
 H331 Toxic if inhaled.
 H317 May cause an allergic skin reaction.
 H351 Suspected of causing cancer.
 H360 May damage fertility or the unborn child.
 H370 Causes damage to organs.
 H372 Causes damage to the blood through prolonged or repeated exposure.

Precautionary statements

- If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 Read label before use.
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Do not breathe dust/fume/gas/mist/vapors/spray.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:**NFPA ratings (scale 0 - 4)****HMIS-ratings (scale 0 - 4)**

HEALTH	*1	Health = *1
FIRE	3	Fire = 3
REACTIVITY	0	Reactivity = 0

Other hazards**Results of PBT and vPvB assessment**

- PBT:** Not applicable.
- vPvB:** Not applicable.

3 Composition/information on ingredients**Chemical characterization: Mixtures**

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

67-56-1	methanol	87.0%
107-14-2	chloroacetonitrile	4.0%
98-95-3	nitrobenzene	2.0%
107-12-0	propanenitrile	2.0%
78-99-9	1,1-Dichloropropane	1.0%
80-62-6	methyl methacrylate	0.4%
79-46-9	2-nitropropane	0.4%
107-13-1	acrylonitrile	0.4%
109-99-9	tetrahydrofuran	0.4%
74-88-4	iodomethane	0.2%
126-98-7	methacrylonitrile	0.2%
96-33-3	methyl acrylate	0.2%
75-15-0	carbon disulphide	0.2%
97-63-2	ethyl methacrylate	0.2%
67-72-1	hexachloroethane	0.2%
107-05-1	3-chloropropene	0.2%

Chemical identification of the substance/preparation

110-57-6	(2E)-1,4-dichloro-2-butene	0.4%
1634-04-4	Methyl-tert-butyl ether	0.2%
109-69-3	1-chlorobutane	0.2%

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/28/2018

Reviewed on 11/28/2018

Product Name: REV 4.0 Add-Ons

(Contd. of page 2)

60-29-7 diethyl ether

0.2%

4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:**

Immediately call a doctor.

Do not give anything to eat or drink - Do not induce vomiting

- **Information for Doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

· **Suitable extinguishing agents:** CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.

- **Advice for firefighters**

· **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- **Protective Action Criteria for Chemicals**

- **PAC-1:**

67-56-1	methanol	530 ppm
107-14-2	chloroacetonitrile	0.45 ppm
98-95-3	nitrobenzene	3 ppm
107-12-0	propanenitrile	0.27 ppm
78-99-9	1,1-Dichloropropane	2.6 ppm
80-62-6	methyl methacrylate	17 ppm
79-46-9	2-nitropropane	30 ppm
107-13-1	acrylonitrile	0.15 ppm
109-99-9	tetrahydrofuran	100 ppm
110-57-6	(2E)-1,4-dichloro-2-butene	0.078 ppm
74-88-4	iodomethane	25 ppm
126-98-7	methacrylonitrile	0.091 ppm
1634-04-4	Methyl-tert-butyl ether	50 ppm
96-33-3	methyl acrylate	6 ppm
75-15-0	carbon disulphide	13 ppm

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/28/2018

Reviewed on 11/28/2018

Product Name: REV 4.0 Add-Ons

(Contd. of page 3)

109-69-3	1-chlorobutane	4.1 ppm
60-29-7	diethyl ether	500 ppm
97-63-2	ethyl methacrylate	5.5 ppm
67-72-1	hexachloroethane	3 ppm
107-05-1	3-chloropropene	2.8 ppm

· PAC-2:

67-56-1	methanol	2,100 ppm
107-14-2	chloroacetonitrile	5.0 ppm
98-95-3	nitrobenzene	20 ppm
107-12-0	propanenitrile	3.0 ppm
78-99-9	1,1-Dichloropropane	29 ppm
80-62-6	methyl methacrylate	120 ppm
79-46-9	2-nitropropane	380 ppm
107-13-1	acrylonitrile	1.7 ppm
109-99-9	tetrahydrofuran	500 ppm
110-57-6	(2E)-1,4-dichloro-2-butene	0.86 ppm
74-88-4	iodomethane	50 ppm
126-98-7	methacrylonitrile	1.0 ppm
1634-04-4	Methyl-tert-butyl ether	570 ppm
96-33-3	methyl acrylate	170 ppm
75-15-0	carbon disulphide	160 ppm
109-69-3	1-chlorobutane	45 ppm
60-29-7	diethyl ether	3200* ppm
97-63-2	ethyl methacrylate	61 ppm
67-72-1	hexachloroethane	36 ppm
107-05-1	3-chloropropene	54 ppm

· PAC-3:

67-56-1	methanol	7200* ppm
107-14-2	chloroacetonitrile	15 ppm
98-95-3	nitrobenzene	200 ppm
107-12-0	propanenitrile	9.1 ppm
78-99-9	1,1-Dichloropropane	170 ppm
80-62-6	methyl methacrylate	570 ppm
79-46-9	2-nitropropane	2,300 ppm
107-13-1	acrylonitrile	28 ppm
109-99-9	tetrahydrofuran	5000* ppm
110-57-6	(2E)-1,4-dichloro-2-butene	3.8 ppm
74-88-4	iodomethane	125 ppm
126-98-7	methacrylonitrile	3.1 ppm
1634-04-4	Methyl-tert-butyl ether	5300* ppm
96-33-3	methyl acrylate	1,000 ppm
75-15-0	carbon disulphide	480 ppm
109-69-3	1-chlorobutane	340 ppm
60-29-7	diethyl ether	19000*** ppm
97-63-2	ethyl methacrylate	370 ppm
67-72-1	hexachloroethane	300 ppm
107-05-1	3-chloropropene	140 ppm

7 Handling and storage**· Handling:****· Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/28/2018

Reviewed on 11/28/2018

Product Name: REV 4.0 Add-Ons

(Contd. of page 4)

Protect against electrostatic charges.

Keep respiratory protective device available.

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

67-56-1 methanol

PEL Long-term value: 260 mg/m³, 200 ppm

REL Short-term value: 325 mg/m³, 250 ppm
Long-term value: 260 mg/m³, 200 ppm
Skin

TLV Short-term value: 328 mg/m³, 250 ppm
Long-term value: 262 mg/m³, 200 ppm
Skin; BEI

98-95-3 nitrobenzene

PEL Long-term value: 5 mg/m³, 1 ppm
Skin

REL Long-term value: 5 mg/m³, 1 ppm
Skin

TLV Long-term value: 5 mg/m³, 1 ppm
Skin; BEIm

107-12-0 propanenitrile

PEL Long-term value: 5 mg/m³
as CN; Skin

REL Long-term value: 14 mg/m³, 6 ppm

80-62-6 methyl methacrylate

PEL Long-term value: 410 mg/m³, 100 ppm

REL Long-term value: 410 mg/m³, 100 ppm

TLV Short-term value: 410 mg/m³, 100 ppm
Long-term value: 205 mg/m³, 50 ppm
DSEN

79-46-9 2-nitropropane

PEL Long-term value: 90 mg/m³, 25 ppm

REL See Pocket Guide App. A

TLV Long-term value: 36 mg/m³, 10 ppm

107-13-1 acrylonitrile

PEL Long-term value: 2 ppm
Ceiling limit value: 10 ppm
Skin; see 29 CFR 1910.1045

REL Long-term value: 1 ppm
Ceiling limit value: 10* ppm
*15-min; Skin; See Pocket Guide App. A

TLV Long-term value: 4.3 mg/m³, 2 ppm
Skin

109-99-9 tetrahydrofuran

PEL Long-term value: 590 mg/m³, 200 ppm

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/28/2018

Reviewed on 11/28/2018

Product Name: REV 4.0 Add-Ons

(Contd. of page 5)

REL	Short-term value: 735 mg/m ³ , 250 ppm Long-term value: 590 mg/m ³ , 200 ppm
TLV	Short-term value: 295 mg/m ³ , 100 ppm Long-term value: 147 mg/m ³ , 50 ppm Skin
74-88-4 iodomethane	
PEL	Long-term value: 28 mg/m ³ , 5 ppm Skin
REL	Long-term value: 10 mg/m ³ , 2 ppm Skin; See Pocket Guide App. A
TLV	Long-term value: 12 mg/m ³ , 2 ppm Skin
126-98-7 methacrylonitrile	
REL	Long-term value: 3 mg/m ³ , 1 ppm Skin
TLV	Long-term value: 2.7 mg/m ³ , 1 ppm Skin
96-33-3 methyl acrylate	
PEL	Long-term value: 35 mg/m ³ , 10 ppm Skin
REL	Long-term value: 35 mg/m ³ , 10 ppm Skin
TLV	Long-term value: 7 mg/m ³ , 2 ppm Skin; DSEN
75-15-0 carbon disulphide	
PEL	Long-term value: 20 ppm Ceiling limit value: 30; 100* ppm *30-min peak per 8-hr shift
REL	Short-term value: 30 mg/m ³ , 10 ppm Long-term value: 3 mg/m ³ , 1 ppm Skin
TLV	Long-term value: 3.13 mg/m ³ , 1 ppm Skin, BEI
67-72-1 hexachloroethane	
PEL	Long-term value: 10 mg/m ³ , 1 ppm Skin
REL	Long-term value: 10 mg/m ³ , 1 ppm Skin; See Pocket Guide Apps. A and C
TLV	Long-term value: 9.7 mg/m ³ , 1 ppm Skin
107-05-1 3-chloropropene	
PEL	Long-term value: 3 mg/m ³ , 1 ppm
REL	Short-term value: 6 mg/m ³ , 2 ppm Long-term value: 3 mg/m ³ , 1 ppm
TLV	Short-term value: 6 mg/m ³ , 2 ppm Long-term value: 3 mg/m ³ , 1 ppm Skin
Ingredients with biological limit values:	
67-56-1 methanol	
BEI	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
98-95-3 nitrobenzene	
BEI	5 mg/g creatinine Medium: urine Time: end of shift at end of workweek Parameter: Total p-nitrophenol (nonspecific)
	1.5 % of hemoglobin Medium: blood Time: end of shift Parameter: Methemoglobin (background, nonspecific, semi-quantitative)

(Contd. on page 7)

Product Name: REV 4.0 Add-Ons

(Contd. of page 6)

109-99-9 tetrahydrofuran

BEI 2 mg/L
 Medium: urine
 Time: end of shift
 Parameter: Tetrahydrofuran

75-15-0 carbon disulphide

BEI 0.5 mg/g creatinine
 Medium: urine
 Time: end of shift
 Parameter: 2-Thioxothiazolidine-4-carboxylic acid (background, nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: According to product specification

· **Odor:** Characteristic

· **Odour Threshold:** Not applicable.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 64.7 °C (148.5 °F)

· **Flash point:** < 23 °C (<73.4 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 455 °C (851 °F)

· **Decomposition temperature:** Not applicable.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/28/2018

Reviewed on 11/28/2018

Product Name: REV 4.0 Add-Ons

(Contd. of page 7)

· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density	Not applicable.
· Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	88.4 %
VOC content:	88.40 %
Solids content:	0.2 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

67-56-1 methanol

Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)

107-14-2 chloroacetonitrile

Oral	LD50	220 mg/kg (rat)
Dermal	LD50	71 mg/kg (rabbit)

98-95-3 nitrobenzene

Oral	LD50	780 mg/kg (rat)
------	------	-----------------

107-12-0 propanenitrile

Oral	LD50	39 mg/kg (rat)
Dermal	LD50	210 mg/kg (rabbit)

79-46-9 2-nitropropane

Oral	LD50	720 mg/kg (rat)
------	------	-----------------

107-13-1 acrylonitrile

Oral	LD50	78 mg/kg (rat)
Dermal	LD50	250 mg/kg (rabbit)
Inhalative	LC50/4 h	425 mg/l (rat)

126-98-7 methacrylonitrile

Oral	LD50	120 mg/kg (rat)
------	------	-----------------

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/28/2018

Reviewed on 11/28/2018

Product Name: REV 4.0 Add-Ons

(Contd. of page 8)

Dermal	LD50	320 mg/kg (rabbit)
75-15-0 carbon disulphide		
Oral	LD50	3,188 mg/kg (rat)

- **Primary irritant effect:**

- **on the eye:** No irritating effect.

- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Harmful

Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

107-14-2	chloroacetonitrile	3
98-95-3	nitrobenzene	2B
80-62-6	methyl methacrylate	3
79-46-9	2-nitropropane	2B
107-13-1	acrylonitrile	2B
110-57-6	(2E)-1,4-dichloro-2-butene	3
74-88-4	iodomethane	3
1634-04-4	Methyl-tert-butyl ether	3
96-33-3	methyl acrylate	3
67-72-1	hexachloroethane	2B
107-05-1	3-chloropropene	3

- **NTP (National Toxicology Program)**

98-95-3	nitrobenzene	R
79-46-9	2-nitropropane	R
107-13-1	acrylonitrile	R
67-72-1	hexachloroethane	R

- **OSHA-Ca (Occupational Safety & Health Administration)**

107-13-1	acrylonitrile	
----------	---------------	--

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 10)

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/28/2018

Reviewed on 11/28/2018

Product Name: REV 4.0 Add-Ons

(Contd. of page 9)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**· **DOT, ADR, IMDG, IATA**

UN1230

· **UN proper shipping name**· **DOT**

Methanol

· **ADR**

1230 Methanol

· **IMDG, IATA**

METHANOL

· **Transport hazard class(es)**· **DOT**· **Class**

3 Flammable liquids

· **Label**

3, 6.1

· **ADR**· **Class**

3 Flammable liquids

· **Label**

3+6.1

· **IMDG**· **Class**

3 Flammable liquids

· **Label**

3/6.1

· **IATA**· **Class**

3 Flammable liquids

· **Label**

3 (6.1)

· **Packing group**· **DOT, ADR, IMDG, IATA**

II

· **Environmental hazards:**

Not applicable.

· **Special precautions for user**

Warning: Flammable liquids

· **Danger code (Kemler):**

336

· **EMS Number:**

F-E,S-D

· **Stowage Category**

B

· **Stowage Code**

SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC**· **Code**

Not applicable.

· **Transport/Additional information:**· **ADR**· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/28/2018

Reviewed on 11/28/2018

Product Name: REV 4.0 Add-Ons

(Contd. of page 10)

- **IMDG**
- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

- **UN "Model Regulation":**

UN 1230 METHANOL, 3 (6.1), II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

- **Section 313 (Specific toxic chemical listings):**

67-56-1	methanol
98-95-3	nitrobenzene
80-62-6	methyl methacrylate
79-46-9	2-nitropropane
107-13-1	acrylonitrile
110-57-6	(2E)-1,4-dichloro-2-butene
74-88-4	iodomethane
126-98-7	methacrylonitrile
1634-04-4	Methyl-tert-butyl ether
96-33-3	methyl acrylate
75-15-0	carbon disulphide
67-72-1	hexachloroethane
107-05-1	3-chloropropene

- **TSCA (Toxic Substances Control Act):**

67-56-1	methanol
107-14-2	chloroacetonitrile
98-95-3	nitrobenzene
107-12-0	propanenitrile
80-62-6	methyl methacrylate
79-46-9	2-nitropropane
107-13-1	acrylonitrile
109-99-9	tetrahydrofuran
110-57-6	(2E)-1,4-dichloro-2-butene
74-88-4	iodomethane
126-98-7	methacrylonitrile
1634-04-4	Methyl-tert-butyl ether
96-33-3	methyl acrylate
75-15-0	carbon disulphide
109-69-3	1-chlorobutane
60-29-7	diethyl ether
97-63-2	ethyl methacrylate
67-72-1	hexachloroethane
107-05-1	3-chloropropene

- **TSCA new (21st Century Act) (Substances not listed)**

107-14-2	chloroacetonitrile
78-99-9	1,1-Dichloropropane
126-98-7	methacrylonitrile

- **Proposition 65**

- **Chemicals known to cause cancer:**

98-95-3	nitrobenzene
79-46-9	2-nitropropane
107-13-1	acrylonitrile
74-88-4	iodomethane

(Contd. on page 12)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/28/2018

Reviewed on 11/28/2018

Product Name: REV 4.0 Add-Ons

(Contd. of page 11)

67-72-1	hexachloroethane
---------	------------------

· **Chemicals known to cause reproductive toxicity for females:**

75-15-0	carbon disulphide
---------	-------------------

· **Chemicals known to cause reproductive toxicity for males:**

98-95-3	nitrobenzene
---------	--------------

75-15-0	carbon disulphide
---------	-------------------

· **Chemicals known to cause developmental toxicity:**

67-56-1	methanol
---------	----------

75-15-0	carbon disulphide
---------	-------------------

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

98-95-3	nitrobenzene	L
---------	--------------	---

80-62-6	methyl methacrylate	E, NL
---------	---------------------	-------

107-13-1	acrylonitrile	BI
----------	---------------	----

109-99-9	tetrahydrofuran	SC
----------	-----------------	----

96-33-3	methyl acrylate	D
---------	-----------------	---

109-69-3	1-chlorobutane	D
----------	----------------	---

67-72-1	hexachloroethane	L
---------	------------------	---

107-05-1	3-chloropropene	C
----------	-----------------	---

· **TLV (Threshold Limit Value established by ACGIH)**

98-95-3	nitrobenzene	A3
---------	--------------	----

80-62-6	methyl methacrylate	A4
---------	---------------------	----

79-46-9	2-nitropropane	A3
---------	----------------	----

107-13-1	acrylonitrile	A3
----------	---------------	----

109-99-9	tetrahydrofuran	A3
----------	-----------------	----

1634-04-4	Methyl-tert-butyl ether	A3
-----------	-------------------------	----

96-33-3	methyl acrylate	A4
---------	-----------------	----

75-15-0	carbon disulphide	A4
---------	-------------------	----

67-72-1	hexachloroethane	A3
---------	------------------	----

107-05-1	3-chloropropene	A3
----------	-----------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

79-46-9	2-nitropropane
---------	----------------

107-13-1	acrylonitrile
----------	---------------

74-88-4	iodomethane
---------	-------------

67-72-1	hexachloroethane
---------	------------------

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02

GHS06

GHS07

GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

methanol

nitrobenzene

methacrylonitrile

chloroacetonitrile

methyl methacrylate

acrylonitrile

methyl acrylate

ethyl methacrylate

· **Hazard statements**

H225 Highly flammable liquid and vapor.

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

(Contd. on page 13)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/28/2018

Reviewed on 11/28/2018

Product Name: REV 4.0 Add-Ons

(Contd. of page 12)

H360 May damage fertility or the unborn child.
 H370 Causes damage to organs.
 H372 Causes damage to the blood through prolonged or repeated exposure.

• **Precautionary statements**

If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 Read label before use.
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Do not breathe dust/fume/gas/mist/vapors/spray.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.
 • **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** product safety department

• **Contact:**

SPEX CertiPrep, LLC.
 1-732-549-7144

• **Date of preparation / last revision** 11/28/2018 / -

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 BEI: Biological Exposure Limit
 Flam. Liq. 2: Flammable liquids – Category 2
 Acute Tox. 4: Acute toxicity – Category 4
 Acute Tox. 3: Acute toxicity – Category 3
 Skin Sens. 1: Skin sensitisation – Category 1
 Carc. 2: Carcinogenicity – Category 2
 Repr. 1A: Reproductive toxicity – Category 1A
 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1
 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

US