

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

1 Identification

- **Product identifier**
- **Trade name:** ICP-MS Interference Check
- **Article number:** ICP-MS-ICS-AB
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
High-Purity Standards
7221 Investment Drive, North Charleston, SC 29418 United States
Telephone: +1-843-767-7900
Fax: +1-843-767-7906
highpuritystandards.com
Email: info@highpuritystandards.com
- **Information department:** Product safety department
- **Emergency telephone number:**
INFOTRAC
Emergency telephone numbers 1-800-535-5053
Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Met. Corr. 1 H290 May be corrosive to metals.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H312 Harmful in contact with skin.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05



GHS07

- **Signal word** Danger

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 1)

Hazard-determining components of labeling:

nitric acid
hydrofluoric acid
[2H4] ammonium chloride

Hazard statements

H290 May be corrosive to metals.
H302+H312 Harmful if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.

Precautionary statements

Keep only in original container.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.
Store locked up.
Store in corrosive resistant container with a resistant inner liner.
Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:**NFPA ratings (scale 0 - 4)****HMIS-ratings (scale 0 - 4)**

HEALTH	3	Health = 3
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

Other hazards**Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

US

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 2)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7697-37-2	nitric acid	2.0%
7664-39-3	hydrofluoric acid	0.49%
12015-14-4	[2H4] ammonium chloride	0.36%

· **Chemical identification of the substance/preparation**

631-61-8	ammonium acetate	0.1%
471-34-1	calcium carbonate	0.05%
497-19-8	sodium carbonate	0.05%
7429-90-5	aluminium	0.05%
7439-89-6	iron	0.05%
7664-93-9	sulphuric acid	0.05%
7722-76-1	Ammonium dihydrogenphosphate	0.05%
7757-79-1	potassium nitrate	0.05%
13446-18-9	magnesium nitrate hexahydrate	0.05%
7440-32-6	titanium	0.001%
7439-98-7	molybdenum	0.001%
7732-18-5	water, distilled, conductivity or of similar purity	96.648%
7440-22-4	silver	0.00001%
7440-38-2	arsenic	0.00001%
7440-43-9	cadmium	0.000005%
7440-48-4	cobalt	0.00002%
7440-47-3	chromium	0.00001%
7440-50-8	copper	0.00001%
6156-78-1	Manganese(II) acetate tetrahydrate	0.00001%
7440-02-0	nickel	0.00002%
7782-49-2	selenium	0.00001%
7803-55-6	Ammonium Vanadate	0.00002%
7440-66-6	zinc	0.00001%

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 3)

4 First-aid measures**· Description of first aid measures****· General information:***Immediately remove any clothing soiled by the product.**Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.***· After inhalation:** *In case of unconsciousness place patient stably in side position for transportation.***· After skin contact:** *Immediately wash with water and soap and rinse thoroughly.***· After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.***· After swallowing:***Immediately call a doctor.**Drink copious amounts of water and provide fresh air. Immediately call a doctor.***· Information for doctor:****· Most important symptoms and effects, both acute and delayed** *No further relevant information available.***· Indication of any immediate medical attention and special treatment needed***No further relevant information available.***5 Fire-fighting measures****· Extinguishing media****· Suitable extinguishing agents:** *Use fire fighting measures that suit the environment.***· Special hazards arising from the substance or mixture***During heating or in case of fire poisonous gases are produced.***· Advice for firefighters****· Protective equipment:** *Mouth respiratory protective device.***6 Accidental release measures****· Personal precautions, protective equipment and emergency procedures***Mount respiratory protective device.**Wear protective equipment. Keep unprotected persons away.***· Environmental precautions:** *No special measures required.***· Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Use neutralizing agent.**Dispose contaminated material as waste according to item 13.**Ensure adequate ventilation.***· Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.*

(Contd. on page 5)

-US

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 4)

· Protective Action Criteria for Chemicals

· PAC-1:

7697-37-2	<i>nitric acid</i>	0.16 ppm
631-61-8	<i>ammonium acetate</i>	3.8 mg/m ³
471-34-1	<i>calcium carbonate</i>	45 mg/m ³
497-19-8	<i>sodium carbonate</i>	7.6 mg/m ³
7439-89-6	<i>iron</i>	3.2 mg/m ³
7664-93-9	<i>sulphuric acid</i>	0.20 mg/m ³
7722-76-1	<i>Ammonium dihydrogenphosphate</i>	17 mg/m ³
7757-79-1	<i>potassium nitrate</i>	9 mg/m ³
13446-18-9	<i>magnesium nitrate hexahydrate</i>	16 mg/m ³
7440-32-6	<i>titanium</i>	30 mg/m ³
7439-98-7	<i>molybdenum</i>	30 mg/m ³
7803-55-6	<i>Ammonium Vanadate</i>	0.01 mg/m ³
7440-02-0	<i>nickel</i>	4.5 mg/m ³
7440-48-4	<i>cobalt</i>	0.18 mg/m ³
7782-49-2	<i>selenium</i>	0.6 mg/m ³
6156-78-1	<i>Manganese(II) acetate tetrahydrate</i>	13 mg/m ³
7440-22-4	<i>silver</i>	0.3 mg/m ³
7440-38-2	<i>arsenic</i>	1.5 mg/m ³
7440-43-9	<i>cadmium</i>	0.10 mg/m ³
7440-47-3	<i>chromium</i>	1.5 mg/m ³
7440-50-8	<i>copper</i>	3 mg/m ³
7440-66-6	<i>zinc</i>	6 mg/m ³

· PAC-2:

7697-37-2	<i>nitric acid</i>	24 ppm
631-61-8	<i>ammonium acetate</i>	42 mg/m ³
471-34-1	<i>calcium carbonate</i>	210 mg/m ³
497-19-8	<i>sodium carbonate</i>	83 mg/m ³
7439-89-6	<i>iron</i>	35 mg/m ³
7664-93-9	<i>sulphuric acid</i>	8.7 mg/m ³
7722-76-1	<i>Ammonium dihydrogenphosphate</i>	190 mg/m ³
7757-79-1	<i>potassium nitrate</i>	100 mg/m ³
13446-18-9	<i>magnesium nitrate hexahydrate</i>	180 mg/m ³
7440-32-6	<i>titanium</i>	330 mg/m ³
7439-98-7	<i>molybdenum</i>	330 mg/m ³
7803-55-6	<i>Ammonium Vanadate</i>	0.11 mg/m ³

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 5)

7440-02-0	<i>nickel</i>	50 mg/m ³
7440-48-4	<i>cobalt</i>	2 mg/m ³
7782-49-2	<i>selenium</i>	6.6 mg/m ³
6156-78-1	<i>Manganese(II) acetate tetrahydrate</i>	22 mg/m ³
7440-22-4	<i>silver</i>	170 mg/m ³
7440-38-2	<i>arsenic</i>	17 mg/m ³
7440-43-9	<i>cadmium</i>	0.76 mg/m ³
7440-47-3	<i>chromium</i>	17 mg/m ³
7440-50-8	<i>copper</i>	33 mg/m ³
7440-66-6	<i>zinc</i>	21 mg/m ³

PAC-3:

7697-37-2	<i>nitric acid</i>	92 ppm
631-61-8	<i>ammonium acetate</i>	250 mg/m ³
471-34-1	<i>calcium carbonate</i>	1,300 mg/m ³
497-19-8	<i>sodium carbonate</i>	500 mg/m ³
7439-89-6	<i>iron</i>	150 mg/m ³
7664-93-9	<i>sulphuric acid</i>	160 mg/m ³
7722-76-1	<i>Ammonium dihydrogenphosphate</i>	1,100 mg/m ³
7757-79-1	<i>potassium nitrate</i>	600 mg/m ³
13446-18-9	<i>magnesium nitrate hexahydrate</i>	1,100 mg/m ³
7440-32-6	<i>titanium</i>	2,000 mg/m ³
7439-98-7	<i>molybdenum</i>	2,000 mg/m ³
7803-55-6	<i>Ammonium Vanadate</i>	80 mg/m ³
7440-02-0	<i>nickel</i>	99 mg/m ³
7440-48-4	<i>cobalt</i>	20 mg/m ³
7782-49-2	<i>selenium</i>	40 mg/m ³
6156-78-1	<i>Manganese(II) acetate tetrahydrate</i>	740 mg/m ³
7440-22-4	<i>silver</i>	990 mg/m ³
7440-38-2	<i>arsenic</i>	100 mg/m ³
7440-43-9	<i>cadmium</i>	4.7 mg/m ³
7440-47-3	<i>chromium</i>	99 mg/m ³
7440-50-8	<i>copper</i>	200 mg/m ³
7440-66-6	<i>zinc</i>	120 mg/m ³

US

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 6)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

7697-37-2 nitric acid	
PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5.2 mg/m ³ , 2 ppm
7664-39-3 hydrofluoric acid	
PEL	Long-term value: 3 ppm as F
REL	Long-term value: 2.5 mg/m ³ , 3 ppm Ceiling limit value: 5* mg/m ³ , 6* ppm *15-min, as F
TLV	Long-term value: 0.41 mg/m ³ , 0.5 ppm Ceiling limit value: 1.64 mg/m ³ , 2 ppm as F; Skin; BEI

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 7)

· Ingredients with biological limit values:

7664-39-3 hydrofluoric acid

BEI 3 mg/g creatinine
Medium: urine
Time: prior to shift
Parameter: Flourides (background)

10 mg/g creatinine
Medium: urine
Time: end of shift
Parameter: Flourides (background)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 8)

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Liquid
Color:	Yellow
Odor:	Characteristic
Odor threshold:	Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

· Density at 20 °C (68 °F): 1.01447 g/cm³ (8.46575 lbs/gal)

· Bulk density: ~1,006~1,009 kg/m³

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.

(Contd. on page 10)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 9)

Kinematic:	Not determined.
· Solvent content:	
Water:	96.6 %
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
· Solids content:	0.4 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:**
Strong caustic effect.
Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Corrosive
Irritant
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
7664-93-9	sulphuric acid	I
7440-02-0	nickel	2B
7440-48-4	cobalt	2B
7782-49-2	selenium	3

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 10)

7440-38-2	arsenic	I
7440-43-9	cadmium	I
7440-47-3	chromium	3
· NTP (National Toxicology Program)		
7664-93-9	sulphuric acid	K
7440-02-0	nickel	R
7440-48-4	cobalt	R
7440-38-2	arsenic	K
7440-43-9	cadmium	K
· OSHA-Ca (Occupational Safety & Health Administration)		
7440-38-2	arsenic	
7440-43-9	cadmium	

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Not hazardous for water.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

Safety Data Sheet
acc. to OSHA HCS




Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 11)

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, ADR, IMDG, IATA 	UN3264
<ul style="list-style-type: none"> · UN proper shipping name · DOT · ADR · IMDG, IATA 	<p>Corrosive liquid, acidic, inorganic, n.o.s. (Hydrofluoric acid, Nitric acid)</p> <p>3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROFLUORIC ACID, NITRIC ACID)</p> <p>CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROFLUORIC ACID, NITRIC ACID)</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT 	
<ul style="list-style-type: none"> · Class · Label 	<p>8 Corrosive substances</p> <p>8</p>
<ul style="list-style-type: none"> · ADR 	
<ul style="list-style-type: none"> · Class · Label 	<p>8 (C1) Corrosive substances</p> <p>8</p>
<ul style="list-style-type: none"> · IMDG, IATA 	
<ul style="list-style-type: none"> · Class · Label 	<p>8 Corrosive substances</p> <p>8</p>
<ul style="list-style-type: none"> · Packing group · DOT, ADR, IMDG, IATA 	<p>III</p>
<ul style="list-style-type: none"> · Environmental hazards: 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups · Stowage Category 	<p>Warning: Corrosive substances</p> <p>80</p> <p>F-A,S-B</p> <p>Acids</p> <p>A</p>

(Contd. on page 13)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 12)

· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROFLUORIC ACID, NITRIC ACID), 8, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):	
7697-37-2	nitric acid
7664-93-9	sulphuric acid
· Section 313 (Specific toxic chemical listings):	
7697-37-2	nitric acid
7429-90-5	aluminium
7664-93-9	sulphuric acid
7757-79-1	potassium nitrate
13446-18-9	magnesium nitrate hexahydrate
7803-55-6	Ammonium Vanadate
7440-02-0	nickel
7440-48-4	cobalt
7782-49-2	selenium
7440-22-4	silver
7440-38-2	arsenic

(Contd. on page 14)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 13)

7440-43-9	cadmium	
7440-47-3	chromium	
7440-50-8	copper	
7440-66-6	zinc	

· TSCA (Toxic Substances Control Act):

7697-37-2	nitric acid	ACTIVE
631-61-8	ammonium acetate	ACTIVE
471-34-1	calcium carbonate	ACTIVE
497-19-8	sodium carbonate	ACTIVE
7429-90-5	aluminium	ACTIVE
7439-89-6	iron	ACTIVE
7664-93-9	sulphuric acid	ACTIVE
7722-76-1	Ammonium dihydrogenphosphate	ACTIVE
7757-79-1	potassium nitrate	ACTIVE
7440-32-6	titanium	ACTIVE
7439-98-7	molybdenum	ACTIVE
7803-55-6	Ammonium Vanadate	ACTIVE
7440-02-0	nickel	ACTIVE
7440-48-4	cobalt	ACTIVE
7782-49-2	selenium	ACTIVE
7440-22-4	silver	ACTIVE
7440-38-2	arsenic	ACTIVE
7440-43-9	cadmium	ACTIVE
7440-47-3	chromium	ACTIVE
7440-50-8	copper	ACTIVE
7440-66-6	zinc	ACTIVE
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE

· Hazardous Air Pollutants

7440-48-4	cobalt	
-----------	--------	--

· Proposition 65

· Chemicals known to cause cancer:

7440-02-0	nickel	
7440-48-4	cobalt	
7440-38-2	arsenic	
7440-43-9	cadmium	

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 15)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 14)

· **Chemicals known to cause reproductive toxicity for males:**

7440-43-9	cadmium
-----------	---------

· **Chemicals known to cause developmental toxicity:**

7440-43-9	cadmium
-----------	---------

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

631-61-8	ammonium acetate	D
7782-49-2	selenium	D
7440-22-4	silver	D
7440-38-2	arsenic	A
7440-43-9	cadmium	BI
7440-47-3	chromium	D
7440-50-8	copper	D
7440-66-6	zinc	D, I, II

· **TLV (Threshold Limit Value established by ACGIH)**

7429-90-5	aluminium	A4
7664-93-9	sulphuric acid	A2
7439-98-7	molybdenum	A3
7440-02-0	nickel	A5
7440-48-4	cobalt	A3
7440-38-2	arsenic	A1
7440-43-9	cadmium	A2
7440-47-3	chromium	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

7440-02-0	nickel
7440-38-2	arsenic
7440-43-9	cadmium

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05 GHS07

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

nitric acid
hydrofluoric acid

(Contd. on page 16)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 15)

[2H4] ammonium chloride

Hazard statements

- H290 May be corrosive to metals.
- H302+H312 Harmful if swallowed or in contact with skin.
- H314 Causes severe skin burns and eye damage.

Precautionary statements

- Keep only in original container.
 - Do not breathe dusts or mists.
 - Wash thoroughly after handling.
 - Do not eat, drink or smoke when using this product.
 - Wear protective gloves/protective clothing/eye protection/face protection.
 - If swallowed: Call a poison center/doctor if you feel unwell.
 - If swallowed: Rinse mouth. Do NOT induce vomiting.
 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - Immediately call a poison center/doctor.
 - Specific treatment (see on this label).
 - Take off contaminated clothing and wash it before reuse.
 - Wash contaminated clothing before reuse.
 - Absorb spillage to prevent material damage.
 - Store locked up.
 - Store in corrosive resistant container with a resistant inner liner.
 - Dispose of contents/container in accordance with local/regional/national/international regulations.
- Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Environment protection department.

Contact:

High-Purity Standards
Tel: 843-767-7900
Fax: 843-767-7906

Date of preparation / last revision 02/07/2020 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 17)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/07/2020

Reviewed on 02/07/2020

Trade name: ICP-MS Interference Check

(Contd. of page 16)

VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

US