Page 1/7

1 Identification

- · Product identifier
- · Product Name: 10,000 µg/mL Aluminum
- · Part Name: PLAL1-3X
- · Application of the substance / the mixture Certified Reference Material
- \cdot Details of the supplier of the safety data sheet · Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA
- · Information department: product safety department · Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:
- hydrochloric acid
- · Hazard statements
- H318 Causes serious eye damage.
- · Precautionary statements
- P280 Wear eye protection / face protection.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor.
- · Classification system:
- · NFPA ratings (scale 0 4)



- Health = 3Fire = 0Reactivity = 0
- · HMIS-ratings (scale 0 4)

HEALTH *3 Health = *30 Fire = 0Reactivity = 0REACTIVITY 0

· Other hazards

FIRE

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

US

Printing date 07/26/2019

Product Name: 10,000 µg/mL Aluminum

	(Contd. of page 1)
· Dangerous components:	
7647-01-0 hydrochloric acid	5.0%
7429-90-5 aluminium	1.0%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	94.0%

4 First-aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• *Environmental precautions: Dilute with plenty of water.*

- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
7647-01-0 hydrochloric acid	1.8 ppm
· PAC-2:	
7647-01-0 hydrochloric acid	22 ppm
· PAC-3:	
7647-01-0 hydrochloric acid	100 ppm

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 3)

Product Name: 10,000 µg/mL Aluminum

Reviewed on 07/26/2019

(Contd. of page 2)

8 Exposure controls/personal protection

• Control parameters • Components with limit val The following constituent i	ut design of technical systems: No further data; see item 7. es that require monitoring at the workplace: the only constituent of the product which has a PEL, TLV or other recommended exposure limit. onstituent has no known exposure limits.
7647-01-0 hydrochloric ac	ł
PEL Ceiling limit value: 7	ng/m ³ , 5 ppm
REL Ceiling limit value: 7	· · · ·
TLV Ceiling limit value: 2	$\frac{1}{100}$ mg/m ³ , 2 ppm
· Additional information: T	e lists that were valid during the creation were used as basis.
Exposure controls Personal protective equipm General protective and hy Keep away from foodstuffs Immediately remove all soi Wash hands before breaks Avoid contact with the eyes Avoid contact with the eyes Respiratory protection: No Protection of hands:	i <mark>enic measures:</mark> beverages and feed. ed and contaminated clothing. nd at the end of work. and skin.
Protective glo	ves
Due to missing tests no rec	impermeable and resistant to the product/ the substance/ the preparation. mmendation to the glove material can be given for the product/ the preparation/ the chemical mixture. ial on consideration of the penetration times, rates of diffusion and the degradation
The selection of the suita manufacturer. As the pro- therefore to be checked pri-	
• Penetration time of glove of The exact break through the Even protection:	aterial e has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and	chamical properties	
· Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not applicable.	
· Auto igniting:	Product is not selfigniting.	
		(Contd. on page 4)

(Contd. on page 4)

Printing date 07/26/2019

Reviewed on 07/26/2019

Product Name: 10,000 µg/mL Aluminum

		(Contd. of page 3
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not applicable.	
Upper:	Not applicable.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F)	1.0245 g/cm ³ (8.54945 lbs/gal)	
· Relative density	Not applicable.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Water:	94.0 %	
VOC content:	0.00 %	
Solids content:	1.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- \cdot on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Irritant
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7647-01-0 hydrochloric acid	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 5)

US -

US

Safety Data Sheet acc. to OSHA HCS

Printing date 07/26/2019

Product Name: 10,000 µg/mL Aluminum

- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN1789
· UN proper shipping name · DOT · ADR · IMDG, IATA	Hydrochloric acid 1789 HYDROCHLORIC ACID HYDROCHLORIC ACID
· Transport hazard class(es)	
· DOT	
· Class · Label	8 Corrosive substances 8
· ADR, IMDG, IATA	8 Corrosive substances
· Label	8
· Packing group · DOT, ADR, IMDG, IATA	111
· Environmental hazards:	Not applicable.
 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category 	Warning: Corrosive substances 80 F-A,S-B Acids E
· Transport in bulk according to Annex II of MARPO Code	OL73/78 and the IBC Not applicable.
• Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
	(Contd. on page

(Contd. of page 4)

Reviewed on 07/26/2019

Printing date 07/26/2019

· IMDG

Reviewed on 07/26/2019

(Contd. of page 5)

	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
	· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID, 8, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture	
Sara	

· Sara	
· Section 313 (Specific toxic chemical listings):	
7647-01-0 hydrochloric acid	
7429-90-5 aluminium	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
7647-01-0 hydrochloric acid	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
7647-01-0 hydrochloric acid	A4
7429-90-5 aluminium	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed	

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- hydrochloric acid
- · Hazard statements
- H318 Causes serious eye damage.
- · Precautionary statements
- P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Printing date 07/26/2019

Product Name: 10,000 µg/mL Aluminum

	(Cont
· Department issuing SDS: product safety department	
· Contact:	
SPEX CertiPrep, LLC.	
1-732-549-7144	
· Date of preparation / last revision 07/26/2019 / -	
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	

US

Reviewed on 07/26/2019