

## 1 Identification

- **Product identifier**
- **Trade name:** QCI-034
- **Application of the substance / the mixture** For Laboratory Use Only
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
 NSI Lab Solutions  
 7212 ACC Blvd.,  
 Raleigh, NC 27617  
 USA
- **Information department:** Product safety department
- **Emergency telephone number:** During normal opening times: +1 (919) 789-3000

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 2 H330 Fatal if inhaled.



GHS05 Corrosion

Skin Corrosion 1A

H314 Causes severe skin burns and eye damage.

Eye Damage 1

H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05



GHS06

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
 nitric acid
- **Hazard statements**  
 Fatal if inhaled.  
 Causes severe skin burns and eye damage.
- **Precautionary statements**  
 Do not breathe dusts or mists.  
 Wash thoroughly after handling.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 [In case of inadequate ventilation] wear respiratory protection.  
 If swallowed: Rinse mouth. Do NOT induce vomiting.  
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

Trade name: **QCI-034**

(Contd. of page 1)

Immediately call a poison center/doctor.

Specific treatment is urgent (see on this label).

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7697-37-2	nitric acid	5%
-----------	-------------	----

· **Non-hazardous components**

7732-18-5	water, distilled, conductivity or of similar purity	94–99%
7429-90-5	aluminium	0–0.04%
7439-89-6	iron	0–0.04%
10022-31-8	barium nitrate	0–0.025%
6156-78-1	acetic acid, manganese(2+) salt, tetrahydrate	0–0.02%
7440-02-0	nickel	0–0.02%
7440-66-6	zinc powder -zinc dust (pyrophoric)	0–0.02%
7803-55-6	ammonium trioxovanadate	0–0.02%
7439-92-1	lead	0–0.015%
7440-22-4	silver	0–0.01%
7440-43-9	cadmium	0–0.01%
7440-47-3	chromium	0–0.01%
7440-48-4	cobalt	0–0.01%
7440-50-8	copper	0–0.01%
7782-49-2	selenium	0–0.01%
7440-36-0	antimony	0–0.009%
7440-38-2	arsenic	0–0.009%

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

Trade name: QCI-034

(Contd. of page 2)

7440-28-0	thallium	0-0.008%
7439-98-7	molybdenum	0-0.006%
10042-76-9	strontium nitrate	0-0.005%
19049-40-2	Beryllium acetate, basic	0-0.005%

## 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Remove breathing apparatus only after contaminated clothing have been completely removed.  
In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:**  
Supply fresh air or oxygen; call for doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

(Contd. on page 4)

— US —

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

Trade name: **QCI-034**

(Contd. of page 3)

**· Protective Action Criteria for Chemicals**

<b>· PAC-1:</b>		
7697-37-2	nitric acid	0.16 ppm
7439-89-6	iron	3.2 mg/m <sup>3</sup>
10022-31-8	barium nitrate	2.9 mg/m <sup>3</sup>
6156-78-1	acetic acid, manganese(2+) salt, tetrahydrate	13 mg/m <sup>3</sup>
7440-02-0	nickel	4.5 mg/m <sup>3</sup>
7440-66-6	zinc powder -zinc dust (pyrophoric)	6 mg/m <sup>3</sup>
7803-55-6	ammonium trioxovanadate	0.01 mg/m <sup>3</sup>
7439-92-1	lead	0.15 mg/m <sup>3</sup>
7440-22-4	silver	0.3 mg/m <sup>3</sup>
7440-43-9	cadmium	0.10 mg/m <sup>3</sup>
7440-47-3	chromium	1.5 mg/m <sup>3</sup>
7440-48-4	cobalt	0.18 mg/m <sup>3</sup>
7440-50-8	copper	3 mg/m <sup>3</sup>
7782-49-2	selenium	0.6 mg/m <sup>3</sup>
7440-36-0	antimony	1.5 mg/m <sup>3</sup>
7440-38-2	arsenic	1.5 mg/m <sup>3</sup>
7440-28-0	thallium	0.06 mg/m <sup>3</sup>
7439-98-7	molybdenum	30 mg/m <sup>3</sup>
10042-76-9	strontium nitrate	5.7 mg/m <sup>3</sup>
<b>· PAC-2:</b>		
7697-37-2	nitric acid	24 ppm
7439-89-6	iron	35 mg/m <sup>3</sup>
10022-31-8	barium nitrate	350 mg/m <sup>3</sup>
6156-78-1	acetic acid, manganese(2+) salt, tetrahydrate	22 mg/m <sup>3</sup>
7440-02-0	nickel	50 mg/m <sup>3</sup>
7440-66-6	zinc powder -zinc dust (pyrophoric)	21 mg/m <sup>3</sup>
7803-55-6	ammonium trioxovanadate	0.11 mg/m <sup>3</sup>
7439-92-1	lead	120 mg/m <sup>3</sup>
7440-22-4	silver	170 mg/m <sup>3</sup>
7440-43-9	cadmium	0.76 mg/m <sup>3</sup>
7440-47-3	chromium	17 mg/m <sup>3</sup>
7440-48-4	cobalt	2 mg/m <sup>3</sup>
7440-50-8	copper	33 mg/m <sup>3</sup>
7782-49-2	selenium	6.6 mg/m <sup>3</sup>
7440-36-0	antimony	13 mg/m <sup>3</sup>
7440-38-2	arsenic	17 mg/m <sup>3</sup>
7440-28-0	thallium	3.3 mg/m <sup>3</sup>
7439-98-7	molybdenum	330 mg/m <sup>3</sup>
10042-76-9	strontium nitrate	62 mg/m <sup>3</sup>
<b>· PAC-3:</b>		
7697-37-2	nitric acid	92 ppm

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

Trade name: **QCI-034**

(Contd. of page 4)

7439-89-6	iron	150 mg/m <sup>3</sup>
10022-31-8	barium nitrate	2,100 mg/m <sup>3</sup>
6156-78-1	acetic acid, manganese(2+) salt, tetrahydrate	740 mg/m <sup>3</sup>
7440-02-0	nickel	99 mg/m <sup>3</sup>
7440-66-6	zinc powder -zinc dust (pyrophoric)	120 mg/m <sup>3</sup>
7803-55-6	ammonium trioxovanadate	80 mg/m <sup>3</sup>
7439-92-1	lead	700 mg/m <sup>3</sup>
7440-22-4	silver	990 mg/m <sup>3</sup>
7440-43-9	cadmium	4.7 mg/m <sup>3</sup>
7440-47-3	chromium	99 mg/m <sup>3</sup>
7440-48-4	cobalt	20 mg/m <sup>3</sup>
7440-50-8	copper	200 mg/m <sup>3</sup>
7782-49-2	selenium	40 mg/m <sup>3</sup>
7440-36-0	antimony	80 mg/m <sup>3</sup>
7440-38-2	arsenic	100 mg/m <sup>3</sup>
7440-28-0	thallium	20 mg/m <sup>3</sup>
7439-98-7	molybdenum	2,000 mg/m <sup>3</sup>
10042-76-9	strontium nitrate	370 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
 Ensure good ventilation/exhaustion at the workplace.  
 Open and handle receptacle with care.  
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

<b>7697-37-2 nitric acid</b>	
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm
	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV	Short-term value: (4) NIC-0.025* ppm
	Long-term value: (2) ppm
	*inh. fraction + vapor

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

Trade name: QCI-034

(Contd. of page 5)

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Immediately remove all soiled and contaminated clothing.
  - Wash hands before breaks and at the end of work.
  - Store protective clothing separately.
  - Avoid contact with the eyes.
  - Avoid contact with the eyes and skin.
- **Breathing equipment:**
  - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
  - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
  - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - Form:** Fluid
  - Color:** According to product specification
  - Odor:** Characteristic
  - Odor threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**
  - Melting point/Melting range:** Undetermined.
  - Boiling point/Boiling range:** 83 °C (181.4 °F)
- **Flash point:** Not applicable.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

Trade name: QCI-034

(Contd. of page 6)

· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17.3 mm Hg)
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Water:</b>	94–99 %
<b>VOC content:</b>	0.00 % 0.0 g/l / 0.00 lb/gal
<b>Solids content:</b>	0–0.3 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>ATE (Acute Toxicity Estimate)</b>		
Inhalative	LC50/4 h	1–5 mg/l

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

Trade name: QCI-034

(Contd. of page 7)

- **on the eye:**

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

Very toxic

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

7440-02-0	nickel	2B
7439-92-1	lead	2B
7440-43-9	cadmium	1
7440-47-3	chromium	3
7440-48-4	cobalt	2B
7782-49-2	selenium	3
7440-38-2	arsenic	1
19049-40-2	Beryllium acetate, basic	1

- **NTP (National Toxicology Program)**

7440-02-0	nickel	R
7439-92-1	lead	R
7440-43-9	cadmium	K
7440-48-4	cobalt	R
7440-38-2	arsenic	K
19049-40-2	Beryllium acetate, basic	K

- **OSHA-Ca (Occupational Safety & Health Administration)**

7440-43-9	cadmium
7440-38-2	arsenic

## 12 Ecological information

- **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 9)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

Trade name: QCI-034







(Contd. of page 8)

- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· <b>UN-Number</b>	UN2922
· <b>DOT, IMDG, IATA</b>	
· <b>UN proper shipping name</b>	Corrosive liquids, toxic, n.o.s. (Nitric acid)
· <b>DOT</b>	CORROSIVE LIQUID, TOXIC, N.O.S. (NITRIC ACID)
· <b>IMDG</b>	Corrosive liquid, toxic, n.o.s. (NITRIC ACID)
· <b>IATA</b>	
· <b>Transport hazard class(es)</b>	
· <b>DOT</b>	
	
· <b>Class</b>	8 Corrosive substances
· <b>Label</b>	8, 6.1
· <b>IMDG</b>	
	
· <b>Class</b>	8 Corrosive substances
· <b>Label</b>	8/6.1
· <b>IATA</b>	
	
· <b>Class</b>	8 Corrosive substances
· <b>Label</b>	8 (6.1)
· <b>Packing group</b>	II
· <b>DOT, IMDG, IATA</b>	
· <b>Environmental hazards:</b>	Not applicable.

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

Trade name: QCI-034

(Contd. of page 9)

· <b>Special precautions for user</b>	Warning: Corrosive substances
· <b>Hazard identification number (Kemler code):</b> 86	
· <b>EMS Number:</b>	F-A,S-B
· <b>Segregation groups</b>	(SGG1a) Strong acids
· <b>Stowage Category</b>	B
· <b>Stowage Code</b>	SW2 Clear of living quarters.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>DOT</b>	
· <b>Quantity limitations</b>	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	IL
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (NITRIC ACID), 8 (6.1), II

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **Sara**

· <b>Section 355 (extremely hazardous substances):</b>	
7697-37-2	nitric acid
· <b>Section 313 (Specific toxic chemical listings):</b>	
7697-37-2	nitric acid
7429-90-5	aluminium
10022-31-8	barium nitrate
7440-02-0	nickel
7440-66-6	zinc powder -zinc dust (pyrophoric)
7803-55-6	ammonium trioxovanadate
7439-92-1	lead
7440-22-4	silver
7440-43-9	cadmium
7440-47-3	chromium
7440-48-4	cobalt
7440-50-8	copper
7782-49-2	selenium
7440-36-0	antimony
7440-38-2	arsenic
7440-28-0	thallium

(Contd. on page 11)

— US —

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

**Trade name: QCI-034**

(Contd. of page 10)

10042-76-9	strontium nitrate
19049-40-2	Beryllium acetate, basic

<b>· TSCA (Toxic Substances Control Act):</b>		
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
7697-37-2	nitric acid	ACTIVE
7429-90-5	aluminium	ACTIVE
7439-89-6	iron	ACTIVE
10022-31-8	barium nitrate	ACTIVE
7440-02-0	nickel	ACTIVE
7440-66-6	zinc powder -zinc dust (pyrophoric)	ACTIVE
7803-55-6	ammonium trioxovanadate	ACTIVE
7439-92-1	lead	ACTIVE
7440-22-4	silver	ACTIVE
7440-43-9	cadmium	ACTIVE
7440-47-3	chromium	ACTIVE
7440-48-4	cobalt	ACTIVE
7440-50-8	copper	ACTIVE
7782-49-2	selenium	ACTIVE
7440-36-0	antimony	ACTIVE
7440-38-2	arsenic	ACTIVE
7440-28-0	thallium	ACTIVE
7439-98-7	molybdenum	ACTIVE
10042-76-9	strontium nitrate	ACTIVE

<b>· Hazardous Air Pollutants</b>		
7439-92-1	lead	
7440-48-4	cobalt	

<b>· Proposition 65</b>		
<b>· Chemicals known to cause cancer:</b>		
7440-02-0	nickel	
7439-92-1	lead	
7440-43-9	cadmium	
7440-48-4	cobalt	
7440-38-2	arsenic	
19049-40-2	Beryllium acetate, basic	

<b>· Chemicals known to cause reproductive toxicity for females:</b>		
7439-92-1	lead	

<b>· Chemicals known to cause reproductive toxicity for males:</b>		
7439-92-1	lead	
7440-43-9	cadmium	

<b>· Chemicals known to cause developmental toxicity:</b>		
7439-92-1	lead	
7440-43-9	cadmium	

(Contd. on page 12)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

Trade name: QCI-034

(Contd. of page 11)

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

10022-31-8	barium nitrate	D, CBD(inh), NL(oral)
7440-66-6	zinc powder -zinc dust (pyrophoric)	D, I, II
7439-92-1	lead	B2
7440-22-4	silver	D
7440-43-9	cadmium	B1
7440-47-3	chromium	D
7440-50-8	copper	D
7782-49-2	selenium	D
7440-38-2	arsenic	A

· **TLV (Threshold Limit Value)**

7429-90-5	aluminium	A4
10022-31-8	barium nitrate	A4
7440-02-0	nickel	A5
7439-92-1	lead	A3
7440-43-9	cadmium	A2
7440-47-3	chromium	A4
7440-48-4	cobalt	A3
7440-38-2	arsenic	A1
7439-98-7	molybdenum	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

7440-02-0	nickel
7440-43-9	cadmium
7440-38-2	arsenic
19049-40-2	Beryllium acetate, basic

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).· **Hazard pictograms**

GHS05    GHS06

· **Signal word** Danger· **Hazard-determining components of labeling:**

nitric acid

· **Hazard statements**

Fatal if inhaled.

Causes severe skin burns and eye damage.

· **Precautionary statements**

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 13)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 03/27/2024

Reviewed on 03/27/2024

Trade name: **QCI-034**

(Contd. of page 12)

*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*Immediately call a poison center/doctor.*

*Specific treatment is urgent (see on this label).*

*Wash contaminated clothing before reuse.*

*Store in a well-ventilated place. Keep container tightly closed.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

*· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.*

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

*· **Department issuing SDS:** Environment protection department.*

*· **Contact:** - Department Technical Manager*

*· **Date of preparation / last revision** 03/27/2024*

*· **Abbreviations and acronyms:***

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*Acute Toxicity - Inhalation 2: Acute toxicity – Category 2*

*Skin Corrosion 1A: Skin corrosion/irritation – Category 1A*

*Eye Damage 1: Serious eye damage/eye irritation – Category 1*