

## 1 Identification

- **Product identifier**
- **Trade name:** SQCI-005
- **Application of the substance / the mixture** For Laboratory Use Only
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
 NSI Lab Solutions  
 7212 ACC Blvd.,  
 Raleigh, NC 27617  
 USA
- **Information department:** Product safety department
- **Emergency telephone number:** During normal opening times: +1 (919) 789-3000

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 2 H330 Fatal if inhaled.



GHS08 Health hazard

Sensitization - Respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carcinogenicity 1A H350 May cause cancer.

Toxic to Reproduction 1A H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05



GHS06



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
 nitric acid  
 cadmium

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

Trade name: **SQCI-005**

(Contd. of page 1)

lead  
arsenic  
chromium  
silver  
Beryllium acetate, basic

· **Hazard statements**

Fatal if inhaled.  
Causes severe skin burns and eye damage.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.  
May cause cancer.  
May damage fertility or the unborn child.

· **Precautionary statements**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dusts or mists.  
Wash thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection/face protection.  
[In case of inadequate ventilation] wear respiratory protection.  
If swallowed: Rinse mouth. Do NOT induce vomiting.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a poison center/doctor.  
IF exposed or concerned: Get medical advice/attention.  
Specific treatment is urgent (see on this label).  
If skin irritation or rash occurs: Get medical advice/attention.  
If experiencing respiratory symptoms: Call a poison center/doctor.  
Wash contaminated clothing before reuse.  
Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

— US —

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

Trade name: SQCI-005

(Contd. of page 2)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· <b>Dangerous components:</b>		
7697-37-2	nitric acid	5%
7439-92-1	lead	0.1%
7440-22-4	silver	0.1%
7440-38-2	arsenic	0.1%
7440-43-9	cadmium	0.1%
7440-47-3	chromium	0.1%
19049-40-2	Beryllium acetate, basic	0.1%
· <b>Non-hazardous components</b>		
7732-18-5	water, distilled, conductivity or of similar purity	94–99%
7440-36-0	antimony	0–0.1%
7440-66-6	zinc powder -zinc dust (pyrophoric)	0–0.1%
7782-49-2	selenium	0–0.1%
10022-31-8	barium nitrate	0–0.1%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Remove breathing apparatus only after contaminated clothing have been completely removed.  
In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:**  
Supply fresh air or oxygen; call for doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**  
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.  
· **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

— US —  
(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

Trade name: SQCI-005

(Contd. of page 3)

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- **Protective Action Criteria for Chemicals**

- **PAC-1:**

7697-37-2	nitric acid	0.16 ppm
7439-92-1	lead	0.15 mg/m <sup>3</sup>
7440-22-4	silver	0.3 mg/m <sup>3</sup>
7440-36-0	antimony	1.5 mg/m <sup>3</sup>
7440-38-2	arsenic	1.5 mg/m <sup>3</sup>
7440-43-9	cadmium	0.10 mg/m <sup>3</sup>
7440-47-3	chromium	1.5 mg/m <sup>3</sup>
7440-66-6	zinc powder -zinc dust (pyrophoric)	6 mg/m <sup>3</sup>
7782-49-2	selenium	0.6 mg/m <sup>3</sup>
10022-31-8	barium nitrate	2.9 mg/m <sup>3</sup>

- **PAC-2:**

7697-37-2	nitric acid	24 ppm
7439-92-1	lead	120 mg/m <sup>3</sup>
7440-22-4	silver	170 mg/m <sup>3</sup>
7440-36-0	antimony	13 mg/m <sup>3</sup>
7440-38-2	arsenic	17 mg/m <sup>3</sup>
7440-43-9	cadmium	0.76 mg/m <sup>3</sup>
7440-47-3	chromium	17 mg/m <sup>3</sup>
7440-66-6	zinc powder -zinc dust (pyrophoric)	21 mg/m <sup>3</sup>
7782-49-2	selenium	6.6 mg/m <sup>3</sup>
10022-31-8	barium nitrate	350 mg/m <sup>3</sup>

- **PAC-3:**

7697-37-2	nitric acid	92 ppm
7439-92-1	lead	700 mg/m <sup>3</sup>
7440-22-4	silver	990 mg/m <sup>3</sup>
7440-36-0	antimony	80 mg/m <sup>3</sup>
7440-38-2	arsenic	100 mg/m <sup>3</sup>

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

Trade name: SQCI-005

(Contd. of page 4)

7440-43-9	cadmium	4.7 mg/m <sup>3</sup>
7440-47-3	chromium	99 mg/m <sup>3</sup>
7440-66-6	zinc powder -zinc dust (pyrophoric)	120 mg/m <sup>3</sup>
7782-49-2	selenium	40 mg/m <sup>3</sup>
10022-31-8	barium nitrate	2,100 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
 Ensure good ventilation/exhaustion at the workplace.  
 Open and handle receptacle with care.  
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
 The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
 At this time, the other constituents have no known exposure limits.

<b>7697-37-2 nitric acid</b>	
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV	Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor
<b>7440-38-2 arsenic</b>	
PEL	Long-term value: 0.5* 0.01** mg/m <sup>3</sup> as As; *organic**inorg. compds.; 29 CFR 1910.1018
REL	Ceiling limit value: 0.002 mg/m <sup>3</sup> as As; 15min; See Pocket Guide App. A
TLV	Long-term value: 0.01 mg/m <sup>3</sup> as As; BEI, AI
<b>7440-43-9 cadmium</b>	
PEL	Long-term value: 0.005 mg/m <sup>3</sup> as Cd; see 29 CFR 1910.1027

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

Trade name: **SQCI-005**

(Contd. of page 5)

REL	See Pocket Guide App. A
TLV	Long-term value: 0.01 0.002* mg/m <sup>3</sup> as Cd; A2; *respirable fraction; BEI
<b>7440-47-3 chromium</b>	
PEL	Long-term value: 1 mg/m <sup>3</sup>
REL	Long-term value: 0.5* mg/m <sup>3</sup> *metal+inorg.compds.as Cr; See Pocket Guide App. C
TLV	Long-term value: 0.003* 0.5** mg/m <sup>3</sup> inh. fraction, *as Cr(III): A4, **metal
<b>Ingredients with biological limit values:</b>	
<b>7440-38-2 arsenic</b>	
BEI	35 µg As/L Medium: urine Time: end of workweek Parameter: Inorganic arsenic plus methylated metabolites (background)
<b>7440-43-9 cadmium</b>	
BEI	5 µg/g creatinine Medium: urine Time: not critical Parameter: Cadmium (background)
	5 µg/L Medium: blood Time: not critical Parameter: Cadmium (background)
<b>7440-47-3 chromium</b>	
BEI	0.7 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (population based)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

Trade name: **SQCI-005**

(Contd. of page 6)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Fluid  
**Color:** According to product specification

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** 83 °C (181.4 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

**Lower:** Not determined.  
**Upper:** Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

**Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

Trade name: SQCI-005

(Contd. of page 7)

· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Water:</b>	94–99 %
<b>VOC content:</b>	0.00 %
	0.0 g/l / 0.00 lb/gal
<b>Solids content:</b>	0–1 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>ATE (Acute Toxicity Estimate)</b>		
Inhalative	LC50/4 h	1–5 mg/l
<b>7440-38-2 arsenic</b>		
Oral	LD50	763 mg/kg (rat)
<b>7440-43-9 cadmium</b>		
Oral	LD50	225 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Sensitization:**  
Sensitization possible through inhalation.  
Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Toxic  
Harmful  
Corrosive  
Irritant  
Very toxic

(Contd. on page 9)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

Trade name: SQCI-005

(Contd. of page 8)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· <b>IARC (International Agency for Research on Cancer)</b>		
7439-92-1	lead	2B
7440-38-2	arsenic	I
7440-43-9	cadmium	I
7440-47-3	chromium	3
7782-49-2	selenium	3
19049-40-2	Beryllium acetate, basic	I
· <b>NTP (National Toxicology Program)</b>		
7439-92-1	lead	R
7440-38-2	arsenic	K
7440-43-9	cadmium	K
19049-40-2	Beryllium acetate, basic	K
· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>		
7440-38-2	arsenic	
7440-43-9	cadmium	

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 3 (Self-assessment): extremely hazardous for water  
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
 Must not reach bodies of water or drainage ditch undiluted or unneutralized.  
 Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024




Reviewed on 04/17/2024

Trade name: SQCI-005

(Contd. of page 9)

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· <b>UN-Number</b> · <b>DOT, IMDG, IATA</b>	UN2922
· <b>UN proper shipping name</b> · <b>DOT</b> · <b>IMDG</b> · <b>IATA</b>	Corrosive liquids, toxic, n.o.s. (Nitric acid) CORROSIVE LIQUID, TOXIC, N.O.S. (NITRIC ACID) Corrosive liquid, toxic, n.o.s. (NITRIC ACID)
· <b>Transport hazard class(es)</b> · <b>DOT</b>	
	
· <b>Class</b> · <b>Label</b>	8 Corrosive substances 8, 6.1
· <b>IMDG</b>	
	
· <b>Class</b> · <b>Label</b>	8 Corrosive substances 8/6.1
· <b>IATA</b>	
	
· <b>Class</b> · <b>Label</b>	8 Corrosive substances 8 (6.1)
· <b>Packing group</b> · <b>DOT, IMDG, IATA</b>	II
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b> · <b>Hazard identification number (Kemler code):</b> 86 · <b>EMS Number:</b> · <b>Segregation groups</b> · <b>Stowage Category</b> · <b>Stowage Code</b>	Warning: Corrosive substances F-A, S-B (SGG1a) Strong acids B SW2 Clear of living quarters.
· <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.

(Contd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

Trade name: **SQCI-005**

(Contd. of page 10)

· <b>Transport/Additional information:</b>	
· <b>DOT</b>	
· <b>Quantity limitations</b>	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
-----	
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (NITRIC ACID), 8 (6.1), II

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· <b>Section 355 (extremely hazardous substances):</b>		
7697-37-2	nitric acid	
· <b>Section 313 (Specific toxic chemical listings):</b>		
7697-37-2	nitric acid	
7439-92-1	lead	
7440-22-4	silver	
7440-36-0	antimony	
7440-38-2	arsenic	
7440-43-9	cadmium	
7440-47-3	chromium	
7440-66-6	zinc powder -zinc dust (pyrophoric)	
7782-49-2	selenium	
10022-31-8	barium nitrate	
19049-40-2	Beryllium acetate, basic	
· <b>TSCA (Toxic Substances Control Act):</b>		
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
7697-37-2	nitric acid	ACTIVE
7439-92-1	lead	ACTIVE
7440-22-4	silver	ACTIVE
7440-36-0	antimony	ACTIVE
7440-38-2	arsenic	ACTIVE
7440-43-9	cadmium	ACTIVE
7440-47-3	chromium	ACTIVE
7440-66-6	zinc powder -zinc dust (pyrophoric)	ACTIVE
7782-49-2	selenium	ACTIVE
10022-31-8	barium nitrate	ACTIVE

(Contd. on page 12)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

Trade name: **SQCI-005**

(Contd. of page 11)

<b>· Hazardous Air Pollutants</b>		
7439-92-1	lead	
<b>· Proposition 65</b>		
<b>· Chemicals known to cause cancer:</b>		
7439-92-1	lead	
7440-38-2	arsenic	
7440-43-9	cadmium	
19049-40-2	Beryllium acetate, basic	
<b>· Chemicals known to cause reproductive toxicity for females:</b>		
7439-92-1	lead	
<b>· Chemicals known to cause reproductive toxicity for males:</b>		
7439-92-1	lead	
7440-43-9	cadmium	
<b>· Chemicals known to cause developmental toxicity:</b>		
7439-92-1	lead	
7440-43-9	cadmium	
<b>· Carcinogenic categories</b>		
<b>· EPA (Environmental Protection Agency)</b>		
7439-92-1	lead	B2
7440-22-4	silver	D
7440-38-2	arsenic	A
7440-43-9	cadmium	B1
7440-47-3	chromium	D
7440-66-6	zinc powder -zinc dust (pyrophoric)	D, I, II
7782-49-2	selenium	D
10022-31-8	barium nitrate	D, CBD(inh), NL(oral)
<b>· TLV (Threshold Limit Value)</b>		
7439-92-1	lead	A3
7440-38-2	arsenic	A1
7440-43-9	cadmium	A2
7440-47-3	chromium	A4
10022-31-8	barium nitrate	A4
<b>· NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
7440-38-2	arsenic	
7440-43-9	cadmium	
19049-40-2	Beryllium acetate, basic	

**· GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms**



GHS05   GHS06   GHS08

(Contd. on page 13)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

Trade name: SQCI-005

(Contd. of page 12)

- **Signal word** Danger

- **Hazard-determining components of labeling:**

nitric acid

cadmium

lead

arsenic

chromium

silver

Beryllium acetate, basic

- **Hazard statements**

Fatal if inhaled.

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause cancer.

May damage fertility or the unborn child.

- **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment is urgent (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **National regulations:**

- **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.

- **Contact:** - Department Technical Manager

- **Date of preparation / last revision** 04/17/2024

(Contd. on page 14)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2024

Reviewed on 04/17/2024

---

**Trade name: SQCI-005**

---

(Contd. of page 13)

**Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
BEI: Biological Exposure Limit  
Acute Toxicity - Inhalation 2: Acute toxicity – Category 2  
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A  
Eye Damage 1: Serious eye damage/eye irritation – Category 1  
Sensitization - Respiratory 1: Respiratory sensitisation – Category 1  
Sensitization - Skin 1: Skin sensitisation – Category 1  
Carcinogenicity 1A: Carcinogenicity – Category 1A  
Toxic to Reproduction 1A: Reproductive toxicity – Category 1A

---

US

---