

**1 Identification**

- **Product identifier**
- **Product Name:** TCLP VOLATILES SPIKE
- **Part Number:** TCLP-VX
- **Application of the substance / the mixture** Certified Reference Material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SPEX CertiPrep, LLC.  
203 Norcross Ave, Metuchen,  
NJ 08840 USA
- **Information department:** product safety department
- **Emergency telephone number:**  
Emergency Phone Number (24 hours)  
CHEMTREC (800-424-9300)  
Outside US: 703-527-3887

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1A H350 May cause cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT SE 1 H370 Causes damage to organs.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS06



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

methanol

benzene

carbon tetrachloride

1,2-dichloroethane

- **Hazard statements**

Highly flammable liquid and vapor.

Toxic if inhaled.

May cause genetic defects.

May cause cancer.

Suspected of damaging fertility or the unborn child.

Causes damage to organs.

May cause damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/07/2016

Reviewed on 06/07/2016

**Product Name: TCLP VOLATILES SPIKE**

(Contd. of page 1)

*Do not breathe dust/fume/gas/mist/vapors/spray.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.*· **Classification system:**· **NFPA ratings (scale 0 - 4)**· **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = *1
FIRE	3	Fire = 3
REACTIVITY	0	Reactivity = 0

· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.**3 Composition/information on ingredients**· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

67-56-1	methanol	97.8%
75-35-4	1,1-dichloroethylene	0.2%
107-06-2	1,2-dichloroethane	0.2%
106-46-7	1,4-dichlorobenzene	0.2%
71-43-2	benzene	0.2%
67-66-3	chloroform	0.2%
56-23-5	carbon tetrachloride	0.2%
127-18-4	tetrachloroethylene	0.2%
79-01-6	trichloroethylene	0.2%
75-01-4	vinyl chloride	0.2%

· **Chemical identification of the substance/preparation**

78-93-3	butanone	0.2%
108-90-7	chlorobenzene	0.2%

**4 First-aid measures**· **Description of first aid measures**· **General information:***Immediately remove any clothing soiled by the product.**Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.**Remove breathing apparatus only after contaminated clothing have been completely removed.**In case of irregular breathing or respiratory arrest provide artificial respiration.*· **After inhalation:***Supply fresh air or oxygen; call for doctor.**In case of unconsciousness place patient stably in side position for transportation.*· **After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*· **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*· **After swallowing:** *Do not induce vomiting; immediately call for medical help.*· **Information for Doctor:**· **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*· **Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

US

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/07/2016

Reviewed on 06/07/2016

**Product Name: TCLP VOLATILES SPIKE**

(Contd. of page 2)

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
  - Do not allow product to reach sewage system or any water course.
  - Inform respective authorities in case of seepage into water course or sewage system.
  - Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
  - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  - Dispose contaminated material as waste according to item 13.
  - Ensure adequate ventilation.
  - Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
  - Ensure good ventilation/exhaustion at the workplace.
  - Open and handle receptacle with care.
  - Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
  - Keep ignition sources away - Do not smoke.
  - Protect against electrostatic charges.
  - Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
  - Requirements to be met by storerooms and receptacles:** Store in a cool location.
  - Information about storage in one common storage facility:** Not required.
  - Further information about storage conditions:**
    - Keep receptacle tightly sealed.
    - Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

#### 67-56-1 methanol

PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm
	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Skin
TLV	Short-term value: 328 mg/m <sup>3</sup> , 250 ppm
	Long-term value: 262 mg/m <sup>3</sup> , 200 ppm
	Skin; BEI

(Contd. on page 4)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/07/2016

Reviewed on 06/07/2016

**Product Name: TCLP VOLATILES SPIKE**

(Contd. of page 3)

**107-06-2 1,2-dichloroethane**

PEL Long-term value: 50 ppm  
Ceiling limit value: 100; 200\* ppm  
\*5-min peak in any 3 hrs

REL Short-term value: 8 mg/m<sup>3</sup>, 2 ppm  
Long-term value: 4 mg/m<sup>3</sup>, 1 ppm  
See Pocket Guide Apps. A and C

TLV Long-term value: 40 mg/m<sup>3</sup>, 10 ppm

**71-43-2 benzene**

PEL Short-term value: 15\* mg/m<sup>3</sup>, 5\* ppm  
Long-term value: 3\* mg/m<sup>3</sup>, 1\* ppm  
\*table Z-2 for exclusions in 29CFR1910.1028(d)

REL Short-term value: 1 ppm  
Long-term value: 0.1 ppm  
See Pocket Guide App. A

TLV Short-term value: 8 mg/m<sup>3</sup>, 2.5 ppm  
Long-term value: 1.6 mg/m<sup>3</sup>, 0.5 ppm  
Skin; BEI

**56-23-5 carbon tetrachloride**

PEL Long-term value: 10 ppm  
Ceiling limit value: 25; 200\* ppm  
\*5-min peak in any 3 hrs

REL Short-term value: 12.6\* mg/m<sup>3</sup>, 2\* ppm  
\*60-min; See Pocket Guide App. A

TLV Short-term value: 63 mg/m<sup>3</sup>, 10 ppm  
Long-term value: 31 mg/m<sup>3</sup>, 5 ppm  
Skin

**79-01-6 trichloroethylene**

PEL Long-term value: 100 ppm  
Ceiling limit value: 200; 300\* ppm  
\*5-min peak in any 2 hrs

REL See Pocket Guide Apps. A and C

TLV Short-term value: 135 mg/m<sup>3</sup>, 25 ppm  
Long-term value: 54 mg/m<sup>3</sup>, 10 ppm  
BEI

**75-01-4 vinyl chloride**

PEL Short-term value: 5\* ppm  
Long-term value: 1 ppm  
\*Avg. not exceeding any 15 min; see 29CFR1910.1017

REL See Pocket Guide App. A

TLV Long-term value: 2.6 mg/m<sup>3</sup>, 1 ppm

**Ingredients with biological limit values:****67-56-1 methanol**

BEI 15 mg/L  
Medium: urine  
Time: end of shift  
Parameter: Methanol (background, nonspecific)

**71-43-2 benzene**

BEI 25 µg/g creatinine  
Medium: urine  
Time: end of shift  
Parameter: S-Phenylmercapturic acid (background)

500 µg/g creatinine  
Medium: urine  
Time: end of shift  
Parameter: t,t-Muconic acid (background)

(Contd. on page 5)

Product Name: TCLP VOLATILES SPIKE

(Contd. of page 4)

**79-01-6 trichloroethylene**

BEI 15 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Trichloroacetic acid (nonspecific)

0.5 mg/L

Medium: blood

Time: end of shift at end of workweek

Parameter: Trichloroethanol without hydrolysis (nonspecific)

-

Medium: blood

Time: end of shift at end of workweek

Parameter: Trichloroethylene (semi-quantitative)

-

Medium: end-exhaled air

Time: end of shift at end of workweek

Parameter: Trichloroethylene (semi-quantitative)

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing.

- Wash hands before breaks and at the end of work.

- Store protective clothing separately.

- Avoid contact with the eyes and skin.

- **Breathing equipment:**

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

**9 Physical and chemical properties**

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- Form:** Liquid

- Color:** According to product specification

- **Odor:** Characteristic

- **Odour Threshold:** Not applicable.

- **pH-value:** Not applicable.

(Contd. on page 6)

Product Name: TCLP VOLATILES SPIKE

(Contd. of page 5)

· <b>Change in condition</b> Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147 °F)
· <b>Flash point:</b>	11 °C (52 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	455 °C (851 °F)
· <b>Decomposition temperature:</b>	Not applicable.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· <b>Explosion limits:</b> Lower:	5.5 Vol %
Upper:	44.0 Vol %
· <b>Vapor pressure at 20 °C (68 °F):</b>	128 hPa (96 mm Hg)
· <b>Density</b>	Not applicable.
· <b>Relative density</b>	Not applicable.
· <b>Vapor density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with</b> Water:	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not applicable.
· <b>Viscosity:</b> Dynamic:	Not applicable.
Kinematic:	Not applicable.
· <b>Solvent content:</b> Organic solvents:	98.8 %
VOC content:	98.6 %
Solids content:	0.2 %
· <b>Other information</b>	No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>67-56-1 methanol</b>		
Oral	LD50	5628 mg/kg (rat)
Dermal	LD50	15800 mg/kg (rabbit)
<b>107-06-2 1,2-dichloroethane</b>		
Oral	LD50	670 mg/kg (rat)
Dermal	LD50	2800 mg/kg (rat)
<b>106-46-7 1,4-dichlorobenzene</b>		
Oral	LD50	500 mg/kg (rat)
<b>71-43-2 benzene</b>		
Oral	LD50	4894 mg/kg (rat)
Dermal	LD50	48 mg/kg (mouse)

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/07/2016

Reviewed on 06/07/2016

**Product Name: TCLP VOLATILES SPIKE**

(Contd. of page 6)

Inhalative	LC50/4 h	9980 mg/l (mouse)
<b>56-23-5 carbon tetrachloride</b>		
Oral	LD50	2350 mg/kg (rat)
Dermal	LD50	5070 mg/kg (rat)
<b>79-01-6 trichloroethylene</b>		
Oral	LD50	2402 mg/kg (mouse)
Dermal	LD50	8450 mg/kg (mouse)
<b>75-01-4 vinyl chloride</b>		
Oral	LD50	500 mg/kg (rat)

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Carcinogenic.

The product can cause inheritable damage.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

75-35-4	1,1-dichloroethylene	3
107-06-2	1,2-dichloroethane	2B
106-46-7	1,4-dichlorobenzene	2B
71-43-2	benzene	I
67-66-3	chloroform	2B
56-23-5	carbon tetrachloride	2B
127-18-4	tetrachloroethylene	2A
79-01-6	trichloroethylene	I
75-01-4	vinyl chloride	I

- **NTP (National Toxicology Program)**

107-06-2	1,2-dichloroethane	R
106-46-7	1,4-dichlorobenzene	R
71-43-2	benzene	K
67-66-3	chloroform	R
56-23-5	carbon tetrachloride	R
127-18-4	tetrachloroethylene	R
79-01-6	trichloroethylene	R
75-01-4	vinyl chloride	K

- **OSHA-Ca (Occupational Safety & Health Administration)**

71-43-2	benzene
75-01-4	vinyl chloride

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 8)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/07/2016

Reviewed on 06/07/2016

**Product Name: TCLP VOLATILES SPIKE**





(Contd. of page 7)

· *Other adverse effects* No further relevant information available.

### 13 Disposal considerations

- *Waste treatment methods*
- *Recommendation:* Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- *Uncleaned packagings:*
- *Recommendation:* Disposal must be made according to official regulations.

### 14 Transport information

· <i>UN-Number</i> · <i>DOT, ADR, IMDG, IATA</i>	UN1230
· <i>UN proper shipping name</i> · <i>DOT, IATA</i> · <i>ADR</i> · <i>IMDG</i>	Methanol 1230 Methanol METHANOL
· <i>Transport hazard class(es)</i> · <i>DOT</i>	
	
· <i>Class</i> · <i>Label</i>	3 Flammable liquids 3, 6.1
· <i>ADR</i>	
	
· <i>Class</i> · <i>Label</i>	3 Flammable liquids 3+6.1
· <i>IMDG</i>	
	
· <i>Class</i> · <i>Label</i>	3 Flammable liquids 3/6.1
· <i>IATA</i>	
	
· <i>Class</i> · <i>Label</i>	3 Flammable liquids 3 (6.1)
· <i>Packing group</i> · <i>DOT, ADR, IMDG, IATA</i>	II
· <i>Environmental hazards:</i>	Not applicable.
· <i>Special precautions for user</i> · <i>Danger code (Kemler):</i> · <i>EMS Number:</i> · <i>Stowage Category</i> · <i>Stowage Code</i>	Warning: Flammable liquids 336 F-E,S-D B SW2 Clear of living quarters.

(Contd. on page 9)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/07/2016

Reviewed on 06/07/2016

Product Name: TCLP VOLATILES SPIKE

(Contd. of page 8)

· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1230 METHANOL, 3 (6.1), II

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

67-66-3 chloroform

· **Section 313 (Specific toxic chemical listings):**

All ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

107-06-2 1,2-dichloroethane

106-46-7 1,4-dichlorobenzene

71-43-2 benzene

67-66-3 chloroform

56-23-5 carbon tetrachloride

127-18-4 tetrachloroethylene

79-01-6 trichloroethylene

75-01-4 vinyl chloride

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

71-43-2 benzene

79-01-6 trichloroethylene

· **Chemicals known to cause developmental toxicity:**

67-56-1 methanol

71-43-2 benzene

67-66-3 chloroform

79-01-6 trichloroethylene

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

75-35-4	1,1-dichloroethylene	C, S (inh.), I (oral)
107-06-2	1,2-dichloroethane	B2
78-93-3	butanone	I
71-43-2	benzene	A, K/L
67-66-3	chloroform	B2, L, NL
108-90-7	chlorobenzene	D
56-23-5	carbon tetrachloride	L
127-18-4	tetrachloroethylene	L
79-01-6	trichloroethylene	CaH

(Contd. on page 10)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/07/2016

Reviewed on 06/07/2016

**Product Name: TCLP VOLATILES SPIKE**

(Contd. of page 9)

75-01-4	vinyl chloride	A, K/L
<b>· TLV (Threshold Limit Value established by ACGIH)</b>		
75-35-4	1,1-dichloroethylene	A4
107-06-2	1,2-dichloroethane	A4
106-46-7	1,4-dichlorobenzene	A3
71-43-2	benzene	A1
67-66-3	chloroform	A3
108-90-7	chlorobenzene	A3
56-23-5	carbon tetrachloride	A2
127-18-4	tetrachloroethylene	A3
79-01-6	trichloroethylene	A2
75-01-4	vinyl chloride	A1
<b>· NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
75-35-4	1,1-dichloroethylene	
107-06-2	1,2-dichloroethane	
106-46-7	1,4-dichlorobenzene	
71-43-2	benzene	
67-66-3	chloroform	
56-23-5	carbon tetrachloride	
127-18-4	tetrachloroethylene	
79-01-6	trichloroethylene	
75-01-4	vinyl chloride	

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02

GHS06

GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

methanol

benzene

carbon tetrachloride

1,2-dichloroethane

· **Hazard statements**

Highly flammable liquid and vapor.

Toxic if inhaled.

May cause genetic defects.

May cause cancer.

Suspected of damaging fertility or the unborn child.

Causes damage to organs.

May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 11)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/07/2016

Reviewed on 06/07/2016

**Product Name: TCLP VOLATILES SPIKE**

(Contd. of page 10)

· **Department issuing SDS:** product safety department

· **Contact:**

SPEX CertiPrep, LLC.  
1-732-549-7144

· **Date of preparation / last revision** 06/07/2016 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEL: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3

Muta. 1B: Germ cell mutagenicity, Hazard Category 1B

Carc. 1A: Carcinogenicity, Hazard Category 1A

Repr. 2: Reproductive toxicity, Hazard Category 2

STOT SE 1: Specific target organ toxicity - Single exposure, Hazard Category 1

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2