

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/20/2018

Reviewed on 11/20/2018

## 1 Identification

- **Product identifier**
- **Product Name:** Stock VOA
- **Part Number:** USP-RS-C2B
- **Application of the substance / the mixture** Certified Reference Material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SPEX CertiPrep, LLC.  
203 Norcross Ave, Metuchen,  
NJ 08840 USA
- **Information department:** product safety department
- **Emergency telephone number:**  
Emergency Phone Number (24 hours)  
CHEMTREC (800-424-9300)  
Outside US: 703-527-3887

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.
- **Precautionary statements**  
If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
Wash thoroughly after handling.  
Wear protective gloves / eye protection / face protection.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If skin irritation occurs: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.  
If eye irritation persists: Get medical advice/attention.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 2  
Fire = 1  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 2)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/20/2018

Reviewed on 11/20/2018

Product Name: Stock VOA

(Contd. of page 1)

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

67-68-5	dimethyl sulfoxide	99.907%
---------	--------------------	---------

- **Chemical identification of the substance/preparation**

110-54-3	n-hexane	0.029%
110-86-1	PYRIDINE	0.02%
110-71-4	1,2-dimethoxyethane	0.01%
119-64-2	1,2,3,4-tetrahydronaphthalene	0.01%
79-01-6	trichloroethylene	0.008%
67-66-3	chloroform	0.006%
75-52-5	nitromethane	0.005%
591-78-6	hexan-2-one	0.005%

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not give anything to eat or drink - Do not induce vomiting
- **Information for Doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

67-68-5	dimethyl sulfoxide	150 ppm
110-54-3	n-hexane	260 ppm
110-86-1	PYRIDINE	3 ppm
110-71-4	1,2-dimethoxyethane	13 ppm
119-64-2	1,2,3,4-tetrahydronaphthalene	1.6 ppm
79-01-6	trichloroethylene	130 ppm
67-66-3	chloroform	2 ppm
75-52-5	nitromethane	60 ppm
591-78-6	hexan-2-one	10 ppm

(Contd. on page 3)

Product Name: Stock VOA

(Contd. of page 2)

· PAC-2:		
67-68-5	dimethyl sulfoxide	290 ppm
110-54-3	n-hexane	2900* ppm
110-86-1	PYRIDINE	19 ppm
110-71-4	1,2-dimethoxyethane	140 ppm
119-64-2	1,2,3,4-tetrahydronaphthalene	17 ppm
79-01-6	trichloroethylene	450 ppm
67-66-3	chloroform	64 ppm
75-52-5	nitromethane	210 ppm
591-78-6	hexan-2-one	830 ppm

· PAC-3:		
67-68-5	dimethyl sulfoxide	1,800 ppm
110-54-3	n-hexane	8600** ppm
110-86-1	PYRIDINE	3600* ppm
110-71-4	1,2-dimethoxyethane	840 ppm
119-64-2	1,2,3,4-tetrahydronaphthalene	100 ppm
79-01-6	trichloroethylene	3,800 ppm
67-66-3	chloroform	3,200 ppm
75-52-5	nitromethane	1,000 ppm
591-78-6	hexan-2-one	5000* ppm

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

67-68-5 dimethyl sulfoxide

WEEL Long-term value: 250 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/20/2018

Reviewed on 11/20/2018

**Product Name: Stock VOA**

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid  
Color: According to product specification

· **Odor:** Characteristic

· **Odour Threshold:** Not applicable.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range: Undetermined.  
Boiling point/Boiling range: 189 °C (372.2 °F)

· **Flash point:** > 60 °C (>140 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 270 °C (518 °F)

· **Decomposition temperature:** Not applicable.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: 1.8 Vol %  
Upper: 63 Vol %

· **Vapor pressure at 20 °C (68 °F):** 2.5 hPa (1.9 mm Hg)

· **Density at 20 °C (68 °F)** 1.09985 g/cm<sup>3</sup> (9.17825 lbs/gal)

· **Relative density** Not applicable.

· **Vapor density** Not applicable.

· **Evaporation rate** Not applicable.

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not applicable.

· **Viscosity:**

Dynamic: Not applicable.  
Kinematic: Not applicable.

· **Solvent content:**

Organic solvents: 100.0 %  
VOC content: 99.96 %

Solids content: 0.0 %

· **Other information** No further relevant information available.

### 10 Stability and reactivity

· **Reactivity** No further relevant information available.

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/20/2018

Reviewed on 11/20/2018

Product Name: Stock VOA

(Contd. of page 4)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

67-68-5 dimethyl sulfoxide

Oral LD50 14,500 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

110-86-1	PYRIDINE	3
79-01-6	trichloroethylene	1
67-66-3	chloroform	2B
75-52-5	nitromethane	2B

- **NTP (National Toxicology Program)**

79-01-6	trichloroethylene	K
67-66-3	chloroform	R
75-52-5	nitromethane	R

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/20/2018

Reviewed on 11/20/2018

Product Name: Stock VOA

(Contd. of page 5)

**14 Transport information**

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not Regulated
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Not Regulated
· Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Not Regulated

**15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture		
· Sara		
· Section 313 (Specific toxic chemical listings):		
110-54-3	n-hexane	
110-86-1	PYRIDINE	
110-71-4	1,2-dimethoxyethane	
79-01-6	trichloroethylene	
67-66-3	chloroform	
75-52-5	nitromethane	
· TSCA (Toxic Substances Control Act):		
All ingredients are listed.		
· Proposition 65		
· Chemicals known to cause cancer:		
110-86-1	PYRIDINE	
79-01-6	trichloroethylene	
67-66-3	chloroform	
75-52-5	nitromethane	
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients is listed.		
· Chemicals known to cause reproductive toxicity for males:		
110-54-3	n-hexane	
79-01-6	trichloroethylene	
591-78-6	hexan-2-one	
· Chemicals known to cause developmental toxicity:		
79-01-6	trichloroethylene	
67-66-3	chloroform	
591-78-6	hexan-2-one	
· Carcinogenic categories		
· EPA (Environmental Protection Agency)		
110-54-3	n-hexane	II
79-01-6	trichloroethylene	CaH
67-66-3	chloroform	B2, L, NL
591-78-6	hexan-2-one	II
· TLV (Threshold Limit Value established by ACGIH)		
79-01-6	trichloroethylene	A2
67-66-3	chloroform	A3

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 11/20/2018

Reviewed on 11/20/2018

**Product Name: Stock VOA**

(Contd. of page 6)

75-52-5	nitromethane	A3
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
79-01-6	trichloroethylene	
67-66-3	chloroform	

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.
- **Precautionary statements**  
If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
Wash thoroughly after handling.  
Wear protective gloves / eye protection / face protection.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If skin irritation occurs: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.  
If eye irritation persists: Get medical advice/attention.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** product safety department
- **Contact:**  
SPEX CertiPrep, LLC.  
1-732-549-7144
- **Date of preparation / last revision** 11/20/2018 / -
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

US